

# MORE WAYS TO GET IT DONE.

ALC: N

# WHEN YOU ADD MORE MUSCLE TO YOUR MACHINE WITH POLARIS ENGINEERED ACCESSORIES, THERE'S NOTHING YOU CAN'T DO.

Parts like cab systems, Lock & Ride storage and winches are designed specifically for your *RANGER* – they fit right and function flawlessly so that you can get more done.





# ENGINEERING NEVER STOPS.

When engineering is done well, when design is dialed-in down to the smallest detail, it's not always easy to notice. But it makes a world of difference. Lines are cleaner. Angles are tighter. The package is complete. For the Polaris Engineered<sup>®</sup> team, fine-tuning accessories for seamless integration is what it's all about.

"The entire team is working together and integrating our processes," says Steve Eastman, Vice President of PG&A. "We're working further up front between the design of the vehicle and the accessories that go with that vehicle."

From testing different UV ray exposures on various materials, beating on bumpers in the workroom, listening to riders and getting out and riding on their own time — Polaris' Engineers never stop listening and never stop refining.

"With a Polaris Engineered" product, you know it's the world's best. They are designed specifically for our vehicles, ensuring high quality designs that meet our customers' needs," says Dave Longren, Vice President of Off-Road Vehicles. "You know when you buy an accessory or part from us, it's the best."

The Polaris<sup>\*</sup> team knows that hard work, harder testing and endless innovating is key to making solutions that optimize any ride.

"We make the best products in power sports and that's a real tribute to the superiority of our engineering and the emphasis that we have on integration, innovation and quality," says Eastman.

5" LED LIGHTS

LOCK & RIDE<sup>®</sup> PRO-FIT

**CREW SPORT ROOF** 

LOCK & RIDE PRO-FIT

FIXED GLASS WINDSHIELD

SHOWN: RANGER CREW 900


XP 900 FRONT

BRUSHGUARD



# 2015 RANGER<sup>®</sup> PARTS, ACCESSORIES & APPAREL

WORK HUNT WINCHES PLOWS LOCK & RIDE' PRO-FIT FULL-SIZE & DIESEL	PG 4-5 PG 6-7 PG 8-9 PG 10-11 PG 12-13
WINDSHIELD SELECTOR ROOF SELECTOR REAR PANEL SELECTOR DOOR SELECTOR CAB SYSTEM SELECTOR WINCHES PLOWS STORAGE & HUNTING BUMPERS & GUARDS MID-SIZE & EV	PG 14-15 PG 16-17 PG 18-19 PG 20-21 PG 22-23 PG 24-25 PG 26-29 PG 30-31 PG 32-33
WIND-SIZE & EV WINDSHIELD SELECTOR ROOF SELECTOR REAR PANEL SELECTOR DOOR SELECTOR CAB SYSTEM SELECTOR WINCHES PLOWS STORAGE & HUNTING BUMPERS & GUARDS	PG 34-35 PG 36-37 PG 38 PG 39 PG 40-41 PG 42-43 PG 44-47 PG 48-49 PG 50-51
TRACKS TIRES & WHEELS LIGHTING AUDIO CAB ACCESSORIES POLARIS' INNOVATION COMFORT & ELECTRONICS RAMPS & COVERS TRAILERS & ACCESSORIES	PG 52-53 PG 54-55 PG 56-59 PG 60-61 PG 62-63 PG 64-65 PG 66-67 PG 68 PG 69
LUBRICANTS & VEHICLE CARE MAINTENANCE PARTS HERITAGE HELMETS GOGGLES & GLOVES OGIO' BAGS JERSEYS, BASE LAYERS, TECH WEAR PROTECTION, YOUTH TECH WEAR CASUAL APPAREL BEANIES & CAPS SIZE CHARTS	PG 70-71 PG 72-73 PG 74-75 PG 76-77 PG 78-79 PG 80 PG 81 PG 82 PG 83-88 PG 89 PG 89





# WORK

dente [" ["

# THE RIGHT TOOL FOR THE JOB.

Polaris Engineering Accessories<sup>®</sup> helps you tackle your to-do list. When you need to put in a hard day's work, add accessories that are rugged and specifically designed to function flawlessly with your *RANGER*<sup>®</sup>. So choose the right tools for the job. Choose Polaris<sup>®</sup>.

GREED





# HUNT

# RELENTLESS PURSUIT.

Transform your *RANGER* into the perfect hunting partner with Polaris Engineered Accessories<sup>2</sup>. Parts like gun boots, Lock & Ride<sup>2</sup> storage and protection equipment are designed to help you carry more gear and operate more securely so that you can get more out of your time in the woods.





# PULL YOUR WEIGHT.

GET YOUR JOB DONE WITH RUGGED WINCHES THAT ARE READY TO PULL.

# HEAVY-DUTY PULLING POWER FOR YOUR JOB

# DESIGNED FOR POLARIS<sup>®</sup> VEHICLES

- Integratedmountinglocationsforaperfectfit
- Onenumberandonepriceforwinch,remote, contactor, mount and wiring \_\_\_\_\_\_

# HIGHEST QUALITY MATERIALS

- Steel spools and cut metal gears for greater durability
- Fully-sealedcontactor,motoranddrivetrain keep water out
- Corrosion-resistant finish withstands the elements

# EXTENSIVE LAB AND FIELD TESTING

- Contactors, controls and winch assemblies tested 10,000+ cycles
- Rigorousperformancetestinginlabsandin thefieldensureyourwinchworkswhenyou need it most
- Strength testing ensures superior driveline strength



# PRO HEAVY DUTY SERIES

Whenworld-classperformanceiscalledfor,Polaris HDPROwinches deliver. Thesewinchescombine heavy dutypulling power with premium features likeauto-stop technology synthetic ope for increased durability, aluminum hawsefairlead, and wireless remote control Look to HDPRO winches for the best of the best.





Whenyourrideleadstoextremeconditions,looktoaPolaris WARN winch.Theseworkhorsewincheshaveproventheirperformanceand durabilityaroundtheglobewithanunrivaledcombinationofpremium components built for pulling heavy loads.





TheHDlinedeliversindustry-leadingqualityanddurabilitywith best-in-classvalue—poweredbyqualityfeaturesincludingsealed motorsandcontactors*a*rollerfairlead,wiredremotecontrolandproven pulling power.

FOR MORE INFORMATION ON WINCHES, SEE PAGES 24-25 AND 42-43.

# POSITIVE PUSH.

# WHEN PUSH COMES TO SHOVE, GLACIER<sup>•</sup> PRO PLOW SYSTEMS DELIVER.

Polaris<sup>\*</sup> Engineers set our plows apart by designing them with built-in benefits that help you make quick work of accumulation.

# **IN-CAB CONTROL**

Control blade lift and angle without leaving the cab.



# QUICK INSTALL

Lock & Ride<sup>\*</sup> technology makes installation as simple as driving up, clipping in the plow system and going on your way. The auto-retracting frame kickstand ensures your plow is at the right height for drive-up attachment or detachment all the time.



e.

1

.

Choose from winch lift or hydraulic lift and angle systems to control your plow.

# **ROBUST FRAME**

Polaris Engineered<sup>®</sup> reinforced plow frames are constructed of heavy duty steel, giving you a durable system you can rely on.

# TALLER BLADES

Multiple 72" blade material options are available with up to a 20" blade height, putting you in control to plow more snow more efficiently than ever before.



Pile snow higher and more effectively with greater lift height. Glacier' PRO plows give you up to an 18" lift height.

# LOCK & RIDE<sup>®</sup> PLOWS



Full-Size pages 26-29



Mid-Size pages 44-47



# ADD ON WHAT YOU CAN COUNT ON.

# LOCK & RIDE<sup>®</sup> PRO-FIT

POLARIS<sup>®</sup> PRO-FIT ACCESSORIES LET YOU GET THE JOB DONE WITH SEAMLESS LOCK & RIDE<sup>®</sup> INTEGRATION.

Choose the windshield, doors and roof that best suit YOUR needs. Plowing snow off the farm road in the 7-month Minnesota winter? Dragging brush in the buggy lowlands of Alabama? Checking on the livestock in the midday Texas sun? With options all along the protection spectrum, we've got you covered.




SLIDING WINDOW REAR PANEL



DESIGN	YOUR CAB	COMPLETE CAB SYSTEMS
STEP 1	SELECT A WINDSHIELD Full-Size pages 14-15 Mid-Size pages 34-35	COMPLETE LOCK & RIDE® PRO-FIT CAB SYSTEMS
STEP 2	SELECT A ROOF Full-Size pages 16-17 Mid-Size pages 36-37	
STEP 3	SELECT A REAR PANEL Full-Size pages 18-19 Mid-Size page 38	
STEP 4	SELECT DOORS Full-Size pages 20-21 Mid-Size page 39	Full-Size pages 22-23 Mid-Size pages 40-41







## LOCK & RIDE' PRO-FIT TIP-OUT GLASS WINDSHIELD WIPER READY

- 3-position adjustability lets riders control the volume of airflow into the cab
- Protective, laminate safety glass
- Provides the highest level of scratch resistance
- Easybolt-ondesign:Cabframehasdesignatedmounting
- locations for the hinges, strikers and shock arms • Accessorywindshieldwiper/washer2879754canbeadded
- (sold separately, see page 62)

## 2879966

XP900MY13-15,CREW900MY14-15,570FULLSIZEMY15,CREW 570 FULL SIZE MY15, DIESEL MY15, CREW DIESEL MY15

# PREMIUM

#### LOCK & RIDE' PRO-FIT FIXED GLASS WINDSHIELD WIPER READY

- Accessorywindshieldwiper/washer2879754canbeadded
- (sold separately, see page 62)
- Protective, laminate safety glass
- Provides the highest level of scratch resistance Easy 4-bolt installation with designated mounting locations in the cab frame

#### 2879269

XP900MY13-15,CREW900MY14-15,570FULLSIZEMY15,CREW 570 FULL SIZE MY 15, DIESEL MY 15, CREW DIESEL MY 15

#### LOCK & RIDE PRO-FIT GLASS WINDSHIELD

- Install or remove in seconds with easy Lock & Ride quarter-turn handles
- Protective, laminate safety glass

Provides the highest level of scratch resistance

XP900MY13-15, CREW900MY14-15, 570FULLSIZEMY15, CREW 570 FULL SIZE MY 15, DIESEL MY15, CREW DIESEL MY15

# LOCK & RIDE<sup>®</sup> PRO-FIT ADVANTAGES



Curved windshields for the best fit and finish

# **CURVED GLASS**


Automotive-style curved glass provides the best fit and finish, improved interior sound dampening and optimized visibility.



Gasket runs the perimeter of windshield for a solid 360° seal


# 360° GASKET SEAL

The windshield seals into place with a 360° gasket for reliable protection and comfort.



# **IMPROVED VISIBILITY**

There's no exterior framework on the windshields, so riders enjoy a full, uncompromised field of vision.



# REVOLUTIONARY INSTALLATION

Windshields install easily in designated attachment locations and lock securely in place using Lock & Ride<sup>\*</sup> technology.







#### LOCK & RIDE PRO-FIT POLY TIP-OUT WINDSHIELD (HARD COAT)

- 3-position adjustability lets riders control the volume of airflow into the cab Easy bolt-on design: Cab frame has designated mounting locations for the
- hinges, strikers and shock arms Scratch-resistanthardcoatingprovides additional protection
- Strong, durable, optical-grade, .236" thick poly carbonate provides the ultimate inimpact resistance

#### 2880091

XP900MY13-15, CREW900MY14-15, 570FULL SIZE MY 15, CREW 570 FULL SIZE MY 15, DIESEL MY 15, CREW DIESEL MY 15

#### LOCK & RIDE PRO-FIT POLY WINDSHIELD (HARD COAT)

- Scratch-resistanthardcoatingprovides additional protection
- Strong, durable, optical-grade, .236" thick polycarbonateprovidestheultimatein impact resistance
- InstallorremoveinsecondswitheasyLock & Ride' quarter-turn handles

#### 2879127

XP 900 MY 13-15, CREW 900 MY 14-15, 570 FULL SIZE MY 15, CREW 570 FULL SIZE MY 15, DIESEL MY 15, CREW DIESEL MY 15

#### LOCK & RIDE PRO-FIT POLY WINDSHIELD (GENERAL PURPOSE)

- Strong, durable, optical-grade, .236"-thick polycarbonateprovides the ultimate in impact resistance
- InstallorremoveinsecondswitheasvLock & Ride' quarter-turn handles
- Deliversanexceptionalvaluealongwith reliable protection

#### 2879126

VALUE

XP 900 MY 13-15, CREW 900 MY 14-15, 570 FULL SIZEMY15.CREW570FULLSIZEMY15,DIESELMY 15, CREW DIESEL MY 15

# LOCK & RIDE<sup>®</sup> PRO-FIT HALF WINDSHIELD

- Providesprotectionwhileallowingcomplete airflow to occupants
- Excellent for high dust/temperature conditions Strong, durable, optical-grade. 177" thick
- poly carbonate provides the ultimate inimpact resistance
- InstallorremoveinsecondswitheasyLock & Ride<sup>®</sup> quarter-turn handles


#### 2879135

XP900MY13-15, CREW900MY14-15, 570FULL SIZE MY 15, CREW 570 FULL SIZE MY 15, DIESEL MY 15, CREW DIESEL MY 15

FULL SIZE

(<u>30</u>)







#### ALOCK&RIDEPRO-FITPREMIUMAUDIOROOF

- Anincrediblyversatileaccessory, providing protection, comfort, style, storage, lighting and premium audio
- 400 Watts of power at peak performance
- 55Hz-20kHz Frequency response
- Bluetooth connectivity for wireless audio
- Audio system is completely integrated under the roof
- Audioheadunitpositionedatfrontofroofwithcontrols within reach of driver and passenger
- Audiois delivered through four powerful 6x9 speakers Integrated LED floodlight at rear of roof
- Accessorylightbar(soldseparately)canbeinstalledatfrontofroof Twointegratedunder-roofstoragepodsarewithinreachand
- will securely hold small items
- USB charging port and auxiliary input cable
   Strong,durableblackmolded-polyroofprovidesshadeand reliable overhead protection
- RoofisstyledtocomplementthesportylookoftheRANGER<sup>®</sup>
- Roof mounts easily on the vehicle frame in designated locations using provided hardware

#### 2880538

XP 900 MY 13-15, 570 FULL-SIZE MY 15, DIESEL MY 15 2879732 Light Bar Mount (p. 61) required for installing a light bar.

### B. LOCK & RIDE PRO-FIT PREMIUM ROOF

- Sound-dampeningheadline/foimprovedcomfortandoptimalfinish
   Durableinjection-moldedpolyethylene,structuredto eliminate distortion in high-heat conditions
- Integratedwaterchannelsdrainwaterawayfromthecab
   Styled to match the lines of the RANGER XP 900
- Lock&Ride:quickandeasysnap-oninstallationandremoval
- Includes roof sealing kit

2878851

XP 900 MY 13-15, 570 FULL-SIZE MY 15, DIESEL MY 15

# PREMIUM

#### C. LOCK & RIDE PRO-FIT CAMO ROOF

- · Polaris Pursuit' Camo exterior finish
- Sound-dampeningwashableheadlinerforimprovedcomfort and optimal finish
- Durableinjection-moldedpolycarbonate, structured to eliminate distortion in high-heat conditions
- · Integratedwaterchannelsdrainwaterawayfromthecab
- StyledtomatchthelinesoftheRANGERXP900andprovide a superior fit and finish
- QuickandeasyinstallationwithLock&Ride snap-ontechnology Includes roof sealing kit
- 2879979

XP 900 MY 13-15, 570 FULL-SIZE, DIESEL MY 15

# D.LOCK&RIDEPRO-FITCREWCAMOROOF

- Strong,durable,injection-moldedroofwithPolarisPursuit' Camopatternprovidesshade,superioroverheadprotection and effective visual camouflage in woods settings
   Roofattachestovehicleframeindesignatedmountingpositions
- Roofcanbeinstalledinminutesusingprovidedmounting
- hardware, and removed as quickly
- Roofcanbeusedwithadditionalaccessories, including windshield, rearpanel, doors, audio, auxiliary lighting and more (each sold separately)

2880642CREW 900 MY 14-15, CREW 570 Full-Size and CREW Diesel

#### E. LOCK & RIDE PRO-FIT STEEL ROOF

- Thick12-gaugesteelconstructionforunmatchedstrengthand durability
- Durablepowder-coatedfinishforscratchandcorrosionresistance
- Sound-dampeningheadlinerforreducedinteriornoise
   Installseasilyinmountinglocationsintegratedincabframe
- Installseasilyinmountinglocationsintegrated incabfrar for gap-free, sealed cab environment
- Roofextendsoverthetopsofallothercabcomponentsfor optimized sealed installation
- Sound-absorbinglinerforreducedinteriomoiselevelupto60% quieteratidleand40%quieterat20mphwithfullcabinstalled 2879881
- XP 900 MY 13-15, 570 FULL-SIZE MY 15, DIESEL MY 15

#### F.LOCK&RIDEPRO-FITCREWSTEELROOF

- Thick12-gaugesteelconstructionforunmatchedstrength and durability
- Strong, durablesteel roof provides the ultimate in rider protection
- Two-piece roof installs easily, bolting into designated mounting locations on vehicle frame
- · Roofpanelssealtogetherfordependableprotectionand no-leak performance
- Roofcanbeusedalongwithnumerousotheraccessories (each sold separately)

2880334


CREW 900 MY 14-15, CREW 570 FULL-SIZE, CREW DIESEL MY 15

# LOCK & RIDE<sup>®</sup> PRO-FIT ADVANTAGES



# SEALED COVERAGE

Just as roof shingles overlap for seamless coverage, these easy-toinstall roofs extend over the tops of all other cab components to create a sealed enclosure.



# QUIETER RIDE

Every Lock & Ride<sup>®</sup> Pro-Fit roof reduces the interior noise level, especially with sound-absorbing liners. Noise levels are up to 60% quieter at idle and 40% quieter at 20 mph.

G



# REVOLUTIONARY INSTALLATION

Lock & Ride<sup>®</sup> Pro-Fit roofs install directly into mounting points in the RANGER XP 900 and RANGER CREW 900 cab frame, providing the easiest installation and a sealed fit.

# VALUE

#### G. LOCK & RIDE PRO-FIT SPORT ROOF

- Durableinjection-moldedpolyethylene,structuredtoeliminatedistortionin high-heat conditions
- Integrated water channels drain water away from the cab
- $\cdot\,$  Styled to match the lines of the RANGER XP 900
- Lock&Ride:Quickandeasysnap-oninstallationandremovalwithouttools
- OptionalRoofSealingKit2879289(soldseparately)recommendedforuse with complete cab system

2878849

XP 900 MY 13-15, 570 FULL-SIZE MY 15, DIESEL MY 15

# H. LOCK & RIDE PRO-FIT CREW SPORT ROOF

- · Injection-molded polycarbonate
- Attachesindesignated,integratedmountinglocationsatopcabframeusing Lock & Ride<sup>®</sup> fasteners
- · Includes mounting hardware

#### 2879642

CREW 900 MY 14-15, CREW 570 FULL-SIZE, CREW DIESEL MY 15

# I. LOCK & RIDE PRO-FIT CANVAS ROOF

- Premium, heavy-duty, mold-resistant polyester with UV stabilizers
   Aluminumroofbowprovides constant tension for a finished look and to shed
- water away from the roof
- Gasketeddesignwithheavy-dutycinch-tightbucklesprovidesasnug.securefit
   Installs easily using mounting locations integrated in cab frame
- 2879039

XP 900 MY 13-15, 570 FULL-SIZE MY 15, DIESEL MY 15

#### J. LOCK & RIDE PRO-FIT CREW CANVAS ROOF

- Premium, heavy-duty, mold-resistant polyester with UV stabilizers Aluminumroofbowprovidesconstanttensionforafinishedlookandtoshed
- water away from the roof
- Gasketeddesignwithheavy-dutycinch-tightbucklesprovidesasnug,securefit
   Installs easily using mounting locations integrated in cab frame
   2879898

CREW 900 MY 14-15, CREW 570 FULL-SIZE, CREW DIESEL MY 15

# **ROOF SEAL KITS**

2879289 XP 900 MY 13-15 Only needed with the sport roof 2878849









FULL SIZE







# PREMIUM

## A. LOCK & RIDE<sup>®</sup> PRO-FIT SLIDING WINDOW REAR PANEL

Sliding window provides ventilation, cab comfort and access to cargo in rear box

· Durable tempered glass construction for high level of scratch resistance

Design eliminates exterior framework to provide greater field of vision

 Install or remove easily in seconds with Lock & Ride' Pro-Fit quarter-turn handles 2879015

XP900MY13-15,CREW900MY14-15,DIESELMY15,CREWDIESELMY15,570FULL-SIZEMY15,CREW570 FULL-SIZE MY 15

## B. LOCK & RIDE PRO-FIT GLASS REAR PANEL

· Durable, tempered laminate glass provides high level of scratch resistance

Design eliminates exterior framework to provide greater field of vision

Install or remove easily in seconds with Lock & Ride Pro-Fit quarter-turn handles 2879013

XP900MY13-15,CREW900MY14-15,DIESELMY15,CREWDIESELMY15,570FULL-SIZEMY15,CREW570 FULL-SIZE MY 15


# LOCK & RIDE<sup>®</sup> PRO-FIT ADVANTAGES



Gasket runs the perimeter of the rear panel for a solid 360° seal

# 360° GASKET SEAL

Rear panels seal into place with a 360° gasket for the most reliable protection and comfort.



# IMPROVED VISIBILITY


In-frame installation eliminates the need for exterior framework, so riders enjoy full, uncompromised rearward visibility.





# REVOLUTIONARY INSTALLATION

Rear panels install easily in designated attachment locations and lock securely in place using Lock & Ride<sup>\*</sup> technology.



# VALUE

# C. LOCK & RIDE PRO-FIT POLY REAR PANEL

Strong, thick polycarbonate provides outstanding impact resistance

- Provides the best impact and scratch resistance
- Install or remove quickly and easily with Lock & Ride' Pro-Fit quarter-turn handles In stalls in contours of cab frame with 360° gasketing for out standing protection, comfort, fit the standard standard
- and finish
- Design eliminates need for exterior framework, resulting in full rearward visibility With windshield installed, rear panel is recommended to reduce dust swirl

# 2879134

XP900MY13-15,CREW900MY14-15,DIESELMY15,CREWDIESELMY15,570FULL-SIZEMY15,CREW570 FULL-SIZE MY 15

## D. LOCK & RIDE PRO-FIT CANVAS REAR PANEL

- Premium, heavy-duty, mold-resistant polyester with UV stabilizers
- Durable, heat-sealed vinyl window for durability and crack resistance
- Heavy-duty cinch-tight buckles for a snug, secure fit
- Panel installs easily into integrated mounting locations Easily removed and stored for greater ventilation


Tinted finish

2879040

XP900MY13-15,CREW900MY14-15,DIESELMY15,CREWDIESELMY15,570FULL-SIZEMY15,CREW570 FULL-SIZE MY 15

FULL SIZE







## A.LOCK&RIDEPRO-FITPOWERWINDOWDOORS

- · Power windows
- Strong, thermoplastic outer shell
- · Reliable heavy-duty tube steel frame
- $\cdot\,$  Interior lining for automotive-level fit and finish
- · Includes optional sealing kit

#### 2879107

XP 900 MY 13-15, 570 FULL-SIZE MY 15, DIESEL MY 15 2879107 does NOT work with CREW vehicles

## B.LOCK&RIDEPRO-FITHINGEDWINDOWDOORS

- Adjustable pivoting windows
- Structural web injection-molded shell
- Heavy-duty tube steel frame
- Sound-dampening interior liner
- Includes optional sealing kit

#### 2879124

XP900MY13-15,CREW900MY14-15,570FULL-SIZEMY15,CREW 570 FULL-SIZE, DIESEL MY 15, CREW DIESEL MY 15

# PREMIUM

#### C.LOCK&RIDE PRO-FITFIXEDWINDOWDOORS Tempered, fixed-positionglasswindowhasexcellentscratch

- and abrasion resistance
- Charactural use in instance
- Structural web injection-molded shell
   Heavy-duty tube steel frame
- Includes optional sealing kit

#### includes optional sealing

2879247

XP900MY13-15,CREW900MY14-15,570FULL-SIZEMY15,CREW 570 FULL-SIZE, DIESEL MY 15, CREW DIESEL MY 15

## D. LOCK & RIDE PRO-FIT CAMO DOORS

- Adjustablepivotingwindowsprovidemultipleventilationoptions
- Structural webinjection-molded shell creates extremely durable door exterior with Polaris Pursuit Camo finish
- Heavy-duty tube steel frame
- Sound-dampening,washableinteriorlineprovideshighlevel of fit and finish
- Doors mount easily and seal in place in cab frame's designated mounting locations
- · Includes cab sealing kit

#### 2879980 | Camo

XP900MY13-15, CREW900MY14-15, 570FULL-SIZEMY15, CREW 570 FULL-SIZE, DIESEL MY 15, CREW DIESEL MY 15

# E.LOCK&RIDEPRO-FITCREWPOLYREARDOORS

- ${\small \ } Easy installation in design at edcab frame mounting locations$
- Includes2doors, mounting hardware and a cabsealing kit

2879641

CREW900MY14-15,CREW570FULL-SIZEMY15,CREWDIESELMY15

WINDSHIELD SELECTOR | ROOF SELECTOR | REAR PANEL SELECTOR | DOOR SELECTOR | CAB SYSTEM SELECTOR | WINCHES | PLOWS | STORAGE & HUNTING | BUMPERS & GUARDS


# LOCK & RIDE<sup>®</sup> PRO-FIT ADVANTAGES



Lock & Ride<sup>®</sup> Pro-Fit Power Window Doors

# UNPRECEDENTED VENTILATION OPTIONS

Only Polaris' offers available power windows that provide the ultimate in adjustable ventilation. Automotivequality controls let you customize airflow into the cab.



# SOUND DAMPENING DOOR LINERS

Most Lock & Ride<sup>•</sup> Pro-Fit doors reduce the interior noise level, especially those with interior sound-absorbing liners: Noise levels are up to 60% quieter at idle and 40% quieter at 20 mph.



# REVOLUTIONARY INSTALLATION

Hinges and strikers are integrated into Lock & Ride<sup>®</sup> Pro-Fit doors for the easiest installation, and a 360<sup>°</sup> gasket ensures a sealed fit and finish. Quickremoval pins make it easy to remove doors.





# PREMIUM

#### F. LOCK & RIDE PRO-FIT CREW CAMO REAR DOORS

- Strong,durabledoorsfeaturePolarisPursuit'Camopattern andprovideoutstandingriderprotectionandeffectivevisual camouflage in woods settings
- · Injection-moldedpolyshellsandheavy-dutytubesteel frames
- Easyinstallationindesignatedcabframemountinglocations
   Includes2doors,mountinghardwareandacabsealingkit
- 2880641CREW 900 MY 14-15, CREW 570 Full-size MY 15, CREW Diesel MY 15

# VALUE

# G. LOCK & RIDE<sup>®</sup> PRO-FIT CANVAS DOORS

- Premium, heavy duty 23 oz. polyester construction UV stabilizers and mold resistant polyester material Durable,heat-sealedPVCwindowfordurabilityandcrack resistance
- Powder-coatedsteelframeprovidesdoorwithsolidstructure Zip-down windows provide adjustable ventilation
- Gasketdesignforsealedinstallationblockswindandrain
   Doors mount easily and seal in place in cab frame's
- designated mounting locations

#### 2878853

XP900MY13-15, CREW900MY14-15, 570FULL-SIZEMY15, CREW 570 FULL SIZE MY 15, DIESEL MY 15, CREW DIESEL MY 15

# H. LOCK & RIDE' PRO-FIT CREW CANVAS REAR DOORS

- Heavy-duty 23 oz. polyester
  - Easyinstallationindesignatedcabframemountinglocations
     Includes Two doors and mounting hardware

#### 2879899

- CREW900MY14-15,CREW570FULL-SIZEMY15,CREWDIESELMY15
- I. LOCK & RIDE PRO-FIT HALF DOORS
- Blackpowder-coateddoorsfeaturestrong, durablesteel construction
- Steel tube frames for added support
- Slam latch to ensure doors close tightly
- 2879797

XP 900 MY 13-15, 570 FULL-SIZE MY 15, DIESEL MY 15



# FULL-SIZE CAB SYSTEM SELECTOR

# PREMIUM

### LOCK & RIDE PRO-FIT

LX CAB SYSTEM

THE BEST VENTILATION AND THE MOST PREMIUM FEATURES LOCK & RIDE PRO-FIT TIP-OUT GLASS WINDSHIELD (PN 2879847)

LOCK & RIDE PRO-FIT TIP-OUT GLASS WINDSHIELD (PN LOCK & RIDE PRO-FIT PREMIUM ROOF (PN 2878851)

LOCK & RIDE' PRO-FIT SLIDING WINDOW REAR PANEL (PN 2879015) LOCK & RIDE' PRO-FIT POWER WINDOW DOORS (PN 2879107)

PowerWindowDoors:Anewlevelofventilationadjustabilityandconvenience,alongwithenhancedvisibility

 $\label{eq:constraint} Tip-OutGlassWindshield: Choose from 3 positions --- closed, open for airflow or raised completely; wiper ready to the second second$ 

Sliding Window Rear Panel: Provides adjustable ventilation and convenient access to cargo box
 Premium Roof: Styled to coordinate with your RANGER' and lined with sound-dampening material

2851123

# LOCK & RIDE PRO-FIT

SX CAB SYSTEM

THE PERFECT BALANCE OF PROTECTION, COMFORT AND QUICK INSTALLATION

LOCK & RIDE' PRO-FIT FIXED GLASS WINDSHIELD (PN 2879269)

LOCK & RIDE<sup>®</sup> PRO-FIT PREMIUM ROOF (PN 2878851) LOCK & RIDE<sup>®</sup> PRO-FIT GLASS REAR PANEL (PN 2879013)

LOCK & RIDE PRO-FIT HINGED WINDOW DOORS (PN 2879124)

- · RoofandDoorPremiumInteriorLiners:Ridersexperienceenhancedcomfortandreducedoperatingnoise
- Hinged Window Doors: Let a rider choose protection or airflow, and enjoy a wide field of vision
   WindshieldandRearPanelGlassWindows:Reliableprotectionandthebestscratchresistanceforgreat
- visibility, wiper ready
- InstallsQuickly:Componentsinstallquicklyandeasilyindesignatedmountinglocationsinthecabframeand with Lock & Ride<sup>°</sup> quarter-turn handles

2851129

# LOCK & RIDE<sup>®</sup> PRO-FIT

LX CREW CAB SYSTEM

THE ULTIMATE COMFORT AND PROTECTION FOR EVERYONE

LOCK & RIDE PRO-FIT FIXED GLASS WINDSHIELD 2879269

LOCK & RIDE PRO-FIT CREW SPORT ROOF 2879642

LOCK & RIDE PRO-FIT GLASS REAR PANEL 2879013


LOCK & RIDE' PRO-FIT HINGED WINDOW DOORS 2879124 LOCK & RIDE' PRO-FIT CREW POLY REAR DOORS 2879641

- LOCK & RIDE PRO-FIT CREW POLY REAR DOORS 28/9641
- · Premium Interior Door Liners: Riders experience enhanced comfort and reduced
- operating noise
- Hinged Window Doors: Let a rider choose protection or airflow, and enjoy a wide field of vision
   GlassRearPanelandWindshield:Reliableprotectionandthebestscratchresistanceforoptimalvisibility,
- GlassRearPanelandWindshield:Reliableprotectionandthebestscratchresistanceforoptimalvisibility, wiper ready
   InstallsQuickly:Componentsinstallquicklyandeasilyindesignatedmountinglocationsinthecabframeand
- InstallsQuickly:Componentsinstallquicklyandeasilyindesignatedmountinglocationsinthecabframeand with Lock & Ride' quarter-turn handles









# VALUE

# LOCK & RIDE PRO-FIT

## X CAB SYSTEM

THE FASTEST INSTALLATION FOR MAXIMUM VERSATILITY LOCK & RIDE' PRO-FIT GLASS WINDSHIELD (PN 2878854)

LOCK & RIDE PRO-FIT SPORT ROOF (PN 2878849) INCLUDES CABSEAL KIT LOCK & RIDE 'PRO-FIT POLY REAR PANEL (PN 2879134) LOCK & RIDE 'PRO-FIT FIXED WINDOW DOORS (PN 2879247)

- $\cdot\,$  Installs Quickly: Components are easy to install in designated mounting locations in the cab frame and with Lock & Ride' quarter-turn handles
- · WindshieldandRearPanelGlassWindows:Reliableprotectionandthebestscratchresistance for great visibility
- $\cdot\,$  Fixed Window Doors: Riders enjoy full visibility and maximum scratch resistance
- Sealed Installation: Components fit together and create a comfortable sealed interior 2851125

## LOCK & RIDE PRO-FIT



DURABLE CANVAS CONSTRUCTION, ESSENTIAL PROTECTION

LOCK & RIDE' PRO-FIT POLY WINDSHIELD, GENERAL PURPOSE (PN 2879126) LOCK & RIDE' PRO-FIT CANVAS ROOF (PN 2879039) LOCK & RIDE' PRO-FIT CANVAS REAR PANEL (PN 2879040) LOCK & RIDE' PRO-FIT FIXED CANVAS DOORS (PN 2878853)

- · Canvas Components: Lightweight and easy to store when removed
- PolyWindshield:Durable,impact-resistant,reliableprotectionthatensuresgreatvisibility in all conditions

AdjustableDoorVentilation:Zip-openwindowsinthedoorsletriderscontrolairflowintothecab 2851126

# LOCK & RIDE PRO-FIT



HEAVY DUTY PROTECTION FOR EVERYONE

LOCK & RIDE' PRO-FIT POLY WINDSHIELD, GENERAL PURPOSE (PN 2879126) LOCK & RIDE' PRO-FIT CREW SPORT ROOF 2879642

- LOCK & RIDE PRO-FIT CREW SPORT ROOF 287964 LOCK & RIDE PRO-FIT POLY REAR PANEL 2879134
- LOCK & RIDE PRO-FIT POLY REAR PANEL 2879134

LOCK & RIDE PRO-FIT CREW CANVAS REAR DOORS 2879899

- InstallsQuickly:Componentsinstallquicklyandeasilyindesignatedmountinglocationsinthe cab frame and with Lock & Ride' quarter-turn handles
- PolyWindshieldandRearPanel:Durable,impact-resistant,reliableprotectionthatensures optimal visibility in all conditions
- Fixed Window Doors: Riders enjoy the full visibility and maximum scratch resistance

SealedInstallation:Componentsfittogetherandcreateacomfortablesealedinterior 2851132









# **PRO HD WINCHES**



#### POLARIS' PRO HD 6000 LB. WINCH

- 6000 lbs. of pulling capacity
- Auto stop technology ideal for snow plowing applications
- 50' of 7mm premium high strength synthetic rope
- High quality polished aluminum fairlead
- Wireless remote control unique code for no interference
- Integrated design to Polaris' RANGER'
- Fully sealed contactor, motor & drivetrain
- 6 gauge wiring maximize current flow
- Low speed gearing for optimized plow control
- Cut metal gears for maximum durability
- Durable corrosion resistant finish
- 1 year warranty

Includes all components required for installation

2879143

XP 900 MY 13-15, 570 FULL-SIZE MY 15, DIESEL MY 15

#### 2880093

CREW 900 MY 14-15, CREW 570 FULL-SIZE MY 15, CREW DIESEL MY 15





# POLARIS<sup>®</sup> PRO HD 4500 LB. WINCH

4500 lbs. of pulling capacity

- · Auto stop technology ideal for snow plowing applications
- 50' of 6mm premium high strength synthetic rope
- · High quality polished aluminum fairlead
- Integrated design to Polaris' ranger
- · Fully sealed contactor, motor & drivetrain
- · 6 gauge wiring maximizes current flow
- · Low speed gearing for optimized plow control
- · Cut metal gears for maximum durability
- · Durable corrosion resistant finish
- · Corded remote control with socket
- 1 year warranty
  - Includes all components required for installation

2879141

XP 900 MY 13-15, 570 FULL-SIZE MY 15, DIESEL MY 15

2880094

CREW 900 MY 14-15, CREW 570 FULL-SIZE MY 15, CREW DIESEL MY 15



# FULL SIZE

# WARN<sup>®</sup> PROVANTAGE WINCHES



# WARN<sup>®</sup> PROVANTAGE 4500 LB. WINCH

- WARN' PROVANTAGE winch optimized for Polaris' Ranger'
- 4500 lbs of pulling capacity
- Fully sealed contactor, motor & drivetrain
- 50' of 7/32" high strength aircraft quality steel cable
- Three-stage planetary gear train for smooth efficient operation
- All metal gear housing and gears for maximum durability
- Durable corrosion resistant finish
- Oversized hook for maximum durability
- Ergonomic clutch handle
- Patented roller disc brake
- Corded remote control with socket
- Limitedlifetimewarrantyformechanicalcomponents.Limited3yearwarrantyforelectricalcomponents Includes all components required for installation
- 2880569

XP 900 MY 13-15, 570 FULL-SIZE MY 15, DIESEL MY 15 2880097

CREW 900 MY 14-15, CREW 570 MY 15, CREW DIESEL MY 15

2880570 6X6, 800, CREW 800

# WINCHES AND PLOWS GO TOGETHEI

The muscle to plow. Versatile Polaris' winches can be used to ra and lower plow blades. Choose the winch that meets your pull and plowing needs. See pages 26-29 for plows.







### FRONT RECEIVER HITCH

Allows you to pull from the front of your RANGER<sup>\*</sup> Works with all bumpers

**POLARIS**<sup>®</sup>**PROHDWINCHUPGRADEKIT** 

WinchFitment4500Lb.requiresuseofsynthetic

2878846

winch rope

2879148

XP900 MY 13-15, CREW 900 MY 14-15, 570 FULL SIZE MY15, CREW570FULLSIZEMY15.DIESELMY15.CREWDIESELMY15

# **HD WINCHES**



# POLARIS<sup>®</sup> HD 4500 LB. WINCH (INTEGRATED MOUNT)

- 4500 lbs of pulling capacity
- Integrated design to Polaris' Ranger'
- Fully sealed contactor, motor and drivetrain
- 6 gauge wiring maximizes current flow
- 50' of 7/32" high strength steel cable
- Cut metal gears for maximum durability
- Durable corrosion resistant finish
- Low speed gearing for optimized plow control
- Corded remote control with socket
- 1 vear warrantv
- Performanceupgrades;syntheticrope,autostop,wirelessremoteandplowrope(soldseparately) Includes all components required for installation
- 2879337

XP 900 MY 13-15, 570 FULL-SIZE MY 15, DIESEL MY 15

2880095

CREW 900 MY 14-15, CREW 570 FULL-SIZE MY 15, CREW DIESEL MY 15

2878781

800,HDMY09-14,6X6MY10-14,500EFIMY09-10,DIESELMY11-14,CREWMY10-14,CREWDIESELMY12-14

## POLARIS<sup>®</sup> HD 4500 LB. WINCH (MULTI-MOUNT)

The convenient multi-mount optional lows for front or rearreceiver mounting. A handheld  $remote and aircraft-quality cable allow for safe and secure operation. Requires {\it Front}$ Receiver Hitch Kit (2878846).

2879142

XP 900 MY 13-15, 570 FULL-SIZE MY 15, CREW DIESEL MY 15

2880096

CREW 900 MY 14-15, CREW 570 FULL-SIZE MY 15, CREW DIESEL MY 15

2878782

800FEIMY09-14 400 EVMY10-14 500FEIMY09-10 500DIESEI MY11-14 500CREWMY10-14 CREW DIESEL MY 12-14, 6X6 MY 10-14





# SYNTHETIC WINCH ROPE

Polaris' winch ropes are designed to work with the Polaris' winch of the same rating. Always use the rope that is sized appropriately for your winch.

2879187 | 4500 Lb. Winch Rope

HD 4500 Lb. Winch only

2879188 | 6000 Lb. Winch Rope 6000 Lb. Winch Only

### WINCH WIRELESS REMOTE

- Remote: 52mm x 98mm x 28mm, weight .055KG
- Receiver: 110mm x 98mm x 30mm, weight .21KG
- Battery Type: 23A/12V
- Battery Life: 1 year
- Remote RANGER : 50'
- Install Time: 20 minutes
- 2879316

### POWER CONTROLLER

Control your winch directly from the shift knob Idealforplowing;putsplowcontrolsinyourshiftinghand Can be used with any Polaris' winch

2879227





# FULL-SIZE GLACIER<sup>®</sup> PRO PLOW SYSTEM



#### GLACIER<sup>®</sup> PRO PLOW

- Heavy-duty cast steel frame for maximum durability
- · Lock & Ride' for easy blade installation and removal
- 72" W x 20" H heavy-duty blade
- Low-maintenance, self-contained electric over hydraulic cylinders
- · Modular design lets you choose: hydraulic or winch lift
- Choice of blade angle control: hydraulic or manual angle
- · Lift and angle adjustments can be made from the driver's seat
- · Manualanglewithshear-pindesignprotectsplowinhigh-impactcontact
- Manual angle adjustment is easily accessible, prevents digging
- into snow to change angle
- Auto-retracting kickstand folds
- in as you drive away

CONTROL FROM THE COMFORT OF THE CAB Lift and change the angle of the

5

plow blade with the Power Controller. RequiredwithGlacier ProHydraulicAngleSystem and Glacier' Pro Hydraulic Lift System

CHOOSE BETWEEN HYDRAULIC LIFT AND WINCH METHODS

4



ADD GLACIER<sup>®</sup> PRO PLOW HYDRAULIC ANGLE SYSTEM



Glacier' Pro does not work with Pre-Runner Brushguards or Prospector Pro' Tracks.

# **STEP 1: SELECT A MOUNT**

# GLACIER' PRO PLOW MOUNT PLATE

# 2879106

XP900MY13-15, CREW900MY14-15, 570FULL-SIZEMY15, CREW 570 FULL-SIZE MY 15, DIESEL MY 15, CREW DIESEL MY 15 2879105

FULL-SIZEXP700,XP800MY09-10,500EFIMY09-10,CREW800MY 10-14, 6X6 MY 09-14

# STEP 2: SELECT A FRAME

#### GLACIER<sup>®</sup> PRO PLOW PUSH FRAME 2879103

# REPLACEMENT SHEAR PIN

2204829 Shear pins comestock with the plow push frame. Extra shear pins available for purchase in case of damage

# **STEP 3: CONFIGURE PLOW**

# CHOOSE A LIFT METHOD:

3

#### GLACIER<sup>®</sup> PROPLOWHYDRAULICLIFTSYSTEM 2879220

XP900MY13-15,CREW900MY14-15,570FULL-SIZEMY15,CREW570 FULL-SIZE,DIESELMY15,CREWDIESELMY15,S00MY09-10,700MY09, 800MY10-14,CREW800MY10-14,DIESEL11-14,CREWDIESEL12-14 RequiresBatteryConnectionCable2879685forCREW900MY14-15and CREW 570 MY 15 AND CREW Diesel MY 15 Requires power control 2879227

#### OR CHOOSE A POLARIS' WINCH

POLARIS<sup>®</sup> PRO HD 6000 LB. WINCH POLARIS<sup>®</sup> PRO HD 4500 LB. WINCH WARN<sup>®</sup> PROVANTAGE 4500 LB. WINCH POLARIS<sup>®</sup> HD 4500 LB. WINCH SEE PAGES 24-25

## ADD AN ANGLE SYSTEM:

# GLACIER PROPLOWHYDRAULICANGLESYSTEM

Requiredforuse:PowerController2879227;requiresBatteryConnection Cable 2879685 for CREW 900 MY 13-15 and CREW 570 Full-Size MY 15 and CREW Dissel MY 15; requires BatteryConnection Kit 2879388 for non-crew vehicles

Requires power control 2879227



# GLACIER<sup>®</sup> PRO PLOW SYSTEM, DESIGNED FOR EXTREME SNOW REMOVAL

CONVENIENCE:

Control blade lift and angle without leaving the cab

## MODULAR DESIGN:

Choose from winch lift or hydraulic lift and angle systems

# CAPACITY:

72" x 20" heavy-duty blade for large-scale snow removal

GO COMPLETELY HYDRAULIC Configure your plow with a hydraulic lift and hydraulic angling system

SHOWN: FULL-SIZE PLOW SYSTEM WITH GLACIER<sup>®</sup> PRO PLOW 72" POLY BLADE 2879317



# STEP 4: SELECT A BLADE

# GLACIER' PRO PLOW 72" POLY BLADE

2879317 FITS ALL MODELS WITH GLACIER<sup>®</sup> PRO PLOW INSTALLED

# GLACIER<sup>®</sup> PRO PLOW 72" STEEL BLADE

2879104

# **STEP 5: ADD ACCESSORIES**

# POWER CONTROLLER

2879227

Required with Hydraulic Lift 2879220 and Angle System 2879224

# GLACIER<sup>®</sup> PRO TRACK EXTENSION

- Extensionmakesitpossibletoproperlymountanduseplow onRANGERXP900thatisequippedwithProspectorPro Track System
- · Extendsbeyondfronttrackstoaccommodateplow-blade mounting
- Ensures full plow performance
- 2879871

XP900MY13-15, CREW900MY14-15, 570FULLSIZEMY15, CREW 570 FULL SIZE MY 15, DIESEL MY 15, CREW DIESEL MY 15 Required when tracks are installed

PART #	SERVICE PARTS
2879872	Curb Finder
2858541	Snow Deflector
2879875	HD Wear Bar
2204975	Stock Wear Bar
2205223	Skid Shoe
2872726	Plow Marker
2877952	Rear Tire Chains
2872655	Coil Spring Spacer



# FULL-SIZE GLACIER<sup>®</sup> II PRO PLOW SYSTEM



#### GLACIER<sup>®</sup> II PLOW

- · Lock & Ride installation: Easy, no-tools installation/removal of plow blade
- $\cdot Reinforced frame to with stand the greater demands of utility vehicle plowing$
- $Designed specifically for the {\sf RANGER}\ ; not ageneric size like most after market kits$
- Choose from several blades for your type of plowing

2

Glacier'IldoesnotworkwithPre-RunnerBrushguardsorProspectorPro'Tracks. Glacier' Il Plow System requires a winch; see pages 24-25.

# STEP 1: SELECT A MOUNT

### GLACIER' II PLOW MOUNT

Easily installed with 6 bolts

· Includes mounting hardware

2879116

XP900MY13-15,CREW900MY14-15,570FULL-SIZEMY15,CREW 570 FULL-SIZE MY 15, DIESEL MY 15, CREW DIESEL MY 15

2878835

ALLRANGER FULL-SIZEAND MID-SIZEMY 05-14 EXCEPT XP 900 AND CREW 900

# STEP 2: SELECT A FRAME

## GLACIER<sup>®</sup> II PLOW FRAME

2878822

XP900MY13-15, CREW900MY14-15, 570FULL-SIZEMY15, CREW 570 FULL-SIZE MY 15, DIESEL MY 15, CREW DIESEL MY 15, ALL RANGER' FULL-SIZE AND MID-SIZE MY 05-14

# **STEP 3: SELECT A LIFT METHOD**

### CHOOSE A WINCH

4

POLARIS<sup>®</sup> PRO HD 6000 LB. WINCH POLARIS<sup>®</sup> PRO HD 4500 LB. WINCH WARN<sup>®</sup> PROVANTAGE 4500 LB. WINCH POLARIS<sup>®</sup> HD 4500 LB. WINCH SEE PAGES 24-25




# **STEP 4: SELECT A BLADE**

SELECT THE PLOW BLADE THAT'S **RIGHT FOR THE WAY YOU PLOW** 

72" COUNTY BLADE 2878848

72" GLACIER<sup>®</sup> II PLOW BLADE 2877736





ENGINEERED PARTS ACCESSORIES & APPAREL

# FULL-SIZE STORAGE & HUNTING

CARRY MORE CARGO WITH LOCK & RIDE STORAGE FOR YOUR RANGER. WHETHER YOU'RE STORING GUNS OR GEAR, BIG OR SMALL, THERE'S A QUICK-INSTALLING LOCK & RIDE BOX OR BAG THAT WILL LET YOU MAKE THE MOST OF YOUR RIDE'S HAULING AND HUNTING ABILITIES.



# LOCK & RIDE CARGO BOX

- · Keeps your tools safe and secure
- Lock&Ride:Install/removetheboxinsecondswithouttools
- $\cdot Over sized hinged lid provides full, easy access to cargo a structure of the second structure of t$
- Durable polyethylene construction
- Soldindividually;full-sizeRANGER'bedallowsforupto4 cargo boxes
- 2879230


XP 900 MY 13-15, CREW 900 MY 14-15, 570 FULL-SIZE, CREW 570 FULL-SIZE, DIESEL MY 15, CREW DIESEL MY 15



# LOCK & RIDE BED EXTENDER/DIVIDER

- Versatile use to extend or divide the cargo box
- Lock&Ride:Install/removetheboxinsecondswithouttools
- Installs in any location in the box
- Multiple tie-down points available to secure cargo

XP 900 MY 13-15, CREW 900 MY 14-15, 570 FULL-SIZE, CREW 570 FULL-SIZE, DIESEL MY 15, CREW DIESEL MY 15



LOCK&RIDEHEADACHERACKWITHTOOLHOLDERS

- · Protects riders from cargo shifting in the rear box
- Secures up to 6 hand tools
- Lock&Ride Install/remove the boxinse condswithout tools
- Mesh construction allows airflow through the cab
   2879121

XP900MY13-15, CREW900MY14-15, 570FULL-SIZEMY15, CREW 570 FULL-SIZE MY 15, DIESEL MY 15, CREW DIESEL MY 15





DCIK & RIDE



### CARGO BOX LIFT

Heavy-duty actuator raises/lowers cargo box

- All mounts are integrated into the chassis for easy installation
- Dump dirt, sand or mulch at the flip of a switch
- Includes all hardware and a dash-mounted switch
- Box does not work with Dual Battery Kit (2876535) for RANGER' MY 05-08 2879199

XP900MY 13-15, CREW 900MY 14-15, 570 FULL SIZEMY 15, CREW 570 FULL SIZEMY 15, DIESELMY 15, **CREW DIESEL MY 15** 

Requires Battery Connection Cable 2879685 for CREW 900, CREW 570 Full-size and CREW Diesel MY 152877054

2X4,4X4,XPMY05-08,4X4,XP,HD,CREWMY09-14,DIESELMY11-14,CREWDIESELMY12-14,400/500 MY 10-14

Will not work on early-build Full-Size RANGER<sup>®</sup> MY 10, built prior to February 2010

2878266

6X6 MY 11-14



# HITCHMOUNTEDMATERIALSPREADER

- MaterialSpreaderattacheseasilyandsecurelytotowhitchand distributes materials evenly and efficiently
- Tackle big jobs in yard, field and garden
- Spread seeds, fertilizer, chemicals and more

Connects with vehicle's electrical system to powers preader motor 2880429

570FULL-SIZEMY15,CREW570FULL-SIZEMY15,XP900MY13-15,CREW 900 MY 14-15, DIESEL MY 15, CREW DIESEL MY 15 Requires Material Spreader Mount Kit 2880816

MATERIAL SPREADER GATE CONTROL KIT 2880815

MATERIAL SPREADER MOUNT KIT



### 60-GALLON BOOMLESS UTILITY SPRAYER

Thissprayermounts in the rear cargo box using a special mounting bracket that makes installation easy. The sprayers lides into the cargo box and locks securely into place using Lock & Ride'' and the secure secmounting hardware. Enjoyout standing maneuverability as your ideprecisely where you want to spray.Includesa60-galloncorrosion-resistantpolvethylenetank.a12-voltdiaphragmpumpanda


- pressure gauge that lets you adjust the spray pressure
- Can deliver fluids at a rate of up to 3.8 gpm with a 45 psi maximum
- $\label{eq:loss} Includes a deluxe pistol griph and helds prayer with an adjust able nozzleand 25' of hose$
- Boomless nozzles can deliver across a full 30' spray-coverage area
- Special mounting brackets secure sprayer in rear cargo box

2879354 ALL RANGER' MODELS

2879799

DIESELMY15,CREWDIESELMY15,XP900MY13-15,CREW900MY13-15,570FULLSIZEMY15,CREW570 FULL SIZE MY15

Not for use on Mid-Size Ranger Models



# LOCK & RIDE DUAL GUN BOOT MOUNT II

- Lock & Ride: Installs quickly and easily without tools
- Securely holds 2 gun boots (sold separately) Tubular metal crossbar for strength and durability
- Durableblackwrinklefinishwitharust-resistantpowdercoat
- Holds 2 gun boots (sold separately) Mountedhightoaccommodatedogkennels(notincluded)

2876148-458

ALL FULL-SIZE RANGER MODELS MY 05-15

Attaches to top of cargo box

LOCK & RIDE DUAL GUN BOOT MOUNT

· Lock & Ride: Installs quickly and easily without tools

Durableblackwrinklefinishwitharust-resistantpowdercoat



LOCK & RIDE CHAINSAW MOUNT

Keeps chainsaw within reach at all times Maximizes bed space for other cargo

Lock & Ride: Installs quickly and easily without tools Secures chainsaw to the outside bed wall

KOLPIN° GUN BOOT IV

- Securely protects and holds firearm
- Works with shotgun or rifle
- Padded interior, dust-proof, water-resistant 2872677 | Black
- ALL RANGER MODELS 2872677-419 | Mossy Oak' Break-Up

ALL RANGER MODELS

#### 2877036 ALL FULL-SIZE RANGER MODELS MY 05-15



ENGINEERED PARTS ACCESSORIES & APPAREL

# FULL-SIZE BUMPERS & GUARDS

ADD THE PROTECTION OF A BUMPER OR BRUSHGUARD AND DO MORE -YOUR OPTIMIZED ATV WILL BE ABLE TO WITHSTAND ANYTHING THE OFF ROAD WORLD CAN DISH OUT. THEY'RE ENGINEERED FOR EASY, SECURE INSTALLATION AND PROTECT LIGHTS BODYWORK AND SUSPENSIONS



#### EXTREME BRUSHGUARDS (FRONT)

Protect front bodywork and headlights

- Durable matte black finish, aggressive styling
- Integrated mounting holes for easy installation of lights 2879201

XP900MY13-15,CREW900MY14-15,570FULL-SIZEMY15,CREW570FULL-SIZEMY15,DIESELMY15, CREW DIESEL MY 15





# STANDARD BRUSHGUARDS (FRONT)

- Outstanding strength and protection
- Protect headlights and taillights, front and rear bodywork
- Durable matte black finish, rugged styling
- Integrated mounting holes for easy installation of lights

- Protect grille with extra-wide vertical bars





# STANDARD BRUSHGUARDS (REAR)

2878840 XP900MY13-15,CREW900MY14-15,570FULL-SIZEMY15,CREW570FULL-SIZEMY15,DIESELMY15, CREW DIESEL MY 15



#### EXTREME BRUSHGUARDS (REAR)

- Provide rear of vehicle with reliable protection on and off the trail
- Durable matte black finish, aggressive styling
- Integrated mounting holes for easy installation of lights
- 2878842

XP900MY13-15,CREW900MY14-15,570FULL-SIZEMY15,CREW570FULL-SIZEMY15,DIESELMY15, CREW DIESEL MY 15





### A-ARM GUARDS

- · Provide additional protection to shafts and A-Arms
- Strong, durable, stamped aluminum construction
- Easy bolt-on design

## 2878844 | Front

XP900MY13-15,CREW900MY15,570FULL-SIZEMY15,CREW570FULL-SIZEMY15,DIESELMY15,CREW DIESEL MY 15

#### 2878845 | Rear

XP900MY13-15,CREW900MY15,570FULL-SIZEMY15,CREW570FULL-SIZEMY15,DIESELMY15,CREW DIESEL MY 15

2878844 and 2878845 do not fit 2014 or 2015 Ranger XP 900 without modification



#### UNDER BOX MUD GUARD/FENDER FLARE

Youcanreduce the spray from the reartires of your RANGER'XP900 with a set of these Under BoxMudGuard/FenderFlares.Theseguardsinstalloverthereartirestoblockspraysoyour vehicles ends less mud, water, dirt and other material supont othe underside of the rearbox.MudGuard/FenderFlaresextendoverreartirestoblocksprayanddebriskickedupbytires

Guards keep the underside of the vehicle cleaner

#### 2880552

XP900MY13-15,CREW900MY14-15,570FULL-SIZEMY15,CREW570FULL-SIZEMY15,DIESELMY15, CREW DIESEL MY 15



#### **CREW 900 NERE BARS**

Armyourfavoriteside-by-sideagainstoff-roadhazardssuchasrocksandstumpsbyaddingaset  $of {\sf RANGERCREW900NerfBars}. These {\sf NerfBars} are styled to integrate with the styling of the the style of {\sf RANGERCREW900NerfBars}. The {\sf RANGERCREW900NerfBars} are styled to integrate with the styling of the style of {\sf RANGERCREW900NerfBars}. The {\sf RANGERCREW900NerfBars} are style of {\sf RANGERCREW900NerfBars} are style of {\sf RANGERCREW900NerfBars}. The {\sf RANGERCREW900NerfBars} are style of {\sf RANGERCREW90NerfBars} are style of {\sf R$ vehicle and provide outstanding protection.

- Install quickly and easily in designated, integrated mounting locations in the frame · Provide protection all along the side of the vehicle
- Built-in boot scrapers at the front and rear help keep the vehicle's interior clean
- · Stamped plate steel with black wrinkle powder-coated finish
- Nerf Bars mount in designated, integrated locations on the vehicle frame Includes 2 Nerf Bars and mounting brackets

#### 2879622 | Black

CREW 900 MY 14-15, CREW 570 FULL-SIZE MY 15, CREW DIESEL MY 15



#### HMW A-ARM GUARDS

- Valuable, reliable protection forvital front suspension components exposed to the rigors of off-road environments
- $\label{eq:construction} Strong, durable, lightweight HMW (high-molecular weight) polyethylene construction with stands$ off-road impacts to protect the A-Arms
- $Molded specifically for the {\sf RANGER}` front suspension for proper installation, a sure fit and$ low-profile presence

All mounting hardware included


2880553 | Front

XP900MY13-15,CREW900MY15,570FULL-SIZEMY15,CREW570FULL-SIZEMY15,DIESELMY15,CREW DIESEL MY 15

#### 2880554 | Rear

XP900MY13-15,CREW900MY15,570FULL-SIZEMY15,CREW570FULL-SIZEMY15,DIESELMY15,CREW DIESEL MY 15

#### **AVAILABLE SEPTEMBER 2014**



#### HMW SKID PLATE

- Strong,durable,lightweightHMW(high-molecularweight)polyethyleneconstructionwithstands off-road impacts, protecting vehicle components
- 1/4" Thick Skid Plate delivers outstanding underside protection
- Molded specifically for the RANGER XP 900 for easy installation and a sure fit
- Bolts quickly and easily into designated, integrated installation locations Mounting hardware included

2879686






#### **XP 900 NERF BARS**

- Durable, stamped plate steel construction
- Provide additional protection to side of vehicle
- Integrated boot scraper helps keep interior clean
- Durable black wrinkle powder-coated finish
- Integrated mounting locations for easy installation
- 2878843

XP 900 MY 13-15, 570 FULL SIZE MY 15, DIESEL MY 15









# PREMIUM

# A. LOCK & RIDE PRO-FIT TIP-OUT GLASS WINDSHIELD NEW

- $\cdot \ Scratch-resistant, optical-gradelaminates a fetyglass of ferst hebest rider protection and visibility$
- · Protects riders from wind, rain, vehicle spray, off-road hazards and more
- · Windshield has minimal perimeter framework for full visibility
- Strong hydraulic arms hold windshield securely in place when open
- Windshield installs quickly and easily with Lock & Ride' technology

2880442

570 MY 15, CREW 570 MY 15, ETX MY 15, EV MY 15

#### B. LOCK & RIDE PRO-FIT FIXED GLASS WINDSHIELD NEW

- Shatterproof,scratch-resistant,optical-gradelaminatesafetyglassoffersthebestrider protection and visibility
- · Protects riders from wind, rain, vehicle spray, off-road hazards and more
- · Windshield has minimal perimeter framework for full visibility
- Windshield installs quickly and easily with Lock & Ride' technology 2879958

570 MY 15, CREW 570 MY 15, ETX MY 15, EV MY 15

WINDSHIELD SELECTOR | ROOF SELECTOR | REAR PANEL SELECTOR | DOOR SELECTOR | CAB SYSTEM SELECTOR | WINCHES | PLOWS | STORAGE & HUNTING | BUMPERS & GUARDS

# LOCK & RIDE<sup>®</sup> PRO-FIT ADVANTAGES



Curved windshields for the best fit and finish

# CURVED GLASS


Automotive-style curved glass provides the best fit and finish, improved interior sound dampening and optimized visibility.



Gasket runs the perimeter of windshield for a solid 360° seal

# 360° GASKET SEAL

The windshield seals into place with a 360° gasket for reliable protection and comfort.




IMPROVED VISIBILITY

There's no exterior framework on the windshields, so riders enjoy a full, uncompromised field of vision.



# REVOLUTIONARY INSTALLATION

Windshields install easily in designated attachment locations and lock securely in place using Lock & Ride<sup>°</sup> technology.



# C. LOCK & RIDE PRO-FIT

- POLY WINDSHIELD (HARD COAT) NEW • Durable,optical-grade,.236"-thickpolycarbonateoffers outstanding rider protection and visibility
- Windshieldhasscratch-resistanthardcoatingonbothsides
   for enhanced durability
- Protects riders from wind, rain, vehicle spray, off-road hazards and more
- Windshieldhasminimalperimeterframeworkforfullvisibility
   Windshield installs quickly and easily with Lock & Ride<sup>\*</sup> technology

# 2880204

570 MY 15, CREW 570 MY 15, ETX MY 15, EV MY 15

# D. LOCK & RIDE PRO-FIT

- POLY WINDSHIELD (GENERAL PURPOSE) NEW
  Ourable,optical-grade,.236"-thickpolycarbonateoffers
- outstanding rider protection and visibility Protects riders from wind, rain, vehicle spray, off-road
- hazards and more Windshieldhasminimalperimeterframeworkforfullvisibility
- Windshield installs quickly and easily with Lock & Ride technology

2879960

570 MY 15, CREW 570 MY 15, ETX MY 15, EV MY 15

#### E. LOCK & RIDE PRO-FIT HALF WINDSHIELD


- Strong, durable polycarbonate HalfWindshielddeliversa combination of protection and airflow into the cab
- HalfWindshieldoffersprotectionfromrain,sleet,sprayand off-road hazards
- Top of cab's front opening is wide open for airflow Lock&Ride'technology:Installsquicklyandeasilywithout

tools

2879961

570 MY 15, CREW 570 MY 15, ETX MY 15, EV MY 15







# PREMIUM

# A. LOCK & RIDE PRO-FIT STEEL ROOF

- Strong, durable steel roof provides the ultimate in rider protection
- One-pieceroofinstallseasily, bolting into designated mounting locations on vehicle frame
- · Roof provides dependable protection and no-leak performance
- Interior fabric liner provides sound reduction
- $\cdot\,$  Roof can be used along with numerous other accessories (each sold separately)

2879954

570 MY 15, ETX MY 15, EV MY 15

# B. LOCK & RIDE PRO-FIT CREW STEEL ROOF NEW

- Strong, durable steel roof provides the ultimate in rider protection
- Two-pieceroofinstallseasily, bolting into designated mounting locations on vehicle frame
- Roof panels seal together for dependable protection and no-leak performance
- Roof can be used along with numerous other accessories (each sold separately)

2879955

CREW 570 MY 15

- C. LOCK & RIDE PRO-FIT CAMO ROOF
- Strong,durableinjection-moldedroofwithPolarisPursuit Camopatternprovidesshade, superior overhead protection and effective visual camouflage in woods settings
   Roof attaches to vehicle frame in designated mounting positions
- Roof attaches to vehicle frame in designated mounting position
- Roofcanbeinstalledinminutesusingprovidedmountinghardware, and removed as quickly
   Roofcanbeusedwithadditional accessories, includingwindshield, rearpanel, doors, audio, auxiliary lighting and more (each sold separately)

2880634 570 MY 15, ETX MY 15, EV MY 15

# D. LOCK & RIDE PRO-FIT CREW CAMO ROOF

- Strong,durableinjection-moldedroofwithPolarisPursuit'Camopatternprovidesshade, superior overhead protection and effective visual camouflage in woods settings
- Two-pieceroofinstallseasily, bolting into designated mounting locations on vehicle frame
- Roof panels seal together for dependable protection and no-leak performance
   Roofcanbeusedwithadditionalaccessories, including windshield, rearpanel, doors, audio,
- auxiliary lighting and more (each sold separately)

2880635CREW 570 MY 15


# WINDSHIELD SELECTOR | ROOF SELECTOR | REAR PANEL SELECTOR | DOOR SELECTOR | CAB SYSTEM SELECTOR | WINCHES | PLOWS | STORAGE & HUNTING | BUMPERS & GUARDS

# LOCK & RIDE<sup>®</sup> PRO-FIT ADVANTAGES



# SEALED COVERAGE

Just as roof shingles overlap for seamless coverage, these easy-toinstall roofs extend over the tops of all other cab components to create a sealed enclosure.




# QUIETER RIDE

Lock & Ride<sup>®</sup> Pro-Fit roofs reduce the interior noise level, especially with sound-absorbing liners.



# REVOLUTIONARY INSTALLATION

Lock & Ride<sup>®</sup> Pro-Fit roofs install directly into mounting points in the RANGER 570 Mid-Size and RANGER CREW 570 Mid-Size cab frame, providing the easiest installation and a sealed fit.



# VALUE

# E. LOCK & RIDE PRO-FIT SPORT ROOF

- Durable black polyethylene Sport Roof provides shade and reliable rider protection
   One-pieceroofinstallseasilyintovehicleframeusingLock&Ride technology—notools
   required
- Roof provides dependable protection and no-leak performance
- Roof can be used along with numerous other accessories (each sold separately) 2879952

570 MY 15, ETX MY 15, EV MY 15


# F. LOCK & RIDE PRO-FIT CREW SPORT ROOF


- Durable black polyethylene Sport Roof provides shade and reliable rider protection
   Two-pieceroofinstallsquicklyandeasilyintovehicleframeusingLock&Ride technology—no
   tools required
- Roof panels seal together for dependable protection and no-leak performance Roof can be used along with numerous other accessories (each sold separately)


 Roof can be used along with numerous other accessories (each sold separately) 2879953

CREW 570 MY 15









# PREMIUM

# A. LOCK & RIDE PRO-FIT GLASS REAR PANEL

- Thisrearpanelprovidesanoutstandingcombinationofprotection, rearwardvisibility and dust-blocking when the vehicle is equipped with a windshield (sold separately)
   Shatterproof, scratch-resistant, optical-gradelaminates afetyglass offers the bestrider protection and visibility
- $\cdot \ {\it Provides protection from inclement weather, off-road hazards, shifting cargo and more}$
- · Lock & Ride' technology: Rear panel installs quickly and easily, no tools required
- Integrated Lock&Ride fasteners seal rear panel securely to Pro-Fit vehicle framework
   RearPanel can be used with accessories such as windshield, roof, doors, auxiliary lights and
- more (each sold separately)

### 2879965

570 MY 15, CREW 570 MY 15, ETX MY 15, EV MY 15

# VALUE


### B. LOCK & RIDE PRO-FIT POLY REAR PANEL

 Thisrearpanelprovidesanoutstandingcombinationofprotection,rearwardvisibilityand dust-blocking when the vehicle is equipped with a windshield (sold separately)
 Durable,optical-grade, 236"-thickpolycarbonateoffersoutstandingriderprotectionand


- visibility
- $\cdot\,$  Rear Panel has scratch-resistant hard coating for enhanced durability
- $\cdot \ {\it Provides protection from inclement weather, off-road hazards, shifting cargo and more}$
- $\,\cdot\,$  Lock & Ride' technology: Rear Panel installs quickly and easily, no tools required
- IntegratedLock&Ride fastenerssealRearPanelsecurelytoPro-Fitvehicleframework
   RearPanelcanbeusedwithaccessoriessuchaswindshield,roof,doors,auxiliarylightsand
   more (each sold separately)

2879812

570 MY 15, CREW 570 MY 15, ETX MY 15, EV MY 15







# PREMIUM

# C. LOCK & RIDE PRO-FIT POLY DOORS NEW

- Durable, dependable doors features trong construction, lining and adjust able windows for comfort riders can customize
- Lightweight, strong and durable
- polyethylene construction
- Profile tubing and plastic design create sealed perimeter
- Texturedfinishonpolyethylenematches vehicle finish
- Doorshaveinteriorpolyurethaneliners
   Windowsslideopenandclosedforridersto
   controlairflowandaccessintoandfromcab
- Doorscanbeinstalledinconjunctionwith accessoriessuchaswindshield,rearpanel, roof and more (each sold separately)
- 2879962
- 570MY15,CREW570MY15,ETXMY15,EVMY15

# D. LOCK & RIDE PRO-FIT CAMO DOORS

- Strong, durable polydoorsfeature Polaris Pursuit Camo pattern, providing outstandingrider protection and effective
- visual camouflage in woods settings Durable,dependabledoorsfeaturestrong construction,liningandadjustablewindows for comfort riders can customize
- Lightweight, strong and durable
- polyethylene construction Profile tubing and plastic design create
- sealed perimeter Texturedfinishonpolyethylenematches vehicle finish
- Venicle IIIISN
   Doorshaveinteriorpolyurethaneliners
   Windowsslideopenandclosedforridersto controlairflowandaccessintoandfromcab
   Doorscanbeinstalledinconjunctionwith accessoriessuchaswindshield,rearpanel, roof and more (each sold separately)
   2880636570 MY 15, CREW 570 MY 15, ETX MY 15, EV MY 15

# E.LOCK&RIDE'PRO-FITCANVAS

# DOORS NEW • Durable,heavy-duty23-oz.canvasmaterial

- ismold-resistantforreliableperformance and UV-stable to resist fading
- Heavy-dutypowder-coatedsteelroddoor framesprovidestrengthandenhancefitand finish
- Doorsinstallquicklyandeasilyandcanbe stored easily when not in use
- Premium-quality paddle latches offer reliable door closure
- PVC windows open easily to provide ventilation and close securely using magnetic closures

# 2879963

570MY15,CREW570MY15,ETXMY15,EVMY15

# VALUE

# F. LOCK & RIDE PRO-FIT CREW CANVAS REAR DOORS

- Durable,heavy-duty23-oz.canvasmaterial ismold-resistantforreliableperformance and UV-stable to resist fading
- Heavy-dutypowder-coatedsteelroddoor framesprovidestrengthandenhancefitand finish
- Doorsinstallquicklyandeasilyandcanbe
   stored easily when not in use
- Premium-quality paddle latches offer reliable door closure
- Heat-sealed,zip-downPVCwindowsopen
   easily to provide ventilation

2879964 CREW 570 MY 15

AVAILABLE SEPTEMBER 2014





# MID-SIZE & EV CAB SYSTEM SELECTOR

LOCK & RIDE PF

# **MID-SIZE**

# LOCK & RIDE<sup>®</sup> PRO-FIT



THE BEST VENTILATION AND FEATURES

LOCK & RIDE' PRO-FIT POLY DOORS 2879962 LOCK & RIDE' PRO-FIT TIP-OUT GLASS WINDSHIELD 2880442 LOCK & RIDE' PRO-FIT GLASS REAR PANEL 2879965 LOCK & RIDE' PRO-FIT STEEL ROOF 2879954

· A complete cab system from a single part number

- Includeseverythingneededtocreateafullcabthatprovidesoptimalprotection&offersthe greatest ventilation adjustability so riders can customize the cab interior comfort
   IncludesPolyDoorSetwithSliderWindows,Tip-OutGlassWindshield,GlassRearPanel&SteelRoof
- Slider Windows in doors offer convenient means of adjusting airflow
- Windshield can be closed for optimized protection or can be tipped open for airflow
   Roof provides shade & the ultimate in overhead protection
- Doors & roof are lined with sound-dampening material

2859435

570 MY 15, ETX MY 15, EV MY 15

# LOCK & RIDE PRO-FIT

# SX CAB

THE PERFECT BALANCE OF PROTECTION, COMFORT, and QUICK INSTALLTION

LOCK & RIDE' PRO-FIT POLY DOORS 2879962 LOCK & RIDE' PRO-FIT GLASS WINDSHIELD 2879958 LOCK & RIDE' PRO-FIT GLASS REAR PANEL 2879965 LOCK & RIDE' PRO-FIT SPORT ROOF 2879952

- · A complete cab system from a single part number
- Includeseverythingneededtocreateafullcabthatprovidesoutstandingprotectionandoffers riders cab interior comfort
- IncludesPolyDoorSetwithsliderwindows,GlassWindshield,GlassRearPanelandSportRoof
- Slider Windows in doors offer convenient means of adjusting airflow
- Windshield & Rear Panel provide excellent protection and visibility
- Roof provides shade & reliable overhead protection
- Doors are lined with sound-dampening material

2859436

570 MY 15, ETX MY 15, EV MY 15

# LOCK & RIDE PRO-FIT



THE QUICKEST INSTALLATION FOR MAXIMUM VERSATILITY

LOCK & RIDE' PRO-FIT CANVAS DOORS 2879963 LOCK & RIDE' PRO-FIT POLY WINDSHIELD (GENERAL PURPOSE) 2879960 LOCK & RIDE' PRO-FIT POLY REAR PANEL 2879812 LOCK & RIDE' PRO-FIT SPORT ROOF 2879952

· A complete cab system from a single part number

- Includeseverythingneededtocreateafullcabthatprovidesoutstandingprotectionand riders comfort
- Includes Canvas Door Set, Poly Windshield, Poly Rear Panel and Sport Roof
- · Windshield & Rear Panel provide excellent protection and visibility
- Roof provides shade & reliable overhead protection

2859437


570 MY 15, ETX MY 15, EV MY 15







MID SIZE & EV



# **MID-SIZE CREW**

# LOCK & RIDE PRO-FIT



COMFORT AND PROTECTION FOR FRONT AND BACK SEAT PASSENGERS

LOCK & RIDE' PRO-FIT CANVAS DOORS 2879963 LOCK & RIDE' PRO-FIT CREW CANVAS DOORS 2879964 LOCK & RIDE' PRO-FIT GLASS WINDSHIELD 2879958 LOCK & RIDE' PRO-FIT GLASS REAR PANEL 2879965 LOCK & RIDE' PRO-FIT CREW STEFL ROOF 2879955

· A complete cab system from a single part number

- Includeseverythingneededtocreateafullcabthatprovidesoptimalprotectionandoffersthe greatest ventilation adjustability so riders can customize the cab interior comfort
- Includes Canvas Front and Rear Door Set, Tip-Out Glass Windshield, Glass Rear Panel and Steel Roof
- Power windows in doors offer the most convenient adjustability
- $\cdot$  Windshield can be closed for optimized protection or can be tipped open for airflow
- Roof provides shade and the ultimate in overhead protection
   Roof is lined with sound-dampening material
- ROOTIS IIITEC

2859438 CREW 570 MY 15 Recommended to use CREW Cab Seal Kit (2880883) (p. 63)

# LOCK & RIDE<sup>®</sup> PRO-FIT

# CREW CAB SYSTEM NEW DURABLE PROTECTION FOR EVERYONE

LOCK & RIDE' PRO-FIT CANVAS DOORS 2879963 LOCK & RIDE' PRO-FIT CREW CANVAS DOORS 2879964 LOCK & RIDE' PRO-FIT POLY WINDSHIELD (GENERAL PURPOSE) 2879960 LOCK & RIDE' PRO-FIT POLY REAR PANEL 2879812 LOCK & RIDE' PRO-FIT CREW SPORT ROOF 2879953

- · A complete cab system from a single part number
- Includeseverythingneededtocreateafullcabthatprovidesoutstandingprotectionand rider comfort
- IncludesCanvasFrontandRearDoorSet,PolyWindshield,PolyRearPanelandSportRoof
   Windshield and Rear Panel provide excellent protection and visibility
- Roof provides shade and reliable overhead protection
- 2859439

CREW 570 MY 15

Recommended to use CREW Cab Seal Kit (2880883) (p. 63)







ENGINEERED PARTS ACCESSORIES & APPAREL

# MID-SIZE WINCHES




# PREMIUM FEATURES FOR HEAVY-DUTYPULLINGPOWER

# AUTO-STOP TECHNOLOGY

- Stopswinchatendofpull, prevents driveline stress
   Great for plowing, prevents overlifting
- Winchstopswhencollaronropecontactsfairlead
- ALUMINUM FAIRLEAD
- Improves rope life, corrosion resistant

# SYNTHETIC ROPE

Superiorflexibility, greats trength, lightweight



Winch stops when fairlead detects hook collar.

# HEAVY DUTY SERIES

# HEAVY-DUTYPULLINGPOWER

- Cut steel gears for improved durability
- Steel spool can handle extreme loads
- 40% quieter near-silent free spooling Sealed motor and drivetrain
- Sealed motor and drivetra
   Low-voltage contactor
- Integratedwiringandmountplatesensureperfectfit

# PRO HD WINCHES



# POLARIS<sup>®</sup> PRO HD 4500 LB. WINCH

- 4500 lbs of pulling capacity
- Auto stop technology ideal for snow plowing applications
- 50' of 6mm premium high strength synthetic rope
- · High quality polished aluminum fairlead
- Integrated design to Polaris' Ranger
- Fully sealed contactor, motor and drivetrain
- 6 gauge wiring maximizes current flow
- · Low speed gearing for optimized plow control
- Cut metal gears for maximum durability
- Durable corrosion resistant finish
- · Corded remote control with socket
- 1 year warranty
- Includes all components required for installation 2879280

800EFIMY13-14,400,EVMY10-14,500,CREW500MY11-13,570,CREW570MY14,LSVMY11-14,570MY 15, ETX MY 15, EV MY 15, CREW 570 MY15

Bigger battery 4010630 recommended for non-EPS models

EV model required auxiliary Battery kit 2880555

Requires longer battery cable 2879685 for Crew model



# MID SIZE & EV

# WARN<sup>®</sup> PROVANTAGE WINCHES



# WARN<sup>®</sup> PROVANTAGE 4500 LB. WINCH NEW

- · WARN' PROVANTAGE winch optimized for Polaris' Ranger
- · 4500 lbs of pulling capacity
- Fully sealed contactor, motor & drivetrain
- $\cdot\,$  50' of 7/32" high strength aircraft quality steel cable
- $\cdot\,$  Three-stage planetary gear train for smooth efficient operation
- $\cdot\,$  All metal gear housing and gears for maximum durability
- · Durable corrosion resistant finish
- · Oversized hook for maximum durability
- · Ergonomic clutch handle
- · Patented roller disc brake
- · Corded remote control with socket
- · Limited lifetime warranty for mechanical components. Limited 3 year warranty for electrical components
- · Includes all components required for installation

### 2880574

570 MY 15, ETX MY 15, EV MY 15

2880575 CREW 570 MY 15 Bigger battery 4010630 recommended for non-EPS models EV model required auxiliary Battery kit 2880555



# WARN' PROVANTAGE 3500 LB. WINCH NEW

- · WARN' PROVANTAGE winch optimized for Polaris' Ranger'
- · 3500 lbs of pulling capacity
- Fully sealed contactor, motor and drivetrain
- 50' of 3/16" high strength aircraft quality steel cable
- Three-stage planetary gear train for smooth efficient operation
- All metal gear housing and gears for maximum durability
- · 6 gauge wiring maximizes current flow
- · Durable corrosion resistant finish
- · Oversized hook for maximum durability
- · Ergonomic clutch handle
- · Patented roller disc brake
- · Corded remote control with socket
- Limited lifetime warranty for mechanical components. Limited 3 year
- warranty for electrical components
- · Includes all components required for installation

2880576

570 MY 15, ETX MY 15, EV MY 15

# 2880577

CREW 570 MY 15

Bigger battery 4010630 recommended for non-EPS models

EV model required auxiliary Battery kit 2880555

# HD WINCHES



# POLARIS' HD 3500 LB. WINCH

- · 3500 lbs of pulling capacity
- · Fully integrated design installs to vehicle in 10 minutes
- 3stepInstallation-boltwinchtothesportsman,connecttobatteryandpluginhandlebar control switch
- Fully sealed contactor, motor and drivetrain
- 6 gauge wiring maximizes current flow
- · 50' of 5mm premium high strength synthetic rope
- Cut metal gears for maximum durability
- · Durable corrosion resistant finish
- · Low speed gearing for optimized plow control
- · Corded remote control with socket
- 1 year warranty
- Performanceupgrades,syntheticrope,autostop,wirelessremoteandplowrope(soldseparately)
   Includes all components required for installation

### 2878784

800 EFI MY 13-14, 400, EV MY 10-15, 500 MY 11-13, 570 MY 14-15, LSV MY 11-14, ETX MY 15 EV and LSV only requires Auxiliary Battery Kit 2879031

# 2878785

CREW 500 MY 11-13, CREW 570 MY 14-15

Biggerbattery4010630 recommended for non-EPS models. EV model required auxiliary Batterykit 2880555.



# WINCH WIRELESS REMOTE

- Remote: 52mm x 98mm x 28mm, weight .055 kg
- Receiver: 110mm x 98mm x 30mm, weight .21 kg
- · Battery Type: 23A/12V
- · Battery Life: 1 year
- Remote RANGER : 50'
- Install Time: 20 minutes
- 2879316

### POWER CONTROLLER

- · Control your winch directly from the shift knob
- · Idealforplowing;putsplowcontrolsinyourshiftinghand
- Can be used with any Polaris' winch



# SYNTHETIC WINCH ROPE

Polaris' winch ropes are designed to work with the Polaris' winch of the same rating. Always use the rope that is sized appropriately for your winch. 2879187 | 4500 Lb. Winch Rope

2875791 | 3500 Lb. Winch Rope




# MID-SIZE GLACIER<sup>®</sup> PRO PLOW SYSTEM

LOCK & RIDE

# GLACIER<sup>®</sup> PRO PLOW

- · Heavy-duty cast steel frame for maximum durability
- $\cdot\,$  Lock & Ride' for easy blade installation and removal
- 66" W x 17' H heavy-duty blade
- Low-maintenance, self-contained electric over hydraulic cylinders
- · Modular design lets you choose: Hydraulic or Winch Lift
- Choice of blade angle control: Hydraulic or Manual Angle
- $\cdot\,$  Lift and angle adjustments can be made from the driver's seat
- Manual angle with shear pin design protects plow in high-impact contact
- Manualangleadjustmentiseasilyaccessible, preventsdigging intosnow to change angle
- $\cdot\,$  Auto-retracting kickstand folds in as you drive away



Plow system does not work with tracks.

# STEP 1: SELECT A MOUNT

# MID-SIZE GLACIER<sup>®</sup> PRO MOUNT NEW

- Strong, durable construction to serve as a secure, reliable foundation of the plow system, season after season
- Installmountplateonundercarriageofvehicleandattach plowframeandblade(eachsoldseparately)whenit'stimeto
- plow
- 2880261

570 MY 15, ETX MY 15, EV MY 15, CREW 570 MY 15

# STEP 2: SELECT A FRAME

2

# MID-SIZE GLACIER' PRO FRAME NEW

- Heavy-dutyframesecurelyholdsplowblade(soldseparately) and attachesto the Glacier' PROPlow Systemmount (sold separately) installed on the under carriage of the RANGER' Frame is engineered and built to with stand the rigors of big
- plowing jobs, season after season
- Frameattachesquicklyandeasilytomountplateonvehicle 2880260

570 MY 15, ETX MY 15, EV MY 15, CREW 570 MY 15

2205527 | Replacement Shear Pin

Shear Pins comestock with the plow push frame. Extra shear pins available for purchase in case of damage.

# STEP 3: SELECT A LIFT METHOD

# SELECT A WINCH

POLARIS<sup>®</sup> PRO HD 4500 LB. WINCH POLARIS<sup>®</sup> HD 3500 LB. WINCH WARN<sup>®</sup> PROVANTAGE 3500 LB. WINCH SEE PAGES 42-43

# ADD AN ANGLE SYSTEM

# MID-SIZEGLACIER<sup>®</sup>PROANGLINGSYSTEM

- Heavy-dutyhydraulicanglesystemadjuststheplowblade angle in a Glacier<sup>®</sup> PRO Plow System
- Angletheplowbladeleftorrightwithpush-buttoneaseto direct materials where desired
- No need to get out of cab to adjust plow blade
- Finish plowing jobs faster, more comfortably and with higher-quality results
- 2880266

570 MY 15, ETX MY 15, EV MY 15, CREW 570 MY 15





# STEP 4: CONFIGURE BLADE

# MID-SIZEGLACIER<sup>®</sup>PRO66<sup>®</sup>POLYBLADE

- Strong, durable, lightweightPolyPlowBlade is ideal for a wide range of residential driveway plowing jobs
- Polyethylenesnowbladeflexesandabsorbsimpactsoless impactenergyandstressistransmittedtotheRANGER<sup>\*</sup> while plowing
- 66"-widebladehasforward-angledcornersandscoopdesign for increased plowing surface
- Polybladecanflexinalltemperaturesandwillnotrustlike metal blades
- Includes a replaceable metal wear bar
   2880269
- 570 MY 15, ETX MY 15, EV MY 15, CREW 570 MY 15

# MID-SIZEGLACIER<sup>®</sup>PRO66"STEELBLADE

- Strong, durablesteel construction ensures this plow blade will tackle big jobs season after season
- Withimpressive,66"span,blademoveslargequantitiesof material with each pass
- Comes with replaceable metal wear bar

2880268

570 MY 15, ETX MY 15, EV MY 15, CREW 570 MY 15

CHOOSE THE RIGHT BLADE Selecttheplowbladethat'srightforthewayyouplow.
17"
66" POLY BLADE

Best for impact absorption



66" STEEL BLADE Best for big jobs year after year

PART #	SERVICE PARTS
2879866	66" Snow Deflector
2879867	66" Stock Wear Bar
2879868	66" HD Wear Bar
2879872	Curb Finder
2205071	Plow Shoes
2872726	Plow Markers
2872655	Coil Spring Spacers
2876463	Pre-Load Adjusters
2877952	Rear Tire Chains



# MID-SIZE GLACIER® II PLOW SYSTEM

# LOCK & RIDE



# GLACIER<sup>®</sup> II PLOW

This Glacier<sup>®</sup> II Plow can be attached or removed in

- less than a minute using Lock & Ride<sup>®</sup> technology.
- Lock & Ride: Install or remove the plow blade quickly and easily — without tools
- Reinforced plow frame and pivot box for 40% increased strength
- Reinforced plow frame and plot box for 40% increased strengtr
   A versatile plow system with outstanding range of motion
- MountingplatesareengineeredspecificallyforPolaris<sup>®</sup>RANGER<sup>®</sup>models
- Choosefromseveralbladesforsnowplowingorversatilesnow/dirtcapabilities



# **STEP 1: SELECT A MOUNT**

GLACIER<sup>®</sup> II MID-SIZE PLOW MOUNT • Easily installed with 6 bolts

Includes mounting hardware

2878835

ETX MY 15, 570 MY 15, EV MY 15, CREW 570 MY 15

# STEP 2: SELECT A FRAME

3

# GLACIER<sup>®</sup> II MID-SIZE PLOW FRAME

2878822 ALL MID-SIZE RANGER MODELS MY 05-14

2

# **STEP 3: SELECT LIFT METHOD**

# SELECT A WINCH

4

POLARIS<sup>®</sup> PRO HD 4500 LB. WINCH POLARIS<sup>®</sup> HD 3500 LB. WINCH WARN<sup>®</sup> PROVANTAGE 3500 LB. WINCH SEE PAGES 42-43



# STEP 4: SELECT A BLADE

60" RAZOR BLADE

2875370

60" SNOW BLADE 2876626

# CHOOSE THE RIGHT BLADE Selecttheplowbladethat'srightforthewayyouplow. 17"



60" SNOW BLADE Best for clearing snow from long driveways

PART #	SERVICE PARTS
2872655	Coil Cover Spring Spacers
2876463	Front Pre-Load Adjuster
2873423	Plow Shoes
2871808	60" Flap
2873426	60" Wear Bars Hd
2871806	Standard Wear Bars
2872726	Plow Marker
2877952	Rear Tire Chains



ENGINEERED PARTS ACCESSORIES & APPAREL

# MID-SIZE STORAGE & HUNTING

HAUL MORE CARGO WITH A POLARIS ENGINEERED LOCK & RIDE BOX OR BAG. INCREASE YOUR MID-SIZE RANGER'S HUNTING AND HAULING ABILITIES WITH INNOVATIVE LOCK & RIDE TECHNOLOGY. IT'S A SIMPLE AND SECURE WAY TO MAKE MORE OF YOU MACHINE.



# LOCK & RIDE' BED EXTENDER/DIVIDER

Can extend the usable area of the rear cargo box beyond the tailgate

And can divide the cargo box to securely hold varied materials or tools separately Lock&Ride technology:Extender/Dividercanbeinstalledandremovedinsecondswithout

tools

Can be installed in any location in the box

Frameworkoffersmultipletie-downpointstosecurecargousingtie-downs,bungees,cargo nets, etc. (each sold separately)

2879977

570 MY 15, CREW 570 MY 15, ETX MY 15, EV MY 15



# CARGO BOX LIFT

Heavy-duty actuator raises/lowers cargo box

- All mounts are integrated into the chassis for easy installation
- Dump dirt, sand or mulch at the flip of a switch
- Includes all hardware and a dash-mounted switch

2880057 \$699.99 CAN 570 MY 14-15, CREW 570 MY 14-15, ETX MY 15

2878265

EV MY 15, 800 EFI MY 13-14, EV MY 12-14 EV REQUIRES AUXILIARY BATTERY KIT 2879031

2877054

400/500 MY 10-14



# UNDER SEAT STORAGE BOX

Secure storage underneath seats

Space-saving, easy-to-use storage keeps items protected, dry and dust-free 2880046

ETX MY 15, 570 MY 15, CREW 570 MY 15, EV MY 15




# LOCK & RIDE CARGO BOX

- Keeps your tools safe and secure
- Lock & Ride: Install/remove the box in seconds without tools
- Oversized hinged lid provides full, easy access to cargo
- Durable polyethylene construction

Sold individually; full-size RANGER' bed allows for up to 4 Cargo Boxes 2877033

ALLFULL-SIZERANGER MODELS MY 05-15, 800 EFIMY 14, 400, EV MY 10-14, 500, CREW 500, LSV MY 11-14, ETX MY 15, 570 MY 15, EV MY 15, CREW 570 MY 15







# 40-GALLON BOOM UTILITY SPRAYER NEW

- · Use this sprayer to apply liquid applications to yard, garden or field
- Corrosion-resistant polyethylene tank has 40-gallon capacity to tackle big jobs
- · Lock&Ride technology: Sprayermountsquickly and easily in rearcargobox without tools
- Delivers applications evenly from adjustable boom
- Connection to vehicle's electrical system accesses power for spray pump
- Ready For Roundup

2880637 570 MY 15, ETX MY 15, EV MY 15, CREW 570 MY 15



# LOCK & RIDE CHAINSAW MOUNT

- · Lock & Ride: Installs quickly and easily without tools
- Secures chainsaw to the outside bed wall
- Keeps chainsaw within reach at all times
- Maximizes bed space for other cargo

### 2879354

ALLFULL-SIZERANGER MODELSMY05-15,800EFIMY13-14,400,EVMY10-15,500,CREW500,LSVMY 11-14, CREW 570 MY 14-15, ETX MY 15, 570 MY 15



KOLPIN<sup>®</sup> GUN BOOT IV · Securely protects and holds firearm Works with shotgun or rifle Padded interior, dust-proof, water-resistant 2872677 | Black ALL RANGER' MODELS 2872677-419 | Mossy Oak Break-Up ALL RANGER MODELS



MID-SIZE LOCK & RIDE GUN BOOT MOUNT · Holds 2 gun scabbards (sold separately) Lock & Ride' technology for easy on/off

2877709

400, EV MY 10-15, 500, CREW 500 MY 11-13, 570 MY 15, CREW 570 MY 14-15, LSV MY 11-14, ETX MY 15



# **MID-SIZE BUMPERS** & GUARDS

NO MATTER WHAT THE TERRAIN THROWS AT YOU, POLARIS ENGINEERED BUMPERS AND GUARDS OFFER EASY-TO-INSTALL PROTECTION FOR YOUR MID-SIZE RANGER'S LIGHTS, BODYWORK AND SUSPENSION.



# STANDARD FRONT BRUSHGUARD

- Brushguard reliably enhances front-end protection of vehicle
- Ideal for trail riding
- Provides outstanding headlight protection
- Strong 1.25" (3.2cm) diameter steel tube construction
- Durable, scratch-resistant black powder-coated finish
- Installs easily in pre-drilled mounting locations
- Integrated styling complements the vehicle's look
- Can be used with any winch or plow system
- 2879973

570 MY 15, CREW 570 MY 15, ETX MY 15, EV MY 15



# STANDARD REAR BRUSHGUARD

- Brushguard reliably enhances back-end protection of vehicle
- Ideal for trail riding
- Provides outstanding taillight protection
- Strong 1.25" (3.2cm) diameter tubular-look construction
- Durable, scratch-resistant black powder-coated finish
- Installs easily in pre-drilled mounting locations
- Integrated styling complements the vehicle's look
- Can be used with accessories such as a winch and tow hitch (each sold separately) Includes integrated mounting tabs for auxiliary lighting
- 2879972

570 MY 15, CREW 570 MY 15, ETX MY 15, EV MY 15





# HMW A-ARM GUARDS NEW

- Valuable, reliable protection for vital fronts uspension components exposed to the rigors of off-road environments
- Strong,durable,lightweightHMW(high-molecularweight)polyethyleneconstructionwithstands off-road impacts to protect the A-Arms
- MoldedspecificallyfortheRANGER frontorrearsuspensionforproperinstallation, as ure fit and low-profile presence
- · All mounting hardware included

2880550 | Front

570 MY 15, CREW 570 MY 15, ETX MY 15, EV MY 15

2880551 | Rear

570 MY 15, CREW 570 MY 15, ETX MY 15, EV MY 15



# NERF BARS NEW

- $\cdot \ {\sf NerfBars} provide reliable, easy-to-install protection for the side edges of the vehicle$
- Integratedbootscraperhelpskeepinteriorclean;scrapemudoffbootsbeforegettingin
   Durable, stamped-plate steel construction
- Durable, stamped-plate Durable black finish
- Durable black finish
- Integrated mounting locations for easy installation

2879974

570 MY 15, ETX MY 15, EV MY 15



# CREW NERF BAR

- · Nerf Bars provide reliable, easy-to-install protection for the side edges of the vehicle
- Integrated bootscraper helpskeep interior clean; scrape mudoff boots before getting in
- Durable, stamped-plate steel construction
- Durable black finish
- · Integrated mounting locations for easy installation
- 2880333

CREW 570 MY 15



# TRACKS

WHEN YOU'RE KNEE DEEP IN THE SNOW, A PROSPECTOR PRO TRACK SYSTEM IS THE PERFECT WAY TO OPTIMIZE YOUR RANGER. A TRACK SYSTEM WILL LET YOU FULLY UTILIZE YOUR ON-DEMAND TRUE ALL-WHEEL DRIVE AND MAKE TRECKING THROUGH SNOW AS EASY AS DRIVING ON A PAVED ROAD.

# **STEP 1: SELECT A MOUNT**

# PROSPECTOR PRO' TRACK MOUNTS

2879621

XP900MY13-15,CREW900MY14-15,570FULL-SIZEMY15,CREW570FULL-SIZEMY15,DIESELMY15, CREW DIESEL MY 15

Requires kit 2205192 for MY 13-14 XP 900 models only

2880058

400 MY 10-14, 500 MY 11-14, 800 EFI MY 13-14

2880071 570 MY 14, 570 MY 15, CREW 570 MY 15

# PROSPECTOR TRACK MOUNT KIT

2879215 XP 900 MY 13 Only Fits Tracks 2879216

# STEP 2: SELECT A KIT

# PROSPECTOR PRO<sup>®</sup> TRACKS

 ProspectorPro<sup>T</sup>racksystemsaredesigned, engineered and builtspecifically for Polaris<sup>-</sup> side-by-sides such as the RANGER XP

 They deliver the best in performance, reliability and durability in all four seasons
 Thistracksystem'smounting hardware, drive-system gearing and trackdesign are all engineered and built specifically for Polaris' side-by-sides

Polaris' track systems deliver the utmost in performance and productivity

### 2880757

500 lb. maximum cargo load with tracks installed

XP 900 MY13-14, CREW 900 MY14-15

Requires kit 2205192


Foryearrounduse, Polaris' recommends the use of Intake Update Kit 2880673 on any MY13-14 RANGERXP900 with tracks installed. To keep in take system working optimally, this kit pre-filters out fine snow and dust.

For extremes now use, Polaris' recommends the use of Intake Relocation Kit 2205192 for vehicles equipped with a full cabenclosure. We shall be a superscript of the second statement of the second s



Large-diameter corner wheels increase the approach angle and easily clear obstacles





Exclusive Polaris' 20-18 tooth gear ratio, optimized for Polaris' drivetrain



Heavy-duty, wide, rubberized wheels on a UHMW base to distribute the weight of the side-by-side



# TIRES & WHEELS

STEP 1: CHOOSE YOUR TIRE	STEP 2: CHOOS	E YOUR WHEEL		
CHOOSE THE BEST TIRE FOR THE WAY YOU RIDE  Treadpatternsoptimizedforextremetraction  Side walls tested for supreme durability Ideal for both hard pack and loose trail		(Pas)		
Image: Transition of the second se	REBLR" 14" FLATBLACKBEADLOCK* 152238-458   14" X "FRONT 152229-458   14" X "FRONT 152229-458   14" X "FRONT 152229-458   14" X "FRONT ALL RANGER "MODELS	VADER" 14" LUSTER WHEEL 1521992-410 14" X" FRONT 1521993-410 14" X 8" REAR ALL RANGER MODELS	VADER" 14" FLAT BLACK WHEEL 152192-521   14" X"FRONT 1521993-521   14" X"FRONT 1521993-521   14" X8" REAR ALL RANGER MODELS	
MOTO ATTACK 14" TIRES	REBLR FLATB 1522238- 1522238- ALL RANC	VAE LUS 15215 ALL 7 ALL 7		
MOTO AT TACK 14" TIRES This 8-ply 14" Moto Attack Tire features advanced radial construction, aggressivedeep-treadandside-bitetractionto provideaPolaris RANGER', ATVor <i>RZR</i> ' riderwithoutstanding traction, handlingandiong-lastingdurability. These tires are ready to race, hauland roll with great thandling in deep mud trenches, gravel, hard- or soft-pack trails and sand. 5414980   26" X 9" FRONT 5414981   26" X 11" REAR	2880024	2880084	2880085	
SEDONA' RIPSAW 14" TIRES With its aggressive, 11&" deep treads, this 6-ply radial tire deliversoutstandingperformanceonextremeterrain.Tractionis excellent in deep ruts and in mud. 5413344   26" X 9" FRONT 5413345   26" X 11" REAR	2880025	2879292	2879296	
MAXXIS' BIGHORN' The tread pattern and wide footprint give this 6-ply radial outstanding traction, and its shoulder lugs help protect the sidewalls. 2876905   26" X 9" FRONT 2876906   26" X 11" REAR	2880026	2879294	2879298	
TWAL TWAL	2880027	2879295	2879299	
MID       ITP' MUD LITE XTR 14" TIRES         Aggressivetreaddesignfeatures11/8" deep,angledgrooves       forsuperiortractionintrailormudsituations.6-plyradial         construction offers a smooth ride and long life.       5414674   27" X 9" FRONT         5414675   27" X 11" REAR	2880028	2879389	2879390	
MOTO MUD With 1.5" deeplugsandsidepaddlesallthewaytothewheel the 27"MOTOMUD will poweryour Polaris ATV, Ranger or RZR through themudiest conditions out there. Builtusing8-ply- rated Armor Belt construction these tires will churn through anything with authority. Bringatowstrapsoyour friendsdon'n get left behind. 5415249   27" X 9" X 14" FRONT 5415368   27" X 11" X 14" REAR	2880693	2880694	2880695	
TERRAINARMOR NON-PNEUMATIC TIRES         Never get a flat with revolutionary TerrainArmor' tire technology, the industry's first Non-Pneumatic tire built to sustain damage without compromising functionality or mobility. Originally designed for military environments, this polymeric web design can withstand harsh terrain that would typically destroy a pneumatic tire.         Kit includes 4.8" tires and speed key kit.         2880818   XP 900 FULL-SIZE MY 13-15, CREW XP 900 MY 14-15, 570 FULL-SIZE MY 15, CREW 570 FULL-SIZE MY 15         Ball joint upgrade kit (PN 2880928) required for XP 900 MY13-14, CREW XP 900 MY13-14, and CREW XP 900 MY15.				

# STEP 3: ADD YOUR LUG NUTS



98.5° m (54.3
12 MM LUG NUT KITS
2879332   Set of 16   With Wrench
2879331   Set of 4   No Wrench
2204966   12 mm Lug Nut Wrench XP 900 MY13-15
SAE <sup>®</sup> LUG NUTS FOR ALUMINUM WHEELS
2876754   Set of 4
2877409   Set of 16 ALL RANGER <sup>®</sup> MODELS EXCEPT XP 900


# **STEP 4: ADD YOUR RINGS**



# 14" FORGE BILLET RINGS

1522244-266   Machined NEW
1522244-133   White
1522244-293   Indy Red
1522244-589   Orange Crush
ALL RANGER' MODELS
14" beadlock wheels only

# **REPLACEMENT CAPS**



**CENTER CAPS** 1521509-410 | Luster 1521509-521 | Flat Black ALL RANGER' MODELS

\*Requires14"ForgeBilletRings1522244-133,1522244-293or 1522244-589

WREC" 14" LUSTER WHEEL 1521994410   14" X 7" FRONT 1521995410   14" X 8" FEAR 1521995410   14" X 8" FEAR ALL RANGER MODELS	WREC" 14" FLAT BLACK WHEEL 1521994-521   14"X 7" FRONT 1521995-521   14"X 8" FEAR ALL RANGER MODELS	SIXR" 14" LUSTER WHEEL 1521507-410   14" X 7" FRONT 1521508-410   14" X 8" FEAR ALL RANGER" MODELS	SIXR <sup>7</sup> 14" SIXR <sup>7</sup> 14" FLAT BLACK WHEEL 152150-551   14" X,"FRONT 1521508-521   14" X,"REAR ALL RANGER" MODELS	SIXR <sup>-</sup> 14" MACHINED WHEEL 1521507-266   14" X 7" FRONT 1521508-266   14" X 8" FEAR ALL RANGER MODELS
2880086	2880087	2880090	2880088	2880089
2879300	2879304	2878882	2878884	2878886
2879302	2879306	2878434	2878030	2878032
2879303	2879307	2878432	2878435	2878437
2879391	2879392	2879393	2879394	2879395
2880696	2880697	2880698	2880699	2880700



# EXTEND YOUR RIDE TIME.

ILLUMINATE THE TRAILS IN STYLE WITH POLARIS ENGINEERED LED LIGHT BARS FOR EVERY LIFESTYLE.

NUMBER OF COLUMN

A Horn Color

# SUPERIOR TECHNOLOGY

Polaris Engineered<sup>®</sup> offers superior performance with technology to light your way. These lights use Polaris<sup>®</sup>-exclusive LED technology, angled reflectors and a proprietary shape for full-spread light projection so you can see more — not only what's directly in front of you, but also what's in your periphery.

- Traditional LED lights cast a beam of light straight in front of you where our new Polaris -exclusive tilted reflector technology provides a wider range of vision
- IP67 rated; fully sealed dust tight, fully submersible for up to one meter
- Durable integrated mounting locations on Polaris<sup>®</sup> machines
- 1 year warranty
- All light bars com pre-wired
- High grade CRE LED chips


INTEGRATED 25/40 TILTED OUTER LIGHTS AND 10 DEGREE CENTER LIGHTS PROVIDE A MORE COMPLETE LIGHTING EXPERIENCE. TECHNOLOGY ONLY AVAILABLE ON THE 13" AND 35" LED LIGHT BARS.


NEVERELECTOR TECHNOLOGY OFFERS GREAT PERIPHERAL AND


NEW REFLECTOR TECHNOLOGY OFFERS GREAT PERIPHERAL AND FORWARD DISTANCE WITH OVER 750 FEET OF EFFECTIVE LIGHT

# GREATER RANGE

See more of the trail — not only what's directly in front of you, but also what's in your periphery.







# LIGHTING





# LIGHTED WHIP FLAG

- Enhances visibility; ideal for hills and dunes
   Includes wiring harness and switch
- May require 2878907 or 2878906 based on mounting location 2878772

ALL RANGER<sup>®</sup> MODELS EXCEPT XP 900

# WHIP FLAG (NOT SHOWN) • Maximizes visibility on hills and dunes

2878799 ALL RANGER' MODELS EXCEPT XP 900



**BILLET CLAMP** · Premium look and secure, reliable performance Sold individually 2878907 | 1.75" Frame ALL RANGER MODELS EXCEPT XP 900 2878906 | 1.5" Frame ALL RANGER MODELS EXCEPT XP 900



FAST CLAMP Attachestorollcageforeasylightmounting Sold individually 2858880 ALL RANGER<sup>®</sup> MODELS EXCEPT XP 900

# 35" LED LIGHT BAR NEW

- Convenient, versatile lighting that will enhance your riding experience
- 35" LED Light Bar elevates the vehicle's sporty, high-performance style
- Polaris' exclusive & manufactured by Vision X
- Installsquickly&easilyintodesignatedmountinglocationsandconnectstovehicle'selectricalsystem
- Delivers reliable performance & outstanding value
- Dust proof and waterproof up to one meter; tested to IP67 standards
- Premium 5 Watt CREE XPG-2 LEDs
- 35.43" x 2.76" x 2.17" (90 cm x 7 cm x 5.5 cm)

2880527

9504

Lm)

ALL RANGER<sup>®</sup> MODELS MY 05-15



See harness chart for specifics.

Installation instructions are included with the LED harness.

# 27" DUAL ROW LIGHT BAR

- · 5-watt LED lights with maximum output of 21,000 lumens
- $\cdot \ {\sf Custom combination of spot and flood lenses provide optimal light-beam projection}$
- · Integrated mounting locations on roof; see wire harness chart for required harness
- · Includes mounting hardware and installation instructions

# 2879858

ALL RANGER' MODELS MY 05-15 Requires LED harness (sold separately).



See harness chart for specifics.

Installation instructions are included with the LED harness.

# 13" LED LIGHT BAR NEW

- · Convenient, versatile lighting that will enhance your riding experience
- 13" LED Light Bar elevates the vehicle's sporty, high-performance style
- · Polaris' exclusive & manufactured by Vision X
- Delivers reliable performance & outstanding value
- · Dust proof and waterproof up to one meter; tested to IP67 standards
- Premium 5 Watt CREE XPG-2 LEDs
- 13.39" x 2.76" x 2.17" (34 cm x 7 cm x 5.5 cm)

### 2880530

3168

Lm}

ALL RANGER' MODELS MY 05-15

- Requires LED harness (sold separately).
- See harness chart for specifics
- Installation instructions are included with the LED harness.

# 7" LED LIGHT BAR NEW

- Convenient, versatile lighting that will enhance your riding experience
- 7" LED Light Bar elevates the vehicle's sporty, high-performance style
- Polaris<sup>\*</sup> exclusive & manufactured by Vision X
- Installsquickly&easilyintodesignatedmountinglocationsandconnectstovehicle'selectricalsystem
- Delivers reliable performance & outstanding value
- Dust proof and waterproof up to one meter; tested to IP67 standards
- 6.69" x 2.76" x 2.17" (17 cm x 7 cm x 5.5 cm)

# 2880624

LmĴ

ALL RANGER<sup>®</sup> MODELS MY 05-15




- See harness chart for specifics.
- Installation instructions are included with the LED harness.

# 2" LED LIGHT

- 10-watt LED light
- Max output of 900 lumens
- Weather-proof connectors with plug-and-play harness
- Die-castaluminumhousing with interlocking om ni-link system and stainless steel hardware 2878715

ALL RANGER<sup>®</sup> MODELS MY 05-15 Requires LED harness (sold separately).



Installation instructions are included with the LED harness.

### STROBE LIGHT (NOT SHOWN)

Allows you to be seen in high-traffic areas and in reduced-visibility situations Attaches with a mounting bracket on the top of the cab frame

2873014 **CREW 800** 

LmĴ}

Rear Accessory Wire Harness Kit 2873868 required

### **UNIVERSAL LED HARNESS (NOT SHOWN)**

Required for installation of LED Headlight Kits (sold separately)

2879863 ALL RANGER' MODELS MY 05-15



Manual Contract States (States States State








### HARNESS NEEDED FOR RANGER

35" LED Light Bar	2879863
27" Dual Row Light Bar	2879863
13" LED Light Bar	2879863
7" LED Light Bar	2879863
2" LED Light	2878770or2879863

# ACCESSORIES







ENGINEERED PARTS ACCESSORIES & APPAREL

# AUDIO

MAKE YOUR RANGER MORE LOUD AND PROUD WITH A POLARIS AUDIO SYSTEM. ENGINEERED TO WITHSTAND ANY ENVIRONMENT YOU MIGHT ENCOUNTER, YOU CAN TAKE YOUR TUNES TO THE FARM, THE FIELD, THE JOB SITE AND BEYOND.



Polaris<sup>°</sup> has partnered with MTX<sup>°</sup> Audio to supply you with industry-leading audio solutions for your RANGER<sup>°</sup>. MTX<sup>°</sup> Audio shares the Polaris Engineered<sup>°</sup> values of delivering innovative, quality products that fit right, install easily and stand out against the competition. Choose our all new premium audio roof with stylish lines that blend seamlessly with your RANGER<sup>°</sup> and integrated LED light bars and taillights to keep you riding longer.

Polaris<sup>®</sup> and MTX<sup>®</sup> are committed to providing you with an outstanding, premium product that exceeds expectations and offers a truly remarkable listening experience wherever your RANGER<sup>®</sup> takes you.

# INDUSTRY LEADING SOUND QUALITY

Full range sound experience with extended low frequency reproduction for bigger, fuller sound

# RIDER-FOCUSED ERGONOMICS

Volume controls, glove-friendly buttons and overhead LED lighting designed with the rider top of mind

# BLUETOOTH<sup>®</sup> TECHNOLOGY

Sync your smartphone and control your music from a distance with Bluetooth connectivity

# DURABLE, QUALITY CONSTRUCTION

Marine-grade construction designed to be extremely weather-resistant and handle the toughest outdoor conditions



### LOCK & RIDE PRO-FIT PREMIUM AUDIO ROOF

· Anincrediblyversatileaccessory, providing protection, comfort, style, storage, lighting and

- premium audio
- · 400 Watts of power at peak performance
- 55Hz-20kHz Frequency response
- Bluetooth connectivity for wireless audio
- · Audio system is completely integrated under the roof
- Audioheadunitpositionedatfrontofroofwithcontrolswithinreachofdriverandpassenger
- · Audio is delivered through four powerful 6x9 speakers
- At rear of roof is an integrated LED floodlight
- $\cdot\,$  Accessory light bar (sold separately) can be installed at front of roof
- $\cdot$  Two integrated under-roof storage pods are within reach and will securely holds mallitems
- USB charging port and auxiliary input cable
- Strong, durable black molded-polyroof provides shade and reliable over head protection
- Roof is styled to complement the sporty look of the RANGER
- Roofmountseasilyon the vehicle frame indesignated locations using provided hardware
   2880538
- XP 900 MY 13-15, 570 FULL-SIZE MY 15, DIESEL MY 15

Light Bar Mount Kit (2879732) required for installing a light bar.

# LIGHT BAR MOUNT KIT

Required to install a light bar on Premium Audio Roof (2880538).

2879732 XP 900 MY 13-15, 570 FULL-SIZE MY 15, DIESEL MY 15



# CAB ACCESSORIES


ADDING CAB ACCESSORIES WILL DELIVER THE COMFORT AND PERFORMANCE YOU NEED FOR THE WAY YOU WORK, HUNT OR RIDE. YOUR RANGER WILL BE MORE TOUGH ON THE OUTSIDE AND MORE ACCOMMODATING ON THE INSIDE.

# WHAT FITS AND WHAT YOU'LL NEED

When you purchase a heater or defrost kit, be sure to get the correct adaptor for proper installation. Using this chart, find where your heater or defrost kit lines up with your RANGER<sup>\*</sup> model and its model year.

Note that adaptors are also required for installation in selected RANGER<sup>\*</sup> models.

SHOWN: RANGER XP 900 HEATER KIT 2879213



# HEATER KITS:

PART NO.	FITMENT	NOTES
2880023	XP900MY13-15,CREW900MY14- 15,570Full-SizeMY15,CREW570 Full-SizeMY15,DieselMY15,CREW Diesel MY 15	$\label{eq:linear} Includes in-dash defrost; requires cutting of plastics; does not work with a uxiliary battery kit$
2878363	XP 800 MY 10-14, 6X6 MY 11-15, CREW 800, HD MY 11-14	
2878364	XP 800 MY 10-14, 6x6 MY 11-15, CREW 800, HD MY 11-14	$\label{eq:linear} Includes in-dash defrost; requires cutting of plastics; does not work with a uxiliary battery kit; requires Defrost Relocation Kit 2858560 with use of bottom-mount windshield wiper a statement of the stateme$
2879967 NEW	570 MY 15, CREW 570 MY 15	Includes everything needed for proper installation and reliable operation
2878458	800Mid-Size,800EFIMY13-14,400 MY10-14,500,CREW500MY10-13	Includes in-dash defrost; requires cutting of plastics Adaptor required: 2878652 for Ranger 800 Mid-Size only
2878491	800 EFI MY 13-14, 400 MY 10-14, Mid-Size 500, 570, CREW 570 MY 14-15	Adaptor Kit 2880110 required for 570 Adaptor Kit 2878541 required for 800 EFI MY 14

# WINDSHIELD WIPER KITS:

PART NO.	FITMENT
2879754	2879966Lock&Ride Pro-FitTip-OutGlasswindshield,2879269Lock& Ride Pro-Fit Fixed glass Windshield
2878138	Only works with Pro-Steel Tip-Out Windshield 2878214
2878025	800 EFI MY 13-14, 400, 500, 570 MY 14
2879968 New	570 MY15, CREW 570 MY15, ETX MY15, EV MY15 Not recommend for use with 2880442 Lock & Ride' Pro-Fit Tip-Out Glass Windshield
2878271	EV, MY 10-14, LSV MY 11-14

# CAB SEAL KITS:

PART NO.	FITMENT
2880883	CREW 570 MY 15
2879657	CREW900MY14-15, CREW570Full-Size MY 15





FITS RANGER' DASH HARD MOUNTS USING DARTS AND REQUIRES DRILLING


# WATERPROOF BLUETOOTH AUDIO

MBQuart Audio Technology

- Kit includes four mounting configurations
- Self contained wireless audio unit provides a rider with rich, powerful, high-quality audio
- Mounts easily to the handlebars, roll cage or fits in your dashboard storage area
- IPX4 rated for water and dust resistance
- Simple controls on top of unit adjust volume and function
- Audio unit has Bluetooth connectivity with voice prompts and voice commands (voice commands on iOS only) Internal LiPo rechargeable battery provides 12 hours of music between charges
- Unit can be easily removed from your ATV between rides for recharging and for use in other applications 2880458







### INTERIOR DOME LIGHT KIT

Weather-proof connectors with plug-and-play harness Push-button switch for easy on and off

2879270

XP900MY13-15.CREW900MY14-15.570FULL-SIZEMY15.CREW 570FULL-SIZEMY15, DIESELMY15, CREWDIESELMY15, ETXMY15, EV MY 15, 570 MY15, CREW 570 MY15

 $Onlyworks with a Poly or {\sc Premium Roof} installed. 2878851, 2878849,$ 2879642, 2880642, 2879979



# HEATED SEAT KIT

Enjoy heated seats for extra cold-weather comfort Heater units install in stock seat cushions

- Includes all wiring and installation instructions
- RequiresBatteryConnectionCable2879388withRANGERXP 900 or prior installation of winch or stereo kit

# 2879271

XP900MY13-15, CREW900MY14-15, 570FULL-SIZEMY15, CREW 570 MY 15, DIESEL MY 15, CREW DIESEL MY 15

### SEAT ADJUSTER KIT (NOT SHOWN) 2879272

XP900MY13-15.CREW900MY14-15.570FULL-SIZEMY15.CREW 570 MY 15, DIESEL MY 15, CREW DIESEL MY 15

Doesnotworkon2014-2015standardmodelswithaonepiecebench seat. Comes standard on LE models.

For front seats in Crew Vehicles



# REAR VIEW MIRROR

- Durable, weather proof construction, designed to perform in all off-road riding conditions
- Installseasily:Mountboltsintoyourchoiceofpre-designated mounting locations on vehicle frame
- Mirror attaches to mount and is adjustable Convexdesignprovidesbroad, expanded view of what's
- behind or alongside the vehicle Canbeused with roof, windshield and other accessories
- 2879969

XP900MY14-15,CREW900MY14-15,570FULL-SIZEMY15,CREW 570FULL-SIZEMY15,570MY15,CREW570MY15,ETXMY15,EVMY 15, DIESEL MY 15, CREW DIESEL MY 15



### SPEEDKEY

YellowSpeedkey'governsvehiclespeedtomaximumof25mph RANGER ownercancontroltopspeedavailabletoindividual

### operators 2879988

XP900MY14-15, CREW900MY14-15, 570FULL-SIZEMY15, CREW 570 FULL-SIZE MY 15, 570 MY 15, CREW 570 MY 15, ETX MY15 Dealer installation required

### 2879290

XP 900 MY 13 Dealer installation required



### HORN KIT

Hornprovidesameansofinstantly, loudly alerting others to potential hazards

Horncanconvenientlygetpeople'sattentionandalertthem to the presence of the RANGER<sup>\*</sup> or its riders

Connects to vehicle's electrical system for power 2879273

XP900MY13-15 DIESELMY15 CREWDIESELMY15 570EULI SIZE MY15,CREW570FULLSIZEMY15,570MY15,CREW570MY15,ETX MY 15, EV MY 15

Requires Battery Connection Cable 2879388 or prior installation of winch or the state of the sstereokitwithXP900,CREW900,570Full-SizeandCREW570Full-Size RequiresBatteryConnectionCable2880929orpriorinstallationofwinch or stereo kit with ETX, 570 Mid-Size, CREW 570 Mid-Size



# DASH-MOUNTED AUDIO KIT

Createyour personal sound track for your ride with this Dash-MountedAudioKit.Itinstallseasilyandsecurely,hasa powerful amp and plays music from a variety of audios ourcesIntegrated, automotive-stylemounting of head unit and speaker pods into dash

AM/FMtunerwithexternalantennaforreliablereception

Powerful45-wattx4-channelamplifierforpremium-qualitysound

 ${\sf USB} input to connect {\sf MP3} player or other audio sources$ 

Bluetooth' compatible for wireless streaming of music 2879248

XP900MY13-15,CREW900MY14-15,570FULL-SIZEMY15,CREW 570 FULL-SIZE MY 15, DIESEL MY15, CREW DIESEL MY 15 2879685AuxiliaryBatteryHarnessneededforFull-SizeCrewmodels (sold separately)

# 2879971 NEW

570 MY 15, CREW 570 MY 15, ETX MY 15, EV MY 15





# POLARIS<sup>®</sup> INNOVATION

TECHNOLOGY AT YOUR FINGERTIPS FOR YOUR COMFORT, CONVENIENCE AND SAFETY. BECOME FULLY CONNECTED TO YOUR MACHINE – BECOME FULLY CONNECTED TO YOUR RIDE – EVERY STEP OF THE WAY.

# POLARIS<sup>®</sup> INTERACTIVE DIGITAL DISPLAY

Simpleandseamless—Polaris'hasdevelopedthefirst ofitskind;thisdisplaywillputyouatthecenterofyour riding experience in a whole new way.

- 4.3"high-resolution,full-color,LCDdigitaldisplay
   Smartphoneconnectivity\*viaBluetooth displaystext messageandmissedcallindicator,phonebatterylife and cell signal strength
- Diagnostics screen displays vehicle fault codes, descriptionsandsuggestedactionstoresolveissues Vehiclelmmobilizerandsecurityfunctionallowyouto
- lock your vehicle with a passcode GPSConnectivityoffersexactlocationinformation
- includingelevation, latitude/longitude, compass bearings, aswellasrecordingyourroutes oyoucanfind trails again

### 2880402

XP 900 MY 13-15, CREW 900 MY 14-15, 570 FULL-SIZE MY 15, CREW570FULL-SIZE MY 15, DIESEL MY 15, CREWDIESEL MY 15

Requires RANGER<sup>®</sup> install kit 2880567

# POLARIS' INTERACTIVE

- DIGITAL DISPLAY INSTALL KIT NEW · Includesallnewinstrumentpanel, necessary mounting
- hardware,wiringharness,etc.toinstallthePolaris Interactive Digital Display 2880567

XP 900 MY 13-15, CREW 900 MY 14-15, 570 FULL-SIZE MY 15, CREW570FULL-SIZE MY 15, DIESEL MY 15, CREWDIESEL MY 15





Plan and record your route so you can find trails again



Check missed calls and text messages without pulling out your phone



Diagnostics screen displays fault codes and suggested actions to take

# COMING SOON

# 

Becomeintegrated intoyourriding experience with the Polaris Link, powered by Rider X<sup>-</sup>. The wire less linke asily plugs into your vehicle to record diagnostics and information. The data is transferred wire lessly via Blue to oth <sup>T</sup> to your cellular device, where your eview with your Rider X<sup>-</sup> mobile application.\* Polaris Link supplies data to your phone wire lessly from your machine including:

- $\cdot$  Real-Time Gauge with speed, RPM and average miles per gallon
- $\cdot$  Vehicle Statistics including fuel rate, battery voltage and engine hours
- $\cdot$  Vehicle Diagnostics that display error codes and preferred dealer communication
- \*Full functionality requires compatible Bluetooth' smartphones

# POLARIS WIRELESS LINK HARNESS

- $\cdot \ Wiring harness connects {\sf Polaris Wireless Link for most versatile connection in the greatest number of off-road locations to your machine the set of the set$
- $\cdot\,$  Harness connects easily to vehicle electrical system and to the link



To download





ENGINEERED PARTS ACCESSORIES & APPAREL

506

# 5:59 am

imple

# COMFORT & ELECTRONICS

THE LITTLE THINGS MAKE A BIG DIFFERENCE WHEN IT COMES TO MAKING MORE OF YOUR MACHINE. ACCESSORIES LIKE GPS WITH POLARIS EXCLUSIVE OFF-ROAD MAPPING, VEHICLE-TO-VEHICLE COMMUNICATION SYSTEMS AND HIGH-PERFORMANCE SEATS MAKE YOUR RANGER BETTER THAN EVER.

# POLARIS' XTR GPS BY LOWRANCE

- Know where you are with premium GPS
- · Fully integrated custom dash mount for a clean look
- · Marine-gradetechnologytowithstandrigorsofharshoff-roadenvironments
- 5" high-definition color display eliminates glare
- Oversized controls for operation with gloves
- Requires installation mount (sold separately)

2879174

XP 900 MY 13-14, CREW 900 MY 14

If the XTRGPS is being purchased for a model that has a metal roof installed, you will also need to purchase an NMEA 2000 Compatible antenna. This is NOT sold through Polaris'.

LOWRANCE GPS MOUNT (NOT SHOWN)

2879176

XP 900 MY 13-14, CREW 900 MY 14

**REGIONAL HD MAP CARDS (NOT SHOWN)** 

SOUTHWEST REGION HD MAP CARD

2879424

NORTHWEST REGION HD MAP CARD 2879425

NORTH CENTRAL REGION HD MAP CARD
2879426

SOUTH CENTRAL REGION HD MAP CARD 2879427

GREAT LAKES REGION HD MAP CARD 2879428

SOUTHEAST REGION HD MAP CARD

NORTHEAST REGION HD MAP CARD

POLARIS\*

</

VRANCE

25%25

Ditt

NEEDIN

L. MIL

14



Polaris<sup>-</sup>-Exclusive Highly Detailed Off-Road Mapping

2879430





# EPS KIT (ELECTRONIC POWER STEERING)

Enjoy smooth, easy, precise responsive automotive-quality power steering
 EPSprovidesalightsteeringfeelinallsituations, includinglow-speedmaneuveringthrough challenging terrain

Enjoy your riding more and stay fresher throughout a day of riding

2879970 NEW

570 MY 15, CREW 570 MY 15

2879259 XP 900 MY 13

2880083 XP 900 MY 14-15, CREW 900 MY 14-15

**REVERSE WARNING KIT** 

- Activates automatically when vehicle is in reverse
   Invaluable when visibility behind the
- vehicle is obstructed and on busy job sites

2880631

570 MY 15, CREW 570 MY 15, ETX MY 15, EV MY 15 2876228

ALLRANGER'MODELSINCLUDINGDIESELMY15,EVANDLSVEXCEPT

DIESEL MY 05-15 AND EV MY 15 Requiresharness2880173wheninstalledon2014RANGER'570mid-size

# BATTERY CONNECTION CABLE (NOT SHOWN)

- High-gaugeconnectorcabletoaddelectronicaccessories
   Required to power accessories on RANGER XP 900 and
   RANGER CREW 900
- Not required if winch or audio systems are installed
   2879388
- ALL FULL-SIZE RANGER' MODELS EXCEPT CREW MY 14

2879990

# ALL MID SIZE RANGER MODELS THROUGH MY15

200002

2880929 MID SIZE CREW MODELS MY14-15

2879685

ALL FULL-SIZE CREW MODELS MY 14

# AUXILIARY BATTERY KIT NEW

2880555 EV MY 15 Kitdoesnotincludebatteries.Recommendedtouseuptotwobatteries (4010630). 2879031

BATTERY KIT 2879031 FOR EV MY12-14 ONLY

# QUICK CHARGE KIT

2880556 EV MY 15

# ACCESSORY HARNESS (NOT SHOWN)

2412710 XP 900, CREW 900 2880173 570 MY 14, CREW 570 MY 14

# EV MOTOR COOLING KIT (NOT SHOWN)

2204419 EV MY 10-14, LSV MY 11-14 Recommended for warm-climate riding

BATTERY CONNECTION KIT FOR USE WITH XP 900
Heated Seat Kit
Heater Kit
Windshield Washer/Wiper Kit
Cargo Box Lift
27" Dual Stack LED Light Bar
27" LED Light Bar
12" LED Light Bar
4" LED Light Bar
2" LED Light
PIAA <sup>°</sup> 35-Watt Light
Rally Lights
Horn Kit

# DIESEL BLOCK HEATER


Provides heat to the engine for sure starting in extreme cold
 la shude the sure start for sure shute off to record a start of the sure start of the

 Includes thermostat for auto shut-off to prevent overheating 2880826

DIESEL MY 15, CREW DIESEL MY 15



# RAMPS & COVERS



# FOLDING HEAVY-DUTY ALUMINUM ARCHED RAMPS

- · Fold up for transport
- Strong enough to hold up to 1,500 lb. (680.7 kg)
- $\cdot\,$  Include safety straps and instructions
- · Sold in pairs

# 2875387

# LIGHTWEIGHT TRI-FOLD RAMP

- Handles up to 1,500 lb. (680.7 kg)
- · Folds up to fit under ATV during transport
- Includes safety straps and instructions
- 2875385 | 72" x 51"

2875860 | 82" x 51"

# ALUMINUM ARCHED LOADING RAMPS

- Each ramp measures 76" x 12" (23.2 x 30.5 cm)
- Combined capacity up to 2,000 lb. (907.2 kg)
- Easily transportable
- Sold in pairs

2875384

# TRAILERING COVER

- · Strong, durable, weatherproof canvas construction
- Canvas is UV-stable to resist fading from prolonged exposure to sunlight
   DesignedspecificallyfortheRANGER soitgoesonandoffeasily, fitsproperly, and offers
- reliable, full-coverage protection
- Ratchet strap system on the bottom secures the cover to the vehicle
- · Coverfeaturesexpandablepocketsthatensurecoverageofaccessoriessuchasallbumpers, roof, most rear cargo box accessories and more

### 2880632 NEW

570 MY 15, ETX MY 15, EV MY 15

2880633 NEW CREW 570 MY 15

2879407-067

XP 900 MY 13, 4X4, XP, HD MY 09-13, 4X4, XP, 2X4 MY 05-08, 570 FULL-SIZE MY15, DIESEL MY15



# ENCLOSED ATV TRAILERS

The Polaris' brandofenclosed trailers is the ultimate combination of quality, style and versatility. With a variety of sizes and price points to choose from, this brand is a mong the most diverse in the industry. Introducing the market's first side-by-side UTV package, we've revolutionized the wayyou'll tow, and store, your Polaris' ATV machines. Standard features include all-aluminum box-tube framework, 030" exteriors ide panels and tors ion ride axles. Box lengths range from 8' to 20'.

# PC6.5X16 QUICK SPECS

Payload Capacity: Interior Dim (LxWxH): Overall Dim (LxWxH): Axles: Wheels/Tires: GVWR:

4325# 15' 10" x 77" x 76" 21' 7" x 101" x 8' 1" (2) 3500# Braked 15" White Mod / 205/75D15 6000#

# FOR MORE INFO, PLEASE VISIT:

# WWW.POLARIS-TRAILERS.COM



# OPEN RANGER<sup>®</sup> TRAILERS

OurRANGER '12utilitytrailerwascustomdesignedaroundtheworld-famousline of Polaris' utilityvehicles. Built from all-aluminum framework, 1.25" pressure-treated decking boards and the high est quality components available, the RANGER '12isruggedenoughtowithstand the best that you, or Mother Nature, canthrowatit. Polaris' utility trailer models range from 4'x8' to 6.5' x 12', and areavailable inwood or aluminum decking. Popular options include bi-folding rear ramps, removable railkits, diamond plates ide panels, wheel jacks and D-ring tie-downs.

# RANGER' 12 QUICK SPECS

Payload Capacity:
Deck Dim (LxW):
Overall Dim (LxW):
Axles:
Wheels/Tires:
GVWR:

2515# 144" x 72" 18' x 94" (1) 3500# Idler 15" White Mod / 205/75D15 2990#

# **OPEN ATV TRAILERS**

Polaris' ATV trailers are available in widths of 83", 84", 88" or 96" inches, accommodatingavarietyofATVmodelsandsizes.WithanumberofATV-specific features, including surface-mountedD-rings, side or rear-stowing ramps, rear edge protectors and wheeljacks on larger trailer models, these trailers are ready to haul, right out of the box.

# PATV 83X14 QUICK SPECS

Payload Capacity: Deck Dim (LxW): Overall Dim (LxW): Axles: Wheels/Tires: GVWR: 2565# 168" x 83" 18' x 102" (1) 3500# Idler (Leaf) 15" Silver Mod / 205/75D15 2990#

DROP RECEIVER HITCH DRAW BAR · Fits 2" receiver · Accepts trailer balls with ¾" (1.9 cm) shank 2875320

RANGER<sup>°</sup> 2"

Polaris' and its vehicle body designs and names are registered trademarks of Polaris' Industries Inc. Used underlicense. Polaris' designs, engineers, manufactures and markets snowmobiles, all-terrainvehicles (ATVs), Victory' motorcycles and the Polaris' RANGER' for recreational and utility use. Information about the complete line of Polaris' products, apparel and vehicle accessories is available from authorized Polaris' dealers or any time from the Polaris' homepage at www.polaris industries.com.

Model: PATV 88 x 14



ENGINEERED LUBRICANTS

# LUBRICANTS & VEHICLE CARE

POLARIS ENGINEERED LUBRICANTS ARE ENGINEER APPROVED, DESIGNED AND TESTED TO MEET THE NEEDS OF YOUR POLARIS HIGH-PERFORMANCE 4-STROKE ENGINE.



# **PS-4 OIL CHANGE KITS**

2202166   Sportsman ACE <sup>-</sup> 570, <i>RZR</i> '/RANGER <sup>-</sup> 570,
Twin 600, 700, 800
2877473   Sportsman <sup>®</sup> 330-570, XP 550/850/1000
2880913   Sportsman <sup>®</sup> ETX, Sportsman ACE <sup>®</sup> , RANGEF ETX
2879129   RZR XP 2011-2012
2879323   RANGER <sup>®</sup> 900 / <i>RZR<sup>®</sup></i> 900, 1000



PS-4 EXTREME DUTY OIL CHANGE KITS

 
 2879004
 | Sportsman ACE<sup>\*</sup> 570, RZR'/RANGER<sup>\*</sup> 570, Twin 600, 700, 800

 2878924
 | Sportsman<sup>\*</sup> 330-570, XP 550/850/1000

 2879130
 | RZR XP 2011-2012


 2879324
 | RANGER<sup>\*</sup> 900/RZR<sup>\*</sup> 900, 1000



**ORV MAINTENANCE KIT** 

- Kit includes:
- 1.5 quarts of AGL
- 1 quart of Angle Drive Fluid
- 1 pint of Demand Drive Fluid
- 1 3oz. tube of All-Season Grease
- Services all ATV, RANGER's, and RZR's

2888471





PS-4 EXTREME DUTY ENGINE OIL · Ultimate high-temperature engine protection

- Prevents thermal breakdown
- Maximum rust and corrosion protection
- Designed for professional grade and high-temp4-cycle applications

2878920   Quart (12 per case)	
2878922   2 Quart (8 per case)	
2878919   Gallon (4 per case)	
2879003   16 Gallon	
2879002   55 Gallon	
2879001   330 Gallon Tote	



**PS-4 SYNTHETIC ENGINE OIL** 

- $\cdot \ Maximum engine protection in cold and hot conditions$
- Easy starting in extreme cold
- $\cdot\,$  Extra rust and corrosion protection
- Extends gear and clutch life

· Designed specifically for Polaris 4-cycle engines
2876244   Quart   12 per case
2877490   2 Quart   8 per case
2876245   Gallon   4 per case
2876247   16 Gallon
2876246   55 Gallon
2878814   330 Gallon Tote





# EXTENDED LIFE ANTI-FREEZE 50/50 FORMULATION

- · Extended 5-year service internal
- New organic acid technology
- · Hard water compatible
- No scaling = better heat transfer
- New yellow coloration
- 2880514 | 1 US Quart | 12 per case
- 2880513 | 1 US Gallon | 6 per case
- 2880512 | 55 US Gallon Drum

# AGL PLUS

- Fullsyntheticfriction-reducingformulation, extreme pressure film protection for severe operating temperatures
- Preventsrust, oxidation, foamandcorrosionofinternalATV

transmission components
2878068   Quart   12 per case
2878069   Gallon   6 per case
2878070   2.5 Gallon   2 per case

2879594 | 55 Gallon

# **DEMAND DRIVE PLUS**

- Formulatedforlubricity, corrosionandoxidation protection in all operating conditions
- ReplacesDemandDriveFluid,LTDemandDriveFluid,and ADC Fluid

2877922 | Quart | 12 per case

2877923 | 2.5 Gallon | 2 per case

# ATV ANGLE DRIVE FLUID

2876160 | Quart | 12 per case 2872276 | 2.5 Gallon | 2 per case

# ALL-SEASON GREASE

 Low-temperaturepliabilityforprotectionatcoldstart-up aswellasexcellenthigh-speedandhigh-temperature protection

2871322   3 oz. 4-pack   6 per case
2871423   14 oz.   10 per case

2871312 | Grease Gun Kit | 4 per case

# U-JOINT GREASE

2871515	3 oz 4-pack   24 per case
2871551	14 oz   10 per case

# SYNTHETIC DIESEL ENGINE OIL

All-Season 5W-40 Formula

- Excellent cold weather protection
   Ultimate protection in serve duty applications
- 2879832 | Quart | 12 per case

# SUMMER 15W40 DIESEL OIL

- Multigradelubricantdesignedforheavydutyequipment
   Excellentwearprotectionduringhightemperatureapplications
- 2878473 | 2 Quart Bottle | 8 per case
- 2878471 | Oil Change Kit | 4 per case

# CARBON CLEAN FUEL TREATMENT

- Dissolves gum and varnish in fuel system
- Prevents and cleans carbon in combustion chamber
  - Excellent fuel stabilizer for storage
  - Formulated for both 2- and 4-cycle engines
- · Absorbs water and stabilizes fuel
- 2871326 | 12 oz. | 12 per case

# PREMIUM ETHANOL FUEL STABILIZER

- Prevents fuel oxidation and system corrosion
   Significantly reduces gum and varnish formation
   Protects fuel system components
- Formulated for both 2- and 4-cycle engines
- 2870652 | Quart | 12 per case
- 2872280 | 2.5 Gallon | 2 per case



XP SPRAY WASH

spray off and go

2830202

2830209

Effortlesscleaningpower-simplysprayon,

Abiodegradable,high-performancewashideal

forremovingdirt, oils and carbon build up

NEVER RUST SPRAY

before and after you ride

Brutal conditions demand superior

protection, be prepared for any climate

Syntheticformulaprotectsagainstrustand

corrosion while lubricating metal surfaces

High resistance to water wash out

### XP WASH NEW

- · Removedthemostintenseandstubborndirt and trail build up easily
- A foaming, highly concentrated wash
   Superior water beading
- 2830203

# POLARIS' POLISH NEW

- Protectionandshinehaveneverlookedso goodorbeensoeasy-sprayon,wipeoff and go
- Ideal on painted and plastic surfaces
   Contains carnauba wax
- 2830207

**INSTANT SHINE &** 

Cleans, polishes and protects plastic and

Be quick, be effective, be ready to go

ALL PURPOSE CLEANER NEW

· Biodegradableformularemovesdirtand

Useonnetting, seats, wheels, tires, plastic,

DETAILER NEW

painted surfaces

grime effortlessly

and metal surfaces

2830204

2830205

Spray and wipe formula

# MUD SHIELD<sup>®</sup> PRE TREATMENT

- Pre-treatandprotect,engineeredforthe most extreme conditions
- Makes cleaning your vehicle easier and faster
- Inhibitstheadhesionofdirt,mudandsnow
   2830208
- (71)



# MAINTENANCE PARTS

### POLARIS ENGINEERED" PARTS ARE DESIGNED AND ENGINEERED TO OPTIMIZE YOUR VEHICLE'S PERFORMANCE AND DELIVER THE TRUE HIGH-PERFORMANCE YOU DEMAND.



#### **ORV AIR FILTERS**

99.9% efficient in blocking dirt in extreme testing Superior filter capacity: Traps 32% more contaminants than the closest competitor Costs half as much as compared to leading aftermarket brands








#### **ORV OIL FILTERS**

The Polaris' filter (#2540086) traps particles 64% smaller in size than the competition, resulting in lower levels of contamination in your engine

ThePolaris' filter has 44% less restriction than the competition to ensure a dequate lubrication in all conditions



**ORV BATTERIES** We use only the highest quality batteries





#### **ORV BRAKE PADS**

· High performance in any temperature and condition: wet, dry or mud

· Designed with the same material used by high-end motorcycles



**ORV DRIVE BELTS** 

· Lowest tolerances (.188") provide highest performance

ThePolaris'Kevlar'beltprovides2xlongerbeltlifethanthecompetitor's"Heavy-Duty"belt

VEHICLE MODEL	AIR FILTER	BELT	OIL FILTER	BATTERY	BRAKE PAD FRONT	BRAKE PAD REAR
RANGER <sup>°</sup> EV	N/A	N/A	N/A	N/A	2203747	2203747
RANGER' EV LSV	N/A	N/A	N/A	N/A	2203747	2203747
RANGER <sup>®</sup> 400	7081308	3211077	2520799	4012622	2203747	2203747
RANGER <sup>®</sup> 570	2521372	3211169	2540086	4012622	2203747	2203747
RANGER CREW 570	2521372	3211169	2540086	4012622	2203747	2203747
RANGER <sup>®</sup> 800 EFI	1240482	3211162	2540086	4010630	2202413	2202413
RANGER <sup>®</sup> 800 6X6	1240482	3211162	2540086	4010630	2203747	2203747
RANGER <sup>®</sup> 900 DIESEL	1240482	3211135	3070131	4014132	2203747	2203747
RANGER CREW 800	1240482	3211162	2540086	4014043	2203747	2203747
RANGER <sup>®</sup> 4X4 900 DIESEL	1240482	3211135	2540086	4014132	2203747	2203747
RANGER XP 900	7081706	3211149	2540086	4014132	2203747	2203747
RANGER CREW 900	7081706	3211149	2540086	4014043	2203747	2203747
RANGER XP 900	7081706	3211149	2540086	4014132-P	2203747	2202413
RANGER XP 900 EPS	7081706	3211149	2540086	4014132-P	2203747	2202413
RANGER CREW 900	7081706	3211149	2540086	4014132-P	2203747	2203747
RANGER CREW 900 EPS	7081706	3211149	2540086	4014132-P	2203747	2203747
RANGER <sup>°</sup> 6X6	1240482	3211162	2540086	4014132-P	2203747	2203747

TT CHARTS	1. GO TO THE "DEALER EXTRANET."
	2. UNDER "NEWS, FORMS AND LINKS" CLICK ON "PURE POLARIS."
	3. FIND THE REFERENCE AND FITMENT CHART FOR YOUR VEHICLE.
REFERENCE MANUALS	1. GO TO THE "DEALER EXTRANET."
	2. UNDER "NEWS, FORMS AND LINKS" CLICK ON "TECHNICAL PARTS."
	3. FIND THE QUICK REFERENCE MANUAL FOR YOUR VEHICLE.



### HERITAGE VISITPOLARIS.COMTOLEARNMORE

Category	Product Name	PN	Fitment
Bumpers and Guards	Front Brushguard	2877822-521	XP800,HDMY09-14,500EFIMY09-10,DieseIMY11-14,CREW,6x6MY10-14
Bumpers and Guards	Rear Brushguard	2877340-521	XP800,HDMY09-14,500EFIMY09-10,DieselMY11-14,CREW,6x6MY10- 14, 570, CREW 570 MY14
Bumpers and Guards	Mid-Size Front Brushguard	2877765-458	400/500/570/800 Mid-Size, Crew 570 Mid-Size, Crew 500
Bumpers and Guards	Mid-Size Rear Bumper, Rgr 400/500	2877711-458	400,570EFI,570EPS,EV/LSV,800EFIMid-Size,800EPSMid-Size,CREW570 EFI
Cab System	Pro-Steel <sup>-</sup> CabSystemWithTipoutWindshieldAndSoftDoors	2851237	XP 800, HD MY 09-14, 6x6 MY 10-14, 500 EFI MY 09-10, Diesel MY 11-14
Cab System	Pro-Steel <sup>-</sup> CabSystemWithFixedWindshieldAndSoftDoors	2851236	XP 800, HD MY 09-14, 6x6 MY 10-14, 500 EFI MY 09-10, Diesel MY 11-14
Cab System	Pro-Steel <sup>-</sup> CabSystemWithTip-OutWindshieldAndSteelDoors	2851235	XP 800, HD MY 09-14, 6x6 MY 10-14, 500 EFI MY 09-10, Diesel MY 11-14
Cab System	Pro-Steel <sup>-</sup> CabSystemWithFixedWindshieldAndSteelDoors	2851234	XP 800, HD MY 09-14, 6x6 MY 10-14, 500 EFI MY 09-10, Diesel MY 11-14
Door	Crew Canvas Cab Door Kit	2877834-067	CREW MY 10-14, Diesel CREW MY 12-14
Door	Mid-Size Poly Cab Door Kit	2879111	800 EFI MY13-14, 400, EV MY10-14, 500, 570, LSV MY 11-14
Door	Pro-Steel <sup>-</sup> Cab Steel Door Kit	2878216	XP 800, HD MY 09-14, 6x6 MY 10-14, 500 EFI MY 09-10, Diesel MY 11-14
Door	Pro-Steel <sup>-</sup> Cab Soft Door Kit	2878105	XP 800, HD MY 09-14, 6x6 MY 10-14, 500 EFI MY 09-10, Diesel MY 11-14
Doors	RANGER <sup>®</sup> Mid-Size Crew Canvas Doors	2879353	CREW 500 MY11-14, CREW 570 MY14
Doors	Mid-Size Canvas Cab Door Kit	2879351	800 EFI MY 14, 400, EV, MY 10-14, 500, LSV MY 11-14
Doors	RANGER <sup>®</sup> Mid-Size Crew Lock & Ride <sup>®</sup> Poly Door Set	2879114	CREW 500 MY11-14, CREW 570 MY14
Hitch	Front Receiver Hitch	2877040	Full-SizeOnly:XP800/HDMY09-14,6x6andCREWMY10-14,500EFIMY09- 10, Diesel MY 11-14, CREW Diesel MY 12-14
Plow	Glacier <sup>°</sup> II Plow Mount	2878835	All RANGER <sup>®</sup> Models MY 05-14
Plow	Glacier <sup>®</sup> Pro Plow Mount Plate	2879105	FULL-SIZEXP700,XP800MY09-10,500EFIMY09-10,CREW800MY10-14, 6x6 MY 09-14
Rear Panel	Mid-Size Crew Poly Cab Rear Panel	2879951	800EFIMY13-14,400,EVMY10-14,500,500CREWMY11-13,570,CREW570 MY14, LSV MY 11-14
Rear Panel	Mid-Size Cab Poly Rear Panel	2879950	800EFIMY13-14,400,EVMY10-14,500,500CREWMY11-13,570,CREW570 MY14, LSV MY 11-14
Rear Panel	Lock & Ride <sup>®</sup> Poly Rear Panel	2878761	800EFIMY13-14,400,EVMY10-14,500,CREW500MY11-13,570,CREW 570 MY 14, LSV MY 11-14
Rear Panel	Pro-Steel <sup>-</sup> Cab Rear Panel	2878217	XP 800, HD MY 09-14, 6x6 MY 10-14, 500 EFI MY 09-10, Diesel MY 11-14
Rear Panel	Poly Rear Panel	2878165	XP800,HDMY09-14,6X6MY10-14,500EFIMY09-10,DIESEL,CREWMY 11-14
Roof	Mid-Size RANGER <sup>®</sup> Canvas Roof	2879352	CREW 500 MY11-14, CREW 570 MY14
Roof	Mid-Size Canvas Cab Roof / Rear Panel	2879350	800EFIMY13-14,400,EVMY10-14,500,CREW500MY11-13,570,CREW 570 MY 14, LSV MY 11-14
Roof	Lock & Ride <sup>®</sup> Full-Size Crew Sport Roof	2879112	CREW 500 MY11-14, CREW 570 MY14
Roof	Lock & Ride <sup>®</sup> Full-Size Crew Sport Roof	2879109	800EFIMY13-14,400,EVMY10-14,500MY11-13,570MY14,LSVMY11-14
Roof	Lock & Ride <sup>®</sup> Full-Size Crew Sport Roof	2878755	CREW MY 10-14
Roof	Bimini Soft Top	2878418	CREW 500 MY11-14, CREW 570 MY14
Roof	Pro-Steel Roof	2878215	XP 800, HD MY 09-14, 6x6 MY 10-14, 500 EFI MY 09-10, Diesel MY 11-14
Roof	Sport Roof 3Piece	2877946	800EFIMY13-14,400,EVMY10-14,500MY11-13,570MY14,LSVMY11-14
Roof	Crew Canvas Cab Roof/Rear Panel	2877833-067	800 CREW MY 10-14, Diesel CREW MY 12-14
Roof	Bimini Soft Top	2876963-067	XP 800, HD MY 09-14, 6x6 MY 10-14, 500 EFI MY 09-10, Diesel MY 11-14

Category	Product Name	PN	F	Fitment
Storage	Cargo Box Lift	2880057	F	RANGER <sup>*</sup> 570, CREW 570 MY 14
Storage	Cargo Box Lift	2878266	é	5x6 MY 11-14
Storage	Shoulder Bag	2877862	F	RANGER <sup>+</sup> 400
Storage	Cargo Lift Box	2877054	0	2x4,4x4,XPMY05-08,4x4,XP,HD,CREWMY09-14,DieselMY11-14,CREW DIESELMY12-14,400/500MY10-14.Willnotworkonearly-buildFull-Size RANGER ' MY 10, built prior to February 2010
Tracks	Prospector Pro' Track Mounts	2880058	2	400 MY10-14, 500 MY11-14, 800 EFI MY13-14
Tracks	Prospector Pro <sup>®</sup> Track Mounts	2879524	8	300 XP MY10-14
Winch	WARN <sup>®</sup> Provantage 4500 lb. Provantage Winch	2880570	6	5x6, 800, CREW 800
Winch	Pll Multimount Crew Rear Cable Kit	2877978	6	5x6 MY 05-09, CREW MY 08-09, CREW, 6x6 MY 10-14
Windshield	Mid-Size Poly Cab Glass Windshield	2879741		300EFIMY13-14,400,EVMY10-14,500,500CREWMY11-13,570,CREW570 NY14, LSV MY 11-14
Windshield	Mid-Size Canvas Cab Poly Windshield	2879491		300EFIMY13-14,400,EVMY10-14,500,500CREWMY11-13,570,CREW570 WY14, LSV MY 11-14
Windshield	Mid-Size Canvas Cab Poly Windshield (Hard Coat)	2879490		300EFIMY13-14,400,EVMY10-14,500,500CREWMY11-13,570,CREW570 WY14, LSV MY 11-14
Windshield	Full Poly Windshield (Hard Coat)	2879489	>	KP 800, HD MY 09-14, 6x6 MY 10-14, 500 EFI MY 09-10, Diesel MY 11-14
Windshield	Mid-Size Poly Cab Poly Windshield (Hard Coat)	2879108		300EFIMY13-14,400,EVMY10-14,500,CREW500MY11-13,570,CREW 570 MY 14, LSV MY 11-14, Does not fit with canvas cab or sport roof
Windshield	Lock & Ride <sup>®</sup> Half Windshield	2878757		300EFIMY13-14,400,EV,MY10-14,500,CREW500MY11-13,570,CREW 570 MY 14, LSV MY 11-14
Windshield	Lock & Ride <sup>®</sup> Half Windshield	2878756		300,HDMY09-14,6x6MY10-14,500EFIMY09-10,DieselMY11-14,CREW NY 10-14, CREW DIESEL MY 12-14
Windshield	Pro-Steel Windshield Tipout	2878214	8	300, HD MY 09-14, 6x6 MY 10-14, 500 EFI MY 09-10, Diesel MY 11-14
Windshield	Pro-Steel Windshield Fixed	2878213	8	300, HD MY 09-14, 6x6 MY 10-14, 500 EFI MY 09-10, Diesel MY 11-14
Windshield	Windshield Wiper Kit	2878138	(	Only works with Pro-Steel Tip Out Windshield 2878214
Windshield	Windshield Wiper Kit	2878025	8	300 EFI MY 13-14, 400, EV, MY 10-14, 500, LSV MY 11-14, 570 MY 14
Windshield	Poly Cab Poly Windshield (General Purpose)	2876958	8	300, HD MY 09-14, 6x6 MY 10-14, 500 EFI MY 09-10, Diesel MY 11-14
Cab Accessories	RANGER <sup>*</sup> 570 Heater Adaptor	2880110	F	RANGER <sup>*</sup> 570
Cab Accessories	Battery Connection Cable	2879990	ŀ	All Mid-Size RANGER <sup>*</sup> Models MY14
Cab Accessories	Mid-Size Heater Adaptor	2878652	F	RANGER MY10-11
Cab Accessories	Mid-Size RANGER <sup>®</sup> Heater, Crew	2878491	/ /	300 EFI MY 13-14,400 MY 10-14, Mid-Size 500, 570, CREW 570 MY 14-15 Adaptor Kit 2880110 required for 570 Adaptor Kit 2878541 required for 800 EFI MY14
Cab Accessories	Full-Size Heater Kit	2878461	[	Diesel, CREW Diesel MY 11-14
Cab Accessories	Full-Size Heater Kit	2878364	>	KP 800, 6x6, CREW, HD MY 11-14
Cab Accessories	RANGER <sup>•</sup> Grab Handle	2858185	ŀ	All RANGER' models. Attach anywhere on the roll bars.



# **HELMETS**

#### WEARING A HELMET WHEN YOU RIDE IS JUST AS IMPORTANT AS REMEMBERING YOUR KEYS. THANKS TO POLARIS INNOVATION, YOU CAN STILL LOOK GOOD WHILE PROTECTING YOUR HEAD AND YOUR LIFE.



#### FLY F2

- · Compositeconstructionshellmadeofaircraft-gradewovencarbonfiber and Kevlar' composite materials for superior, lightweight strength
- Dual-density EPS liner for impact absorption
- Multi-portairinduction coolingsystem with tri-ventgoggleanti-fogvents
- Removable washable liner and cheek pads
- Snell' M2010-, DOT- and ECE-approved

2865110	Sly	XS-5XL
---------	-----	--------

2865111	Podium   >	(S-5XL
2865112	Dominate	XS-5XL

2864218	Black/VooDoo Blue	XS-2XL
2864208	Black/Hi-Vis Yellow	XS-2XL
2863185	Platinum Ice   XS-2X	(L

#### FLY F2<sup>°</sup> HELMET REPLACEMENT PARTS

2863165   Breath Deflector
2864211   Replacement Visor   Black/Hi-Vis
2864357   Replacement Visor   Black/VooDoo Blue
2863202   Replacement Visor   Race Orange
2863162   Visor Screw Kit
286316401   Cold Weather Plug Kit   XS/S
286316403   Cold Weather Plug Kit   M/L
286316409   Cold Weather Plug Kit   XL/2XL
2863199   Cheek Pad   40mm   XS
2863198   Cheek Pad   35mm   S, M, L
2863197   Cheek Pad   30mm   XL
2863196   Cheek Pad   25mm   2XL
2863195   Cheek Pad   20mm   3XL



Slv



Podium

Dominate







Black/VooDoo Blue

Black/Hi-Vis Yellow



Black Gloss

#### **KTP HELMET**

The unique, multi-purpose KTP features a face shield that slidesupanddown. It evenworks with goggles in the shield-up position.

- ABS thermo-injected shell Air-intake, flow-through ventilation system
- Fully removable, washable liner
- Adjustable visor, adjustable chin strap, movable polycarbonate eye shield replaces need for goggles DOT approved

2869364 | Black Gloss | S-2X





**RZ MASK** 286224203 | Black | Regular 286224206 | Black | XL 2863189 | Large Replacement Filters | OSFM | 3 per pack 2863190 | X-Large Replacement Filters | OSFM | 3 per pack

#### **DEMON 1.1 HELMET**

- $\cdot\,$  Lightweight, protective composite fiberglass shell
- · Dual-density EPS liner for impact absorption
- Aerodynamic, multi-channel flow-throughventilation system
- · Moisture-wickingQwickDry removable, washableliner

#### · Snell' M2010 and DOT-approved 2864179 | Assault | S-3X 2864176 | Red Gloss | S-3X

2864177	Orange Gloss   S-3X	
2864178	Silver Gloss   S-3X	

#### **REPLACEMENT VISOR**

2864186   Red Gloss	
2864187   Orange Gloss	
2864188   Silver Gloss	
2864189   Assault Matte	
DEMON REPLACEMENT PARTS	

#### DEMON REPLACEMENT PARTS

2861233 | Breath Deflector

2869484 | Visor Screw Kit







Silver Gloss



Orange Gloss

Assault Special Edition

#### **TENACITY HELMET**

- · Lightweight polycarbonate shell
- Mouthair-intakevent, eyebrow vents and six rearvents
- Removable, washable liner

•	DOT/	ECE-	app	roved	

2864180	Red Gloss   S-2X
2860144	Black Matte   S-2X
2864183	Retro Gloss   S-3X
2864181	Magenta Gloss   S-2X

#### TENACITY REPLACEMENT VISOR

2864190		Red Gloss	
2864191	Ι	Magenta Gloss	
2864193		Black Matte	
2862120	Ι	Visor Screw Kit	



Black Matte







White Gloss



Red Gloss

Magenta Gloss

Retro Gloss



# GOGGLES

KEEP DEBRIS OUT SO YOU CAN KEEP YOUR EYES WHERE THEY BELONG - ON THE TRAIL. POLARIS - EXCLUSIVE GOGGLES ARE DESIGNED WITH YOUR RIDE IN MIND SO YOUR LOOK CAN BE MORE INTEGRATED FROM VISOR TO VEHICLE.

### 509 <u>FOR</u> P&LARIS

#### 509" DIRT PRO GOGGLES

509 for Polaris' gogglesare loaded with performance-driven innovations for avidriders who insiston the besteye protection. The segoggles provide the ultimate combination of protection, comfort, ventilation, tear-off compatibility and style.

Size: Oversized frame and lens fit inside all standard motohel mets' goggle port and provide broad visibility.

Lens: Protective, shatterproof, single-panechromelens; non-vented dirtlens has a durable anti-scratch and anti-fog coating; blocks 100% of UV rays and is easily interchange a ble with accessory lenses.

Strap:Innovativehinged-strapmountallowsthegogglestoremainflushagainstthefacefor optimizedprotectionandcomfort; ensures that the goggles form a seal against the face to block dirt, dust and wind; adjustable, silicon-backed strap remains securely inplace where positioned on helmet.

Foam:Triple-layerfoamconstructionconsistsof3layersofmoisture-wickingfoamofvarying densities for a comfortable fit on the face.

Tear-OffCompatible: Unique triple tear-offpost design includes 2 posts on the lensand a third adjust able post attached to the strap for enhanced tear-off installation and removal. Nose Guard: Rigid, vented nose guard protects no se and can be installed or removed in seconds.

Ventilation:13-portventsystem(7ontop,7atbaseofframe)promotesfreshaircirculationfor comfort and fog prevention.

A. 2864327   Carbon Blue (chrome lens)   OSFM
B. 2863427   Signature Red (chrome lens)   OSFM
C. 2864328   Carbon Yellow (chrome lens)   OSFM
D. 2863426   Signature Black (chrome lens)   OSFM
E. 2863429   Blockade Orange (chrome lens)   OSFM
F. 2863428   Blockade Black (chrome lens)   OSFM

#### 509° DIRT PRO REPLACEMENT LENSES

2863430   Chrome   OSFM
2863431   Clear   OSFM
2863432   Brown Polarized   OSFM
2863433   Tear-Offs   6 per pack   OSFM



POLARIS<sup>®</sup> TRAIL GOGGLES 2863434 | Black | OSFM

POLARIS' TRAIL GOGGLES REPLACEMENT LENS 2863482 | Clear | OSFM





ENGINEERED PARTS ACCESSORIES & APPAREL

# GLOVES

GRIP UP AND GO. POLARIS' GLOVES ARE THE PERFECT MIX OF LIGHTWEIGHT COMFORT AND ENGINEERED DURABILI FOR A PERFECT FIT AND FUNCTION.



#### FLY GLOVE

These lightweight gloves from the FLYR acing 'for Polaris' Collection deliver outstanding protection and a sure grip while keeping hands comfortable. Shell:Lycra backpanelsstretchtoprovideacomfortablefit and are complemented by the embossed neoprene flex-knuckle system designed for protection and flexibility. PALM:Lightlypaddedpalmforextracomfort;durableconstructionwithareinforcedthumb. AdditionalFeatures:Soft-FlexTPR(thermoplasticrubber)graphicsofferextraprotection;  $adjustable {\sf TPR} wrist closure system; silicone finger grippers for increased grip and control.$ 

A. 2864209 | Black/Hi-Vis Yellow | S-3X B. 2864219 | Black/VooDoo Blue | S-3X

C. 2863194 | Platinum Ice | S-3X



# OGIO<sup>°</sup> BAGS

OGIO<sup>®</sup> BAGS FOR POLARIS<sup>®</sup> ARE HIGH-PERFORMANCE CARGO CARRIERS. BALLISTIC-GRADE MATERIALS AND EXCLUSIVE BRANDING GIVE YOU MORE FOR YOUR ON AND OFF ROAD JOURNEYS.





# JERSEYS

#### FLY RACING<sup>°</sup> JERSEYS

Developedbyavidoff-roadriders,thislightweight,colorfuljerseyfromtheFLY Racing forPolaris Collectionfeaturesmaterialsandconstructionthatpromote airflow to keep an active rider cool and comfortable.

Fabric:Lightweight100%polyesterpanelscombinewithmeshventilationpanels in key areas to promote airflow and dissipate body heat.

Graphics:Vibrant, permanent sublimated graphics, including Polaris and FLY Racing' branding.

AdditionalFeatures:Low-profile,multi-directionalLycra'stretchcollar;nonrestrictiveshortycuffswithelasticsleeveshelpreducearmpump;extendedtail helpskeepjerseytuckedintopants;taglessprintedcollareliminatestagirritation. 2864210 | Black/Hi-Vis Yellow | S-3X

2864220 | Black/VooDoo Blue | S-3X

### BASE LAYERS

#### U.P. BASE LAYER

93% polyester and 7% spandex jersey knit
 Reflective logos
 2864030 | Top | Grey | S-3XL
 2864031 | Bottom | Grey | S-3XL

#### **BLACK ICE BASE LAYER**

93% polyester and 7% spandex jersey knit
 Contrast stitching, reflective logos
 2864033 | Top | Black | S-3XL
 2864032 | Bottom | Black | S-3XL





# TECH WEAR

#### PRO JACKET

- · GORE-TEX' product technology Guaranteed to Keep You Dry
- Max vent with 2-way adjustable pit zips and back vent
- · Asymmetric style uses 330D nylon shell and 3M<sup>°</sup> Scotchlite<sup>°</sup> reflective
- Durable 2-way YKK' Vision' zippers for adjustable and comfortable fit
- Drawcord adjustable neck, waist and Lycra' cuffs to keep snow out

2865003 | Red | S-3XL

2865002 | Black | S-3XL; MT-2XLT

#### PRO BIB

- GORE-TEX product technology Guaranteed to Keep You Dry
- 330Dnylonshellwithballisticnylonreinforcementand3MScotchlite reflective Articulated knees with integrated EVA knee pads for added protection
- Durable, YKK full-length 2-way adjustable water-resistant leg zippers
   External chest pocket and 2 side pockets

2865007 | Black | S-3XL; MT-2XLT



APPAREL



# PROTECTION





TEKVEST<sup>°</sup> FREESTYLE 2862189 | S-3X



TEKVEST SUPER SPORT 2862190 | S-3X



TEKVEST SHOULDER PADS 2862192 | S-3X

### YOUTH

YOUTH MX HELMET 2860174 | Black | S-M-L 2862171 | Red | S-M-L 2862172 | Blue | S-M-L

YOUTH RZ MASK 2863191 | Black | OSFM

YOUTH RZ MASK REPLACEMENT FILTERS (NOT SHOWN) 2863192 | OSFM | 3 per pack

POLARIS<sup>®</sup> YOUTH GOGGLES 2863435 | Black | OSFM

YOUTH SONIC GLOVES 2863406 | Black | S-M-L

2863407 | Red | M-L

YOUTH AERO GLOVES 2862187 | Black | S-M-L

YOUTH TEKVEST (70-100 LB) 2862191 | Black





### 60™ ANNIVERSARY RETRO CASUAL APPAREL

#### SIGNATURE RETRO HOODIE

- $\cdot$  100% cotton
- · Theultimateindurability—withashoulder-to-shoulderself-
- fabric neck taping
- · Polaris' logo aglets
- · Kangaroo pockets
- 2865087 | S-3XL
- ANNAPURNA MID-LAYER
- 100% polyester polar fleece, anti-static/anti-pill
   Zippered hand warmer pockets
- Polaris' logo on left chest; ellipse on back of shoulders 2864019 | S-5XL

#### **RETRO TRUCKER CAP**

- · 8-stitchbillallowsyoutoadjustthebrimexactlytoyourown specifications
- 100% cotton front panels on the back and bill
- 100% polyester mesh back panels
   Softbrushfrontpanels,constructedandfusedbuckram

· Snap-back closure

2865103 | OSFM

#### THROWBACK HOODIE

- · 100% cotton
- $\cdot \ The ultimate inducability with a should er-to-should er$
- $self\-fabric necktaping and 4\-threads a fety stitch at all seams$
- 2-needle cover stitch at bottom, sleeves and body
   Kangaroo pockets

2865097 | S-3XL

#### **RETRO PULLOVER**

- 100%cottonsubjerseywithabio-washfinishthatmakesthe fabric extremely soft
- Theultimateindurability—withashoulder-to-shoulder self-fabricnecktapingand4-threadsafetystitchatallseams 2-needle cover stitch at bottom, sleeves and body

2865091 | S-3XL

SEE PAGE 77 FOR SIZE CHARTS When ordering, add size code to part number. XS:01, S:02, M:03, M:-Short:04, M:-Tall:05, L:06, L:Short:07, L:Tall:08, XL:09, XL-Short:10, XL-Tall:11, 2XL:12, 2XL-Tall :13, 3XL:14, 4XL:15, 5XL:16



APPAREL

### MEN'S CASUAL APPAREL



#### VERTICAL CLIMB PERFORMANCE SHELL

- · 88% polyester and 12% spandex jersey fleeces hould ers and sleeves
- 100% nylon shell with 100g Thermore' and quilting
- Two zippered hand-warmer pockets
- Polaris' logo on left chest and left sleeve; star on back of neck 2864028 | Black | S-3XL

2864029 | Red/Black | S-3XL



#### **BLACKCOMB 1/4 ZIP**

- 100% polyester sweater knit with a fleece back
- Woven nylon fabric on shoulders with tight quilting
- · Left chest pocket with YKK zipper
- 3" collar
- · 2-needle collar finish at neck

2865086 | Black | S-3XL



#### OPS TECH LONG SLEEVE

- Effective mid-layer in layering system
- AP-360° wicking and antimicrobial
- Excellent moisture wicking performance
- Far-infrared (heat enhancing), anti-static/anti-pill

2864096 | Black | S-5XL



#### ANNAPURNA MID-LAYER

100% polyester polar fleece, anti-static/anti-pill

Zippered hand warmer pockets

Polaris<sup>®</sup> logo on left chest; ellipse on back of shoulders

2864020 | Black | S-5XL

SEE PAGE 77 FOR SIZE CHARTS When ordering, add size code to part number. XS:01, S:02, M:03, M-Short:04, M-Tall:05, L:06, L-Short:07, L-Tall:08, XL:09, XL-Short:10, XL-Tall:11, 2XL:12, 2XL-Tall :13, 3XL:14, 4XL:15, 5XL:16

HELMETS | GOGGLES & GLOVES | BAGS | JERSEYS | BASE LAVERS | TECH WEAR | PROTECTION | YOUTH TECH WEAR | CASUAL APPAREL | BEANIES & CAPS | SIZE CHARTS



Full-button front with collar and button cuffs Star on left chest, Polaris' logo on back of shoulders 2864026 | Black Plaid | S-3XL



#### **SLOPE HOODIE**

- 92% polyester and 8% spandex blend
- Theultimateindurability-withashoulder-to-shoulderselffabricnecktapingand2-needle,4-threadcoverseamingat cuffs and sleeves
- Unlined 2-piece hood with self-fabric taping Woven, wrap-around patch

2865083 | S-3XL



· 100% polyesters oft-shell jacket with 3000/3000 lamination Full-zipfrontwithtwozipperedhand-warmerpockets Star on left chest, Polaris' logo on back of left shoulder 2864027 | Black Plaid | S-3XL



#### CALLAGHAN VALLEY PLAID

- 62% polyester, 33% Rayon, and 5% spandext will we ave
- Embroidered star at lower placket 5-thread safety stitch at all seams

Shirttail hem

2865080 | S-3XL



#### **BACKCOUNTRY FLANNEL**

- 100% cotton lightweight brushed flannel
- 5-thread safety stitch at all seams
- Front yoke
- Left chest pocket
- 2865081 | S-3XL



TRAILBLAZER STRIPE 65% polyester, 34% Rayon, and 1% spandex 5-thread safety stitch at all seams Reactive printed stripe detail on front Back yoke Polaris<sup>\*</sup> logo embroidery above chest pocket 2865082 | S-3XL




### WOMEN'S CASUAL APPAREL

BLACK ICE BASE LAYER TOP · 88% polyester and 12% spandex jersey knit, contrast stitching, reflective script logos 2864060 | Black | S-3XL

#### **BLACK ICE BASE LAYER PANT**

88% polyester and 12% spandex jersey knit
 Polaris' script logo near left ankle
 2864061 | Black | S-3XL



- Effective mid-layer in layering system
- · AP-360° wicking and antimicrobial
- · Excellent moisture-wicking performance
- Far-infrared (heat enhancing), anti-static, anti-pill

2864097 | Black | XS-3XL, 1W-3W

BLACKCOMB 1/4 ZIP Long-sleeve poly knit fleece 1/4 zip mock 2865130 | S-3XL







APPAREL

HELMETS | GOGGLES & GLOVES | BAGS | JERSEYS | BASE LAVERS | TECH WEAR | PROTECTION | YOUTH TECH WEAR | CASUAL APPAREL | BEANIES & CAPS | SIZE CHARTS

#### KAUMAJET 1/2 ZIP

- $\cdot\,$  85% polyester and 5% spandex blend
- · 2-needle cover stitch at bottom, sleeves and body
- · Upper-collar and center-back-neck embroidery

Self-fabricnecktapingcenterfronttooppositecenterfront 2865098 | S-3XL

#### OLYMPIC FULL ZIP FLEECE

- 92% polyester and 8% spandex blend
  Mock neck
- Self-fabricnecktapingcenterfronttooppositecenterfront
   4-needle cover stitch at bottom and sides
- · 2-needle cover stitch at sleeve ends

2865099 | S-3XL

#### SAWATCH RANGE HOODIE

· 100% cotton

- · 4-thread safety stitch at all seams
- $\cdot\,$  2-needle cover stitch at bottom, sleeves and body

· Kangaroo pockets

· 2-piece hood

2865095 | S-3XL

#### FOOTHILLS FLANNEL

 100%cottonlightweightbrushedflannelwithabio-wash finish that makes the fabric extremely soft
 Double-turned, clean-finish hem

5-thread safety stitch at all seams

Princess seams throughout

2865094 | S-3XL

#### EAGLE RIVER GARAGE SHIRT

- 60% cotton and 40% polyester Poplin weave
- · Flattering, fitted cut
- · Full button front with left chest pocket
- Polaris<sup>®</sup> logo on left chest; ellipse on back of shoulders

2864103 | Navy | S-3XL

2864104 | Black | S-3XL







## YOUTH CASUAL APPAREL

#### SLOPE HOODIE

- 92% polyester and 8% spandex blend
- Theultimateindurability—withashoulder-to-shoulderselffabricnecktapingand2-needle,4-threadcoverseamingat cuffs and sleeves
- Unlined 2-piece hood with self-fabric taping

Woven, wraparound patch

2865084 | XS-XL

#### YOUTH BLACKCOMB 1/4 ZIP

- 100% polyester sweater knit with a fleece back
- Woven nylon fabric on shoulders with tight quilting
- Left chest pocket with YKK zipper
- 3" collar
- · 2-needle collar finish at neck

2865131 | Boys | S-XL

#### SAWATCH RANGE HOODIE

100% cotton

- · 4-thread safety stitch at all seams
- 2-needle cover stitch at bottom, sleeves and body
- · Kangaroo pockets
- 2-piece hood

2865096 | S-XL



POLREIS

### **BEANIES & CAPS**



SIGNATURE BEANIE 100% acrylic with 3M' Thinsulate' 2865142 | Red | OSFM 2865141 | Black | OSFM





 THROWBACK CAP

 · Wool/spandex blend

 · Flexfit sizing S/M and L/XL

 · Metal retro Polaris' "P" logo

 2865144 | Gray | S/M

 2865138 | Gray | L/XL



8-stitch bill allows you to adjust

constructed and fused buckram

100% cotton twill hat

Features soft-brushed,

Snap-back closure 2865100 | OSFM 2865101 | Youth

the brime xactly to your own specifications



#### BANKHEAD CAMO CAP

100% polyester camo sublimation 2864303 | Camo | OSFM

### SIZING CHARTS

MEN'S JACKET SIZING							
Size	Chest	Waist	Hips	Sleeve*	Inseam	Size Code	
Small	35-38	31-33	35-37	33	32	02	
Medium	38-41	33-35	37-40	34	32.5	03	
Large	41-45	35-38	40-43	35	33	06	
X-Large	45-48	38-42	43-47	36	33.5	09	
2X-Large	48-52	42-45	47-50	37	34	12	
3X-Large	52-58	45-52	50-56	38	34	14	
4X-Large	58-65	52-61	56-63	39	35	15	
5X-Large	65-70	61-63	63-68	40	35	16	

#### WOMEN'S JACKET SIZING

Size	Chest	Waist	Hips	Sleeve*	Inseam	Size Code
Small	34-36	24-27	34-37	30	30.5	02
Medium	36-38	27-29	37-40	31	30.5	03
Large	38-40	29-33	40-43	32	31	06
X-Large	40-42	33-36	43-46	32.5	31	09
2X-Large	42-44	36-40	46-49	33	31	12

YOUTH JACKET SIZING

SLOPE CAP

Size	Height	Chest	Waist	Hips	Sleeve*	Inseam	SizeCode
X-Small	41-46	22-24	19-21	23-26	22	21	01
Small	46-52	24-27	21-24	26-29	24	22.5	02
Medium	52-58	27-30	24-26	29-32	27	26.5	03
Large	58-64	30-33	26-28	32-35	30	29.5	06
X-Large	64-67	33-36	28-30	35-37	33	32.5	09

#### ADULT HELMET SIZE CONVERSIONS

Size	Hat Size	Inches	Metric	Size Code
X-Small	6.75	21.25	54	01
Small	6.875-7	21.625-22	55-56	02
Medium	7.125-7.25	22.375-22.75	57-58	03
Large	7-7.5	23.125-23.625	59-60	06
X-Large	7.625-7.75	24-24.375	61-62	09
2X-Large	7.875-8	24.75-25.125	63-64	12
3X-Large	8	25-26	65	14

#### YOUTH HELMET SIZE CONVERSIONS

Size	Circumference	Metric	Size Code	
Adjustable	Fits S-L	51-54	00	
Small	20.375	51	02	
Medium	20.875	53	03	
Large	21.375	55	06	

\* Measure sleeve length from center back neck