

Kawasaki

**2017 TERYX® & TERYX4™
SIDE X SIDES**







ADVENTURE AWAITS

Climb in, secure your seatbelt, turn the ignition and let the adventure begin! Take to the trail, crawl over rugged terrain or just enjoy exploring with the Kawasaki STRONG Teryx® and Teryx4™ side x sides. With Electric Power Steering (EPS), a thrilling V-twin engine, selectable 4WD and exceptional engine braking, Teryx vehicles open up a world of possibility in the mountains, rocks, woods, or maybe even your own back yard.

The 2017 Teryx and Teryx4 are ready to take on the off-road elements with rugged power, an agile chassis and a host of modern features for a capable, exhilarating ride. Find even more premium styling and features with the decked out LE model, or put more thrill into the hunt with the Camo edition. All Teryx models are assembled in the U.S.A. with domestic and imported parts, and backed by Kawasaki STRONG 3-year limited warranty.

TERYX® & TERYX4™

2017

TERYX[®]

THRILL FINDER

Designed with two-person seating, the Teryx[®] side x side adds room for a tilting cargo bed and 600 pounds of functional cargo capacity. With additional behind-the-seat rear storage bins and rugged capability, the Teryx is equipped for adventure.



CANDY LIME GREEN (SHOWN)

TERYX[®] LE MODEL SHOWN

TERYX4™

CROWD FAVORITE

With stadium-style seating for four, the Teryx4™ side x side has room for the whole group. Comfortable bucket seats front and rear, plus 250 pounds of rear cargo capacity so you can take everything with you.



TERYX4™ LE MODEL SHOWN

CANDY MATTE BURNT ORANGE (SHOWN)

TERYX® & TERYX4™

POWER

PLAY



A close-up view of the vehicle's interior, showing the steering wheel with the Kawasaki logo, the dashboard with various controls, and a digital display showing '0'. The background shows a scenic view of a lake at sunset.

2

1 V-TWIN POWER

The V-twin fuel-injected 783cc engine and strong low- and mid-range torque, it has the muscle to conquer a wide variety of terrain.

2 VARIABLE DRIVE MODES

With a simple turn of one dashboard switch, you can select 2WD, 4WD and 4WD with front differential lock, enabling ground-gripping traction in a variety of conditions on both the Teryx® and Teryx4™. When in 4WD mode, all four wheels remain engaged full-time, unlike other automatic all wheel drive systems that only engage when slip is detected.

3 CONTINUOUSLY VARIABLE TRANSMISSION (CVT)

With a CVT that includes a centrifugal clutch, power delivery is instant. The centrifugal clutch enables constant belt engagement for precise power delivery at low speeds, or from a stop, and minimal belt slip for added durability. The CVT features high- and low-range gears for navigating technical terrain and has confidence-inspiring downhill engine braking.

A close-up view of the CVT component, showing the centrifugal clutch and the belt mechanism. The component is metallic and has a complex, multi-part design.

3



1 SUSPENSION

Off-road performance demands premium suspension, which is why the Teryx® and Teryx4™ are equipped with adjustable FOX Podium piggyback gas-charged high performance shocks front and rear. Independent A-arms provide superior traction and comfort over uneven terrain.



2 DUAL DISC BRAKES


Superior stopping power keeps you in command of the Teryx and Teryx4. Dual front disc brakes gripped by dual-piston calipers and steel braided lines together with a sealed, wet multi-disc brake in the rear provide confidence-inspiring stopping power.

3 DOUBLE-X FRAME

The strength and durability of the Teryx and Teryx4 side x sides start at the core with the Double-X welded main frame. With tough, high-quality welds, the Double-X main frame is engineered for amazing strength.

TERYX® & TERYX4™

BUILT TO LAST



3

TERYX® & TERYX4™

RIDE IN STYLE



1 ELECTRIC POWER STEERING

Speed-sensitive Electric Power Steering (EPS) helps to enhance performance. The intuitive system offers maximum assistance at low speeds for effortless maneuvering and greater feedback at higher speeds for added confidence on trails. It also helps to absorb kickback from bumps for smooth, predictable operation.

2 CLASS-LEADING COMFORT

Don't leave luxury behind. The 2017 Teryx® and Teryx4™ side x sides are equipped with high-back bucket seats, new adjustable sliding driver seat, hinged doors (rather than nets) and DC outlets to power your electronics. The dash features centrally located controls as well as knock-outs for additional accessory switches and space to add the accessory audio system.

3 CARGO AND TOWING

The tilting cargo bed of the Teryx holds up to 600 pounds and features cargo hooks and slat divider slots. The Teryx4 is also equipped with a handy cargo bed offering a 250-pound capacity. With 1,300-pound towing capacity available via standard two-inch receiver, the Teryx and Teryx4 are versatile adventure machines.



PREMIUM TRAIL BLAZERS

SEEK OUT ADVENTURE WITH THE SPORTY LE AND CAMO TERYX® & TERYX4™ SIDE X SIDES



TERYX® LE & TERYX4™ LE

EXCLUSIVE FEATURES

- › PAINTED BODYWORK (AVAILABLE IN MULTIPLE COLOR SCHEMES) GIVES A BOLD LOOK
- › ROLL IN STYLE WITH 14-INCH CAST ALUMINUM WHEELS



CANDY LIME GREEN

CANDY MATTE BURNT ORANGE

METALLIC STARDUST WHITE

TERYX® CAMO & TERYX4™ CAMO

EXCLUSIVE FEATURES

- › VENTURE INTO THE WILD WITH DURABLE REALTREE XTRA® GREEN CAMO



REALTREE XTRA® GREEN CAMO



Realtree Xtra® Green Camo — Realtree APG-XTRA
Camouflage Design © 2012 of Jordan Outdoor Enterprises, Ltd.
All rights reserved.

TERYX® & TERYX4™

LE & CAMO FEATURES

1 SUN TOP

Stay protected from the elements with a sun top, standard on the LE and Camo options of the Teryx® and Teryx4™ side x sides. Enjoy long days on the trail in the shade, and ride with the comfort of added protection from the natural elements.

2 FOUR LED HIGHLIGHTS

Add hours to your adventure with four high-intensity LED headlights that are higher output and longer lasting, while also requiring less power to operate than halogen lights.

3 ADDITIONAL DC OUTLET IN REAR

The additional rear DC outlet powers accessories and/or electronic devices, giving you more comfort and convenience—and it's only available on the Teryx4 LE and Camo options.



TERYX® & TERYX4™ FEATURES



TERYX® LE MODEL SHOWN



TERYX4™ LE MODEL SHOWN

TERYX® FEATURES ●

- › Trail-oriented performance with confidence-inspiring braking
- › Tilting cargo bed with 600-pound capacity
- › Massive rear storage compartments with sealing lids (48 gallons total)
- › Powerful and agile off-road performance to take on terrain
- › Fuel-injected 783cc V-twin engine with CVT
- › Rugged Double-X welded frame with ROPS and independent A-arms
- › Selectable 2WD, 4WD or 4WD with locking front differential
- › FOX Podium piggyback adjustable gas-charged high performance shocks
- › Comfortable and spacious 2-person cabin
- › High-back bucket seats, adjustable sliding driver seat, hinged doors and DC outlets.

LE FEATURES ● ●

- › 4 high intensity LED headlights, sun top and additional DC outlet in the rear
- › Painted front hood in bold color schemes
- › 14-inch aluminum cast wheels with Maxxis Bighorn tires

CAMO FEATURES

- › 4 high intensity LED headlights and sun top
- › Realtree Xtra® Green Camo bodywork

COLORS



TERYX4™ FEATURES ●

- › Trail-oriented performance
- › Powerful and agile off-road performance to take on terrain
- › Fuel-injected 783cc V-twin engine with CVT
- › Selectable 2WD, 4WD or 4WD with locking front differential
- › Rugged Double-X welded frame with ROPS and independent A-arms
- › FOX Podium piggyback adjustable gas-charged high performance shocks
- › Spacious cabin with comfortable ergonomics
- › Stadium-style seating for 4
- › High-back bucket seats, adjustable sliding driver seat, hinged doors and DC outlets.

LE FEATURES ● ● ●

- › 4 high intensity LED headlights, sun top and additional DC outlet in the rear
- › Painted front hood in bold color schemes
- › 14-inch aluminum cast wheels with Maxxis Bighorn tires

CAMO FEATURES

- › 4 high intensity LED headlights, sun top and additional DC outlet in the rear
- › Realtree Xtra® Green Camo bodywork

COLORS





2017 TERYX® KAWASAKI GENUINE

ACCESSORIES[†]

READY FOR ACTION

Kawasaki is proud to offer a full line of accessories designed exclusively for your Teryx® and Teryx4™ side x side. Whether you're gearing up for mountains, hunting or trail riding, utility or fun, you can get the most out of your Teryx and Teryx4 with Kawasaki Genuine Accessories. Make it yours with any number of these strong, durable and versatile accessories or with a recommended accessory package.



TERYX4™ LE MODEL SHOWN



TERYX4™ CAMO MODEL SHOWN

RECREATION PACKAGE

- › AUDIO SYSTEM
- › BRUSH GUARD
- › KQR™ CARGO BOX
- › FRONT A-ARM GUARD
- › FRONT SKID PLATE #1
- › HALF WINDSHIELD
- › LED HEADLIGHTS
- › LED LIGHT BAR HARNESS KIT
- › LED LIGHT BAR
- › PLASTIC ROOF*
- › REARVIEW MIRROR
- › SIDE SKID PLATES
- › WARN® PROVANTAGE™ 3500 WINCH
- › WINCH MOUNT

HUNTING PACKAGE

- › BRUSH GUARD
- › CAMO COVER FOR KOLPIN® GUN BOOT® IV
- › KQR™ CARGO BOX
- › LED HEADLIGHTS
- › FULL WINDSHIELD
- › KOLPIN® GUN BOOT® IV
- › MOUNT FOR KOLPIN® GUN BOOT® IV
- › REAR BUMPER
- › SOFT ROOF, REALTREE® XTRA® GREEN
- › WARN® PROVANTAGE™ 3500 WINCH
- › WINCH MOUNT

*Plastic roof comes stock on Teryx LE model.

Kolpin and Gun Boot are registered trademarks of Kolpin Outdoors, Inc.

†Kawasaki warrants most accessories for 90 days from the date of purchase. Premium Audio system components are warranted for one (1) year.

Realtree Xtra® Green Camo — Realtree APG-XTRA · Camouflage Design © 2012 of Jordan Outdoor Enterprises, Ltd. All rights reserved.

WARN®, the WARN logo and THE RED HOOK STRAP are registered trademarks of Warn Industries, Inc. ProVantage™ and Vantage™ are trademarks of Warn Industries, Inc.

ACCESSORIES

1. PACKAGES

2. CUSTOMIZE

3. SUMMARY

ACCESSORIES PACKAGES

INTERIOR 2

EXTERIOR 10



REARVIEW MIRROR

Expand your field of view and keep an eye on others on the trail with this Rearview Mirror, featuring a 3D curved safety glass mirror. Durable textured black powder coating and aluminum mounting with 43mm diameter clamp make it rugged enough to take on the outdoor elements.



AUDIO SYSTEM

This compact AM/FM Audio System is built to fit seamlessly into the dash of the Teryx® side x side so you can tune into your favorite music while out on the trail. The four-inch AM/FM radio and two compact three-inch speakers (60 watts max) are marine-grade for outdoor durability. Plug in or stream audio wirelessly with USB and AUX inputs as well as Bluetooth® connectivity. Includes easy-to-install housing; some assembly is required.



RESTART



CANDY MATTE BURNT ORANGE



FRONT VIEW



Prices shown are suggested retail prices only. Installation cost for accessories is not included. Dealer prices may vary. Prices exclude applicable taxes. All trademarks, registered trademarks, logos, and copyrights are the property of their respective owners. KAWASAKI, the KAWASAKI logo and THE RED HOOK STRAP® are registered trademarks of Kawasaki Motors, Inc. ProRider™ and Versage™ are trademarks of KTM Industries, Inc.

VISIT WWW.KAWASAKI.COM/TERYXACCESSORIES AND BUILD YOUR OWN



CHECK OUT KAWASAKI.COM OR VISIT YOUR LOCAL DEALER TO VIEW ALL ACCESSORIES.

All accessories and pricing available online

KAWASAKI GENUINE ACCESSORIES PROVIDE AN INTEGRATED FIT AND EASY INSTALLATION WITHOUT VOIDING YOUR KAWASAKI STRONG 3-YEAR LIMITED WARRANTY.



TERYX® SIDE X SIDES SPECS

TERYX® LE

TERYX® CAMO

TERYX®

ENGINE	4-stroke, 2-cylinder, OHV, 90° V liquid-cooled	4-stroke, 2-cylinder, OHV, 90° V liquid-cooled	4-stroke, 2-cylinder, OHV, 90° V liquid-cooled
DISPLACEMENT	783cc	783cc	783cc
BORE X STROKE	85.0 x 69.0mm	85.0 x 69.0mm	85.0 x 69.0mm
COMPRESSION RATIO	10.7:1	10.7:1	10.7:1
MAXIMUM TORQUE	47.0 lb-ft@ 5500 rpm	47.0 lb-ft@ 5500 rpm	47.0 lb-ft@ 5500 rpm
FUEL SYSTEM	DFI® with two 36mm Mikuni throttle bodies	DFI® with two 36mm Mikuni throttle bodies	DFI® with two 36mm Mikuni throttle bodies
IGNITION	TCBI with electronic advance	TCBI with electronic advance	TCBI with electronic advance
STARTING SYSTEM	Electric	Electric	Electric
TRANSMISSION	Continuously Variable belt-drive Transmission (CVT) with centrifugal clutch and H, L, N, and reverse	Continuously Variable belt-drive Transmission (CVT) with centrifugal clutch and H, L, N, and reverse	Continuously Variable belt-drive Transmission (CVT) with centrifugal clutch and H, L, N, and reverse
FINAL DRIVE	Selectable 4-wheel drive with locking front differential, shaft	Selectable 4-wheel drive with locking front differential, shaft	Selectable 4-wheel drive with locking front differential, shaft
ENGINE BRAKING	Yes	Yes	Yes
FRONT SUSPENSION / WHEEL TRAVEL	Color-matched dual A-Arms with piggyback reservoir coil-over Fox Podium shocks, with adjustable spring preload and 24-way compression damping/8.0 in	Color-matched dual A-Arms with piggyback reservoir coil-over Fox Podium shocks, with adjustable spring preload and 24-way compression damping/8.0 in	Color-matched dual A-Arms with piggyback reservoir coil-over Fox Podium shocks, with adjustable spring preload and 24-way compression damping/8.0 in
REAR SUSPENSION / WHEEL TRAVEL	Color-matched Independent Rear Suspension (IRS) with new piggyback reservoir coil-over Fox Podium shocks, with adjustable spring preload and 24-way compression damping/8.3 in	Color-matched Independent Rear Suspension (IRS) with new piggyback reservoir coil-over Fox Podium shocks, with adjustable spring preload and 24-way compression damping/8.3 in	Color-matched Independent Rear Suspension (IRS) with new piggyback reservoir coil-over Fox Podium shocks, with adjustable spring preload and 24-way compression damping/8.3 in
FRONT TIRES	Maxxis 27x9-14	Maxxis 26x9-12	Maxxis 26x9-12
REAR TIRES	Maxxis 27x11-14	Maxxis 26x11-12	Maxxis 26x11-12
STEERING	Wheel/rack-and-pinion w/EPS	Wheel/rack-and-pinion w/EPS	Wheel/rack-and-pinion w/EPS
FRONT BRAKES	Dual hydraulic discs with two-piston calipers	Dual hydraulic discs with two-piston calipers	Dual hydraulic discs with two-piston calipers
REAR BRAKES	Sealed, oil-bathed, multi-disc	Sealed, oil-bathed, multi-disc	Sealed, oil-bathed, multi-disc
GROUND CLEARANCE	11.2 in	11.2 in	11.2 in
FUEL CAPACITY	7.9 gal	7.9 gal	7.9 gal
TURNING RADIUS	16.7 ft	16.7 ft	16.7 ft
CARGO BED DIMENSIONS (LXWXH)	27.6 in x43.3 in x 10.4 in	27.6 in x 43.3 in x 10.4 in	27.6 in x43.3 in x 10.4 in
CARGO BED CAPACITY	600 lb	600 lb	600 lb
LOAD CAPACITY	1109 lb	1109 lb	1109 lb
SEATING CAPACITY	2	2	2
TOWING CAPACITY	1300 lb	1300 lb	1300 lb
LIGHTING	(4) 20.4/10.2W LED headlights, (2) 5W taillights, 21W stoplight	(4) 20.4/10.2W LED headlights, (2) 5W taillights, 21W stoplight	(2) 35W headlights, (2) 8W taillights, 24W stoplight
FRAME	Steel Tube Double-X Reinforcement	Steel Tube Double-X Reinforcement	Steel Tube Double-X Reinforcement
OVERALL LENGTH	118.1 in	118.1 in	118.1 in
OVERALL WIDTH	61.6 in	61.6 in	61.6 in
OVERALL HEIGHT	77.8 in	77.8 in	75.8 in
CURB WEIGHT	1589.1 lb**	1584.7 lb**	1571.5 lb**
WHEELBASE	85.8 in	85.8 in	85.8 in
INSTRUMENTS	Multi-function digital meter with speedometer, fuel gauge, clock, hour meter, odometer, dual trip meter and parking-brake indicator, R/N/P/4WD, water temp and low-oil-pressure indicators	Multi-function digital meter with speedometer, fuel gauge, clock, hour meter, odometer, dual trip meter and parking-brake indicator, R/N/P/4WD, water temp and low-oil-pressure indicators	Multi-function digital meter with speedometer, fuel gauge, clock, hour meter, odometer, dual trip meter and parking-brake indicator, R/N/P/4WD, water temp and low-oil-pressure indicators
COLOR CHOICES	Candy Matte Burnt Orange, Candy Lime Green	Realtree Xtra® Green Camo	Super Black
WARRANTY	Kawasaki Strong 3-Year Limited Warranty	Kawasaki Strong 3-Year Limited Warranty	Kawasaki Strong 3-Year Limited Warranty
KAWASAKI PROTECTION PLUS™ (OPTIONAL)	12, 24, or 36 months	12, 24, or 36 months	12, 24, or 36 months

**Curb weight includes all necessary materials and fluids to operate correctly, full tank of fuel (more than 90 percent capacity) and tool kit (if supplied).

Specifications subject to change.

Realtree APG-XTRA Camouflage Design © 2012 of Jordan Outdoor Enterprises, Ltd., all rights reserved.

TERYX4™ SIDE X SIDES SPECS

TERYX4™ LE

TERYX4™ CAMO

TERYX4™

ENGINE	4-stroke, 2-cylinder, OHV, 90° V liquid-cooled	4-stroke, 2-cylinder, OHV, 90° V liquid-cooled	4-stroke, 2-cylinder, OHV, 90° V liquid-cooled
DISPLACEMENT	783cc	783cc	783cc
BORE X STROKE	85.0 x 69.0mm	85.0 x 69.0mm	85.0 x 69.0mm
COMPRESSION RATIO	10.7:1	10.7:1	10.7:1
MAXIMUM TORQUE	47.0 lb-ft@ 5500 rpm	47.0 lb-ft@ 5500 rpm	47.0 lb-ft@ 5500 rpm
FUEL SYSTEM	DFI® with two 36mm Mikuni throttle bodies	DFI® with two 36mm Mikuni throttle bodies	DFI® with two 36mm Mikuni throttle bodies
IGNITION	TCBI with electronic advance	TCBI with electronic advance	TCBI with electronic advance
STARTING SYSTEM	Electric	Electric	Electric
TRANSMISSION	Continuously Variable belt-drive Transmission (CVT) with centrifugal clutch and H, L, N, and reverse	Continuously Variable belt-drive Transmission (CVT) with centrifugal clutch and H, L, N, and reverse	Continuously Variable belt-drive Transmission (CVT) with centrifugal clutch and H, L, N, and reverse
FINAL DRIVE	Selectable 4-wheel drive with locking front differential, shaft	Selectable 4-wheel drive with locking front differential, shaft	Selectable 4-wheel drive with locking front differential, shaft
ENGINE BRAKING	Yes	Yes	Yes
FRONT SUSPENSION / WHEEL TRAVEL	Dual A-arm with a piggyback reservoir coil-over Fox Podium shocks, with adjustable spring preload and 24-way compression damping/8.0 in	Dual A-arm with a piggyback reservoir coil-over Fox Podium shocks, with adjustable spring preload and 24-way compression damping/8.0 in	Dual A-arm with a piggyback reservoir coil-over Fox Podium shocks, with adjustable spring preload and 24-way compression damping/8.0 in
REAR SUSPENSION / WHEEL TRAVEL	Independent Rear Suspension (IRS) with a piggyback reservoir coil-over Fox Podium shocks, with adjustable spring preload and 24-way compression damping/8.3 in	Independent Rear Suspension (IRS) with a piggyback reservoir coil-over Fox Podium shocks, with adjustable spring preload and 24-way compression damping/8.3 in	Independent Rear Suspension (IRS) with a piggyback reservoir coil-over Fox Podium shocks, with adjustable spring preload and 24-way compression damping/8.3 in
FRONT TIRES	Maxxis 27x9-14	Maxxis 26x9-12	Maxxis 26x9-12
REAR TIRES	Maxxis 27x11-14	Maxxis 26x11-12	Maxxis 26x11-12
STEERING	Wheel/rack-and-pinion w/EPS	Wheel/rack-and-pinion w/EPS	Wheel/rack-and-pinion w/EPS
FRONT BRAKES	Dual hydraulic discs with two-piston calipers	Dual hydraulic discs with two-piston calipers	Dual hydraulic discs with two-piston calipers
REAR BRAKES	Sealed, oil-bathed, multi-disc	Sealed, oil-bathed, multi-disc	Sealed, oil-bathed, multi-disc
GROUND CLEARANCE	11.2 in	11.2 in	11.2 in
FUEL CAPACITY	7.9 gal	7.9 gal	7.9 gal
TURNING RADIUS	16.7 ft	16.7 ft	16.7 ft
CARGO BED DIMENSIONS (LXWXH)	17.9 in x 47.6 in x 8.7 in	17.9 in x 47.6 in x 8.7 in	17.9 in x 47.6 in x 8.7 in
CARGO BED CAPACITY	249 lb	249 lb	249 lb
LOAD CAPACITY	1109 lb	1109 lb	1109 lb
SEATING CAPACITY	4	4	4
TOWING CAPACITY	1300 lb	1300 lb	1300 lb
LIGHTING	(4) 20.4/10.2W LED headlights, (2) 0.24W LED taillights, 1.8W LED stoplight	(4) 20.4/10.2W LED headlights, (2) 0.24W LED taillights, 1.8W LED stoplight	(2) 35W headlights, (2) 0.24W taillights, 1.8W LED stoplight
FRAME	Steel Tube Double-X Reinforcement	Steel Tube Double-X Reinforcement	Steel Tube Double-X Reinforcement
OVERALL LENGTH	125.4 in	125.4 in	125.4 in
OVERALL WIDTH	61.6 in	61.6 in	61.6 in
OVERALL HEIGHT	79.7 in	79.7 in	77.8 in
CURB WEIGHT	1628.8 lb**	1622.1 lb**	1604.5 lb**
WHEELBASE	85.6 in	85.6 in	85.6 in
INSTRUMENTS	Multi-function digital meter with speedometer, fuel gauge, clock, hour meter, odometer, dual trip meter and parking-brake indicator, R/N/P/4WD, water temp and low-oil-pressure indicators	Multi-function digital meter with speedometer, fuel gauge, clock, hour meter, odometer, dual trip meter and parking-brake indicator, R/N/P/4WD, water temp and low-oil-pressure indicators	Multi-function digital meter with speedometer, fuel gauge, clock, hour meter, odometer, dual trip meter and parking-brake indicator, R/N/P/4WD, water temp and low-oil-pressure indicators
COLOR CHOICES	Candy Matte Burnt Orange, Candy Lime Green, Metallic Stardust White	Realtree Xtra® Green Camo	Super Black
WARRANTY	Kawasaki Strong 3-Year Limited Warranty	Kawasaki Strong 3-Year Limited Warranty	Kawasaki Strong 3-Year Limited Warranty
KAWASAKI PROTECTION PLUS™ (OPTIONAL)	12, 24, or 36 months	12, 24, or 36 months	12, 24, or 36 months

**Curb weight includes all necessary materials and fluids to operate correctly, full tank of fuel (more than 90 percent capacity) and tool kit (if supplied).

Specifications subject to change.

Realtree APG-XTRA Camouflage Design © 2012 of Jordan Outdoor Enterprises, Ltd., all rights reserved.



KAWASAKI STRONG

MUCH MORE THAN MOTORCYCLES



BULLET TRAINS

You already know KHI builds machines that move people. But, did you know it also builds machines that move thousands of people—all at once? We're talking trains here. From New York City subway cars to Japan's hyper-speed bullet trains, Kawasaki has been in the business since 1906. Whether a 186-mph bullet train or a 1,441cc Ninja® ZX™-14R motorcycle, KHI likes to believe that the technology that goes into moving thousands of people has a positive effect on how it goes about moving just one.

MOTORCYCLES

Since KHI built its first motorcycle engine in 1953, it has never stopped pushing technology to arm riders with what they need to dominate the streets. Advanced engineering, exhaustive testing and tireless passion go into every motorcycle every time rubber hits the road. From industry-first features to the features that have evolved over a long history, KHI's innovations will never stop feeding the insatiable appetites of riders around the world.

ROBOTICS

If robots are the future, then KHI has been shaping it since 1969 when the company built its first industrial robot. KHI continues to be a leader in the development of robots for a diverse number of processes including: assembly, handling, welding, painting and sealing. Kawasaki robot technology is being used every day to manufacture motorcycles and other products.



KAWASAKI HEAVY INDUSTRIES, LTD. (KHI)

With 130 years of Kawasaki Heavy Industries, Ltd. (KHI) engineering building the heaviest, most durable and complex machines on the planet, Kawasaki STRONG is a name we can claim. KHI builds tunnel-boring machines that connect continents and trains that carry millions of New Yorkers in and out of the city 24 hours a day, seven days a week. From these engineering monsters to the last bolt on the Teryx® side x side, KHI engineering says, over and over: Use me. Rely on me. I'm built to work.

KAWASAKI STRONG 3-YEAR LIMITED WARRANTY COMPARISON

KAWASAKI • 36 MONTHS

HONDA • 12 MONTHS JOHN DEERE • 12 MONTHS POLARIS • 6 MONTHS YAMAHA • 6 MONTHS
ARCTIC CAT • 6 MONTHS CAN-AM • 6 MONTHS



WARRANTY

Every Kawasaki TERYX® and TERYX4™ side x side is backed with a Kawasaki STRONG 3-Year Limited Warranty. Ask your dealer for details about the factory warranty and available extended coverage.

UP TO THREE YEARS ADDITIONAL COVERAGE

Let Kawasaki protect your new vehicle for years to come with Kawasaki Protection Plus™. This plan repairs or replaces most components free of charge if found defective in material or workmanship. Everything about the plan is easy: There's no deductible. It's honored at every authorized Kawasaki dealer nationwide. It's transferable to another owner with no fee. Just ask your dealer how you can buy additional coverage of 12, 24, or 36 months, (depending on the model and plan purchased). FL Lic #65500, Kawasaki Motors Corp., U.S.A., PO Box 25252, Santa Ana, CA 92799, (949) 770-0400.

KAWASAKI CARES: Always wear protective gear appropriate for the use of this vehicle. Never operate under the influence of drugs or alcohol. Protect the environment. The Kawasaki TERYX and TERYX4 side x sides are off-highway vehicles only, and are not designed, equipped, or manufactured for use on public streets; roads or highways. Obey the laws and regulations that control the use of your vehicle. Read Owner's Manual and all onproduct warnings.



tread lightly!®
OFFICIAL PARTNER



Kawasaki subscribes to the guidelines of Tread Lightly!® a program dedicated to protecting the great outdoors through education and fostering responsible enjoyment of public lands.



All trademarks, registered trademarks, logos, and copyrights are the property of their respective owners.

©2016 Kawasaki Motors Corp., U.S.A. Printed in U.S.A.

Kawasaki