

**Kawasaki**

**2017 MULE SX™, MULE™ 4000  
& MULE 4010 SERIES**







MULE SX™ 4x4 XC SE  
SHOWN WITH OPTIONAL ACCESSORIES





MULE SX™  
A MIGHTY  
WORKHORSE

The new 2017 Kawasaki MULE SX™ Series of side x sides brings the tough and rugged appearance of the MULE™ PRO line to a compact size. Forged in the image of its full-size MULE PRO siblings, the MULE SX packs plenty of stout muscle into a capable and versatile machine that can handle a wide variety of jobs. Compact size allows it to fit in a garage or on narrow trails and a short wheel base allows a tight turning radius for optimal maneuverability. Assembled in the U.S.A., from domestic and imported parts, the superior overall build quality of the MULE SX side x side provides dependability you can rely on day in and day out, backed by the industry-leading Kawasaki STRONG 3-Year Limited Warranty.

MULE SX™

2017

# GET THE JOB DONE

## MULE SX™ & MULE SX 4x4

The ideal general-purpose workhorse, the MULE SX™ side x side is packed with value and can take on a variety of jobs with its compact size, steel-based cargo bed and superior agility. Its small, narrow stature makes it fun to drive and also allows it to maneuver in tight areas like trails and vineyards or tread lightly over landscaped surfaces.



Available in 2WD & 4WD

MULE SX™ 4x4 SHOWN



# OFF-ROAD POTENTIAL

## MULE SX 4X4 XC

For enhanced off-road capability the MULE SX 4x4 XC side x sides are the ideal choice. Twelve-inch wheels and beefy 26-inch Duro tires give the MULE SX 4x4 XC models greater ground clearance and a more rugged grip on the terrain. Tackle diverse conditions or simply increase the off-road fun factor with the MULE SX 4x4 XC advantage.



MULE SX™ 4x4 XC SE SHOWN



MULE SX™ SERIES

# WORK & PLAY

## 1 ENGINE AND AUTOMATIC TRANSMISSION

The MULE SX™ side x sides are powered by a proven, dependable 401cc air-cooled single-cylinder four-stroke engine. A fully-automatic Continuously Variable Transmission (CVT) provides simple operation and a high/low engine range for various conditions. The low range is ideal for hauling a load or climbing a hill and the high range accommodates the times you want to step up the speed to get the job done quickly.\*

## 2 MULE SX 4x4 CAPABILITY

The MULE SX 4x4 models offer the versatility to switch between 2WD and 4WD modes with a simple mechanical lever. MULE SX 4x4 models also feature a dual-mode, rear differential that further contributes to its capability. The rear differential is ideal for maximum traction on the trails or for towing. Unlock the differential for a tighter turning radius or to minimize ground disturbance.

## 3 STYLING

Modeled after Kawasaki's flagship MULE™ PRO Series, the front bodywork of the new MULE SX family features the same bold style. The steel front bumper and large fenders reflect the rugged appearance and capable performance of the MULE SX. The steel cargo bed has integrated rails that can accommodate KQR™ accessories and features scratch-resistant texture coating on the cargo bed floor for rugged durability.

\*MULE SX (2WD Model) comes with high range only.







3



# MULE SX™ SERIES BRED TO WORK

## 1 STURDY CHASSIS

MULE SX™ side x sides are constructed for long-lasting performance, starting with the ladder-type steel tube frame. Tuned for optimum rigidity, the frame, along with independent MacPherson strut-type front suspension, rear suspension and rear shocks help deliver a stable ride. The stout steel front bumper helps provide a durable front exterior and lends to the rugged look of the new MULE SX Series.

## 2 CARGO AND TOWING

The all steel cargo bed with latching tailgate features a textured floor\* while integrated bed rails allow for easy installation of KQR™ mounts and Kawasaki Genuine Accessories. The MULE SX models pack a lot of muscle with a 400-pound cargo bed capacity and the ability to tow up to 1,100 pounds. The steel rear cargo screen, styled after the MULE™ PRO Series, improves rear view visibility, while the cargo bed tilts, allowing easy and clear access to the engine compartment.

## 3 COMPACT, NARROW SIZE

The compact, narrow size and tight turning radius allow the MULE SX to venture into tight areas like trails, vineyards or even a garage with ease, making it a remarkably versatile tool. With its small stature, it can fit into the bed of a full-size pickup truck for easy transport.



\*Excludes Camo model





1





# MULE SX™ SERIES COMPACT COMFORT

## 1 PLUSH COMFORT

Get through your workday in comfort with the MULE SX™ Series side x sides. Wrap your hands around the premium steering wheel, featuring plush padding and position it to your preference with adjustable tilt steering. Thick, padded bench seats and retractable two-point seatbelts offer a touch of comfort. Adding convenience are dash-integrated cup holders and a 12V outlet to power your electronics.



MULE SX™ 4x4 SHOWN



## 2 MODERN INTERIOR

The sophisticated dash design gives a fresh face to the interior of the new MULE SX. The textured surface of the dash resembles a sleek carbon fiber look, and the fuel gauge is positioned prominently for easy viewing. Centralized controls and gauges leave room for accessory switches. A glove box adds easily accessible cab storage and you can stow personal items separate from your cargo in the spacious 16-gallon front storage compartment located under the hood, which is conveniently accessible from inside the cabin.

## 3 MAINTENANCE AND ACCESS

Quick and easy access to service areas makes routine maintenance simple, while a standard hour meter can help track maintenance intervals. Gas up and go with the easy access fuel fill on the MULE SX. The tilting cargo bed lifts to allow access to the engine, and a flip-up seat allows easy access to the air filter. The front storage compartment gives quick access to the brake master cylinder and the fluid reservoir while front and rear brake drums are triple-lip-sealed for low maintenance.

2

3





# PREMIUM CHOICE

FOR ADDED COMFORT AND FUNCTIONALITY THAT LASTS ALL DAY THROUGH WORK OR PLAY,  
CHOOSE THE PREMIUM MODELS OF THE MULE SX™ LINE.



## MULE SX™ 4x4 XC SE

### EXCLUSIVE FEATURES

- › EQUIPPED WITH STYLISH 12-INCH CAST ALUMINUM WHEELS SPORT GRAPHICS AND 26" ATV TIRES
- › 4 HIGH-INTENSITY LED HEADLIGHTS LIGHT THE NIGHT
- › UNDER-SEAT STORAGE ADDS FUNCTIONALITY FOR ALL-DAY WORK OR PLAY
- › A SUN TOP HELPS PROVIDE RELIEF FROM SUN AND RAIN

## MULE SX™ 4x4 XC CAMO

### EXCLUSIVE FEATURES

- › PREMIUM REALTREE XTRA® GREEN CAMO PATTERN
- › DURABLE, SCRATCH-RESISTANT SURFACE PROVIDES IDEAL COVER IN THE OUTDOORS FOR YOUR HUNTING LIFESTYLE
- › 2 HIGH-INTENSITY LED HEADLIGHTS SO YOU CAN VENTURE BEYOND DAYLIGHT HOURS
- › 26-INCH DURO TIRES FOR ENHANCED GROUND CLEARANCE



SUPER BLACK



REALTREE XTRA® GREEN CAMO







## MULE SX™ 4x4 SE

### EXCLUSIVE FEATURES

- › EQUIPPED WITH A TOWING HITCH DRAWBAR
- › STAND OUT WITH BRIGHT AND ATTRACTIVE SUNBEAM RED BODYWORK, ROPS AND CARGO SCREEN
- › AN EASILY ACCESSIBLE HORN



SUNBEAM RED





## MULE SX™ SERIES - TOP MODEL FEATURES

### STANDARD MODELS

---

- › Compact size fits in a full-size pick-up
- › Durable steel cargo bed with 400-lb cargo bed capacity and KQR™ cargo bed rails
- › Massive 16-gallon under-hood storage area easily accessible from cab or front of vehicle
- › Proven 401cc single-cylinder 4-stroke engine
- › 1,100-lb towing capacity
- › Tilt steering and plush bench seat comfortably accommodates 2 adults



MULE SX™  
MODEL SHOWN

### MULE SX™

---



- › 2WD with rear differential lock
- › 22-in. work type tires
- › CVT with high-range transmission

### MULE SX 4x4

---



- › Selectable 2WD/4WD and dual-mode rear differential
- › CVT with high/low range
- › 24-in. work type tires



MULE SX™ 4x4  
MODEL SHOWN

### MULE SX 4x4 SE

---




- › 24-in. work type tires
- › Hitch draw bar
- › Steering wheel mounted horn
- › Color-matched ROPS and cargo screen



MULE SX™ 4x4 SE  
MODEL SHOWN

### COLORS

---





## XC MODELS

---

- › Capable 401cc single-cylinder 4-stroke engine with good low end torque
- › Short wheelbase for good maneuverability
- › Selectable 2WD/4WD and dual-mode rear differential
- › Durable steel cargo bed with 400-lb cargo bed capacity and KQR™ cargo bed rails
- › Massive 16-gallon under-hood storage area easily accessible from cab or front of vehicle
- › Tilt steering and plush bench seat comfortably accommodates 2 adults



MULE SX™ 4X4 XC  
MODEL SHOWN

## MULE SX™ 4x4 XC ●

---

- › Automatic transmission (CVT) with high/low range
- › 26-in. ATV type tires
- › 2 halogen headlights

## MULE SX 4x4 XC CAMO

---

- › 2 high-intensity LED headlights
- › Realtree Xtra® Green Camo bodywork



MULE SX™ 4X4 XC CAMO  
MODEL SHOWN

## MULE SX 4x4 XC SE ●

---


- › Selectable 2WD/4WD and dual-mode rear differential
- › Automatic transmission (CVT) with high/low range
- › Aluminum wheels with 26-in. ATV type tires
- › Sun top
- › 4 LED headlights
- › Under-seat storage bin



MULE SX™ 4X4 XC SE  
MODEL SHOWN

## COLORS

---





2017 MULE SX™ KAWASAKI GENUINE ACCESSORIES

# VERSATILITY IS FREEDOM

## MAKE IT YOUR MULE™

Outfit your Kawasaki MULE SX™ side x side with any number of Kawasaki Genuine Accessories, or choose from a number of recommended accessory packages. Each package, designed across a wide range of functions ranging from work to play, can easily transform your versatile MULE into a highly specialized vehicle.



MULE SX™ MODEL SHOWN



MULE SX™ 4x4 XC MODEL SHOWN

### MULE SX UTILITY PACKAGE

- › WARN® PROVANTAGE™ 3500 WINCH
- › CARGO BOX
- › BACK-UP BEEPER
- › BACK-UP BEEPER, GASKET
- › BACK-UP BEEPER, SWITCH
- › BEACON STROBE LIGHT
- › QQR™ FIXED WINDSHIELD, PLASTIC
- › PLASTIC ROOF
- › SIDE MIRROR SET, STANDARD
- › TRAILER HITCH
- › UNDERSEAT STORAGE BIN
- › WINCH MOUNT
- › WINCH MOUNT ADAPTER, 2WD
- › 2" CHROME HITCH BALL

### MULE SX HARDCAB ENCLOSURE/PLOW PACKAGE

- › QQR ACCESSORIES MOUNT (2 REQUIRED)
- › LED LIGHTBAR
- › LED LIGHT BAR HARNESS KIT
- › KOLPIN® GUN BOOT® IV
- › CAMO COVER FOR KOLPIN GUN BOOT IV
- › WARN PROVANTAGE 3500 WINCH
- › BRUSH GUARD
- › FRONT CV JOINT GUARD SET
- › HEADREST
- › QQR FLIP-UP WINDSHIELD, PLASTIC
- › QQR MOUNT FOR KOLPIN GUN BOOT IV
- › SEAT COVER, REALTREE XTRA® GREEN
- › SIDE MIRROR SET, STANDARD
- › SOFT CAB ENCLOSURE, DOORS, REALTREE XTRA GREEN
- › SOFT CAB ENCLOSURE, ROOF AND BACK, REALTREE XTRA GREEN
- › TAIL LIGHT GUARD
- › WINCH MOUNT



## VISIT [WWW.KAWASAKI.COM/MULESXACCESSORIES](http://WWW.KAWASAKI.COM/MULESXACCESSORIES) AND BUILD YOUR OWN



**CHECK OUT KAWASAKI.COM OR VISIT YOUR LOCAL DEALER TO VIEW ALL ACCESSORIES.**

All accessories and pricing available online

**KAWASAKI GENUINE ACCESSORIES PROVIDE AN INTEGRATED FIT AND EASY INSTALLATION WITHOUT VOIDING YOUR KAWASAKI STRONG 3-YEAR LIMITED WARRANTY.**



MULE SX™ 4x4 MODEL SHOWN



MULE SX™ 4x4 XC CAMO MODEL SHOWN

### MULE SX RECREATION PACKAGE

- › LED LIGHTBAR
- › LED LIGHT BAR HARNESS KIT
- › CAB COOLING/DEFROST FAN
- › HARD CAB ENCLOSURE
- › HARD CAB ENCLOSURE, LED CARGO LIGHT
- › HARD CAB ENCLOSURE, LED DOME LIGHT
- › HARD CAB ENCLOSURE, REARVIEW MIRROR
- › HARD CAB ENCLOSURE, SIDE MIRROR SET
- › HEATER
- › HEAVY DUTY SPRING, REAR
- › SNOW PLOW
- › TAIL LIGHT GUARD
- › HARD CAB ENCLOSURE, WINDSHIELD WASHER
- › HARD CAB ENCLOSURE, WINDSHIELD WIPER

### MULE SX HUNTING PACKAGE

- › LED LIGHTBAR
- › LED LIGHT BAR HARNESS KIT
- › WARN PROVANTAGE 3500 WINCH
- › CARGO BOX
- › BRUSH GUARD
- › HEADREST
- › KQR FIXED WINDSHIELD, PLASTIC
- › PLASTIC ROOF
- › SIDE MIRROR SET, PREMIUM
- › WINCH MOUNT
- › WINCH MOUNT ADAPTER, 2WD





MULE™ 4000 SHOWN





MULE™ 4000 & MULE 4010 SERIES

LIGHTEN THE  
**LOAD**

Don't take on the demands of your workday alone—let the 2017 Kawasaki MULE™ side x sides do the heavy lifting. On the ranch, in the field or at the job site, the versatile family of MULE 4000 (2WD), MULE 4010 4x4 and MULE 4010 Trans4x4® vehicles can help lighten your load and get the job done faster. With a powerful fuel-injected 617cc engine, rugged chassis, stout towing capacity and all-day comfort these side x sides are built strong to work hard. Available in multiple options and with plenty of accessories to choose from, the right MULE side x side for the job is ready to transform the way you get through your day.

MULE™ 4000 & MULE 4010

**2017**



# VERSATILITY TO TRANSFORM

## MULE™ 4010 TRANS4x4®

The powerful mid-size MULE™ 4010 Trans4x4® side x side has the transformative ability to go from single-row to double-row seating. With an easy change requiring only one person and no tools, you can alter the cab to accommodate up to four occupants and 400lbs. The rear seat can be folded down and the cargo bed expanded to carry two people. Transport tools and equipment at the job site or take the family down to the lake with easy Trans4x4 capability.



MULE™ 4010 TRANS4x4® CAMO SHOWN



# WORK SMARTER

## MULE 4000 & MULE 4010 4x4

The Kawasaki MULE™ 4000 and MULE 4010 4x4 side x sides offer single-row seating in a rugged platform. Take on a cargo bed capacity of up to 800 pounds in the durable, tilting steel cargo bed. With a compact wheelbase and tight turning radius, the MULE 4000 and MULE 4010 4x4 vehicles have the versatile ability to handle your tough loads with ease.



MULE™ 4010 4x4 SE SHOWN



## 1 FUEL-INJECTED POWER

The Kawasaki MULE™ 4000, MULE 4010 4x4 and MULE 4010 Trans4x4® side x sides deliver muscle with a dependable fuel-injected 617cc V-twin engine. The smooth running liquid-cooled four-stroke engine starts easily and delivers steady torque for smooth, responsive power when you need it.

## 2 CAPABLE DRIVETRAIN

A responsive Continuously Variable Transmission (CVT) puts the power to the ground with forward, neutral and reverse. The MULE 4010 4x4 and MULE 4010 4x4 vehicles allow you to switch between 2WD and 4WD with the pull of a lever and have a selectable dual-mode locking rear differential for added traction when needed.

## 3 CHASSIS

The steel tube ladder-type frame is the sturdy base of the Kawasaki MULE 4000 and MULE 4010 4x4 side x sides. Optimized rigidity provides a comfortable and stable ride. The independent MacPherson strut-type front suspension and DeDion rear suspension is ideal for work applications and helps maintain stable handling when carrying a cargo bed load.

1

2

MULE™ 4000 & MULE 4010

# POWER PLAY



MULE™ 4000 SHOWN



MULE™ 4000 & MULE 4010 SERIES

# BUILT TO LAST

1

2

MULE™ 4000 SHOWN

## 1 STEEL-TILTING CARGO BED

The durable steel cargo bed is rugged enough to take on your toughest loads with a cargo bed capacity of 800 pounds (400 pounds in four-passenger mode). A latching steel tailgate securely locks in the closed position for transporting loads and the textured base helps add traction and durability. When empty, the bed can be effortlessly lifted with a gas-strut-assisted tilt mechanism to access the engine, making maintenance quick and easy.

The cargo bed of the MULE™ 4010 Trans4x4® models can be tilted in both 4-passenger and 2-passenger mode.





## 2 TOWING

These mid-size MULE™ side x sides pack major pulling power, giving you up to 1,200 pounds of towing capacity. A standard two-inch receiver hitch makes it easy to connect a trailer to move extra equipment, supplies, or tools.

## 3 ELECTRIC POWER STEERING (EPS)

The Electric Power Steering system (EPS) reduces steering effort, especially at low speeds and helps dampen any kickback to the steering wheel so rocks or bumps at speed won't send a jolt to the driver's hands.

## 4 COMFORT & CONVENIENCE

Tilting plush steering wheel and padded bench seats, passenger grab bars and retractable two-point seatbelts help make the ride more comfortable. The dashboard houses two glove boxes, a 12V DC outlet and cup holders for added convenience, along with a digital fuel gauge and hour meter to keep you informed. A generous 15.85 gallons of storage space is located under the hood, making it easy to stow additional belongings.



# PRIME MODELS

SEEK OUT THE DAY WITH THE MULE™ 4010 SIDE X SIDES PREMIUM LINE-UP



## MULE™ 4010 TRANS4x4® SE & MULE 4010 4x4 SE

### EXCLUSIVE FEATURES

- › PREMIUM GRAPHICS FOR A SPORTY APPEARANCE
- › HIGH-INTENSITY LED HEADLIGHTS SO YOU DON'T HAVE TO QUIT WHEN THE SUN GOES DOWN
- › A SUN TOP TO HELP PROVIDE SHADE AND PROTECTION FROM THE ELEMENTS



SUPER BLACK

## MULE™ 4010 TRANS4x4® CAMO

### EXCLUSIVE FEATURES

- › PREMIUM REALTREE XTRA® GREEN CAMO PATTERN GIVE YOU THE PERFECT OUTDOOR ADVANTAGE
- › DURABLE, SCRATCH-RESISTANT SURFACE PROVIDES IDEAL COVER IN THE OUTDOORS FOR YOUR HUNTING LIFESTYLE



REALTREE XTRA® GREEN CAMO



Realtree Xtra® Green Camo — Realtree APG-XTRA  
Camouflage Design © 2012 of Jordan Outdoor Enterprises, Ltd.  
All rights reserved.







## MULE™ 4000 & MULE4010 FEATURES

### MULE™ 4000/4010 TOP FEATURES

---

- › Fuel-injected 617cc, liquid-cooled, V-twin engine
- › Steel cargo bed with 800-lb capacity
- › De Dion rear axle with robust leaf springs and shocks
- › 2-in. hitch receiver with 1,200-lb towing capacity
- › 16-gallon under hood storage
- › Single-row padded bench seat comfortably fits 2 people



MULE™ 4000  
MODEL SHOWN

### MULE 4000

---



- › Automatic transmission CVT with forward and reverse
- › 2WD with dual mode rear differential
- › Rack and Pinion steering



MULE™ 4010 4x4  
MODEL SHOWN

### MULE 4010 4x4

---



- › Speed-sensitive Electric Power Steering (EPS)
- › Selectable 2WD/4WD and dual-mode differential
- › Automatic transmission CVT with high/low range forward and reverse

### MULE 4010 4x4 SE FEATURES

---



- › 2 high-intensity LED headlights
- › Sun top
- › Special color and graphics



MULE™ 4010 4x4 SE  
MODEL SHOWN

### COLORS

---



TIMBERLINE GREEN

SUPER BLACK



DARK ROYAL RED



## MULE™ 4010 TRANS4x4® TOP FEATURES

---

- › Versatile Trans4x4® design easily converts from single-row to double-row seating with room for 4 adults
- › Speed-sensitive Electric Power Steering (EPS)
- › 800-lb cargo bed capacity (400-lb in 4-passenger mode)
- › 2-in. hitch receiver with 1,200-lb towing capacity
- › Automatic transmission CVT with high/low range forward and reverse



MULE™ 4010 TRANS4x4®  
MODEL SHOWN

## MULE 4010 TRANS4X4 ● ●

---

- › Speed-sensitive Electric Power Steering (EPS)
- › Selectable 2WD/4WD and dual-mode differential

## MULE 4010 TRANS4x4 SE ●

---

- › 2 high-intensity LED headlights
- › Sun top
- › Special color and graphics



MULE™ 4010 TRANS4x4 SE  
MODEL SHOWN

## MULE 4010 TRANS4X4 CAMO

---



- › Realtree Xtra® Green Camo bodywork



MULE™ 4010 TRANS4x4® CAMO  
MODEL SHOWN

## COLORS

---



2017 MULE™ 4000 & 4010 SERIES **KAWASAKI GENUINE**

# ACCESSORIES<sup>†</sup>

## MULE™ FAMILY KAWASAKI GENUINE ACCESSORIES

It's not truly yours until it's customized with Kawasaki Genuine Accessories. Built exclusively for your MULE™ side x side, these strong, durable and versatile accessories are the best way to get the most out of your vehicle, no matter what your needs may be.

- 1 PLOW
- 2 WINCH
- 3 WINDSHIELD
- 4 SKID PLATES
- 5 CAB ENCLOSURE



MULE™ 4010 4x4 ACCESSORIZED SHOWN





**CHECK OUT KAWASAKI.COM OR VISIT YOUR LOCAL DEALER TO VIEW ALL ACCESSORIES.**

All accessories and pricing available online

**KAWASAKI GENUINE ACCESSORIES PROVIDE AN INTEGRATED FIT AND EASY INSTALLATION WITHOUT VOIDING YOUR KAWASAKI STRONG 3-YEAR LIMITED WARRANTY.**

Kawasaki Genuine Accessories provide an integrated fit, an easy, seamless installation and long-lasting durability. They meet the same stringent quality standards as every Kawasaki MULE side x side and never compromise your vehicle's Kawasaki STRONG 3-Year Limited Warranty like some third-party parts.

## **MULE 4000**

- › FLOORMAT – FRONT
- › BED LIFT KIT
- › BED RAILS – BLACK
- › BED LINE – SLIP RESISTANT

## **MULE 4010 4X4**

- › ROOF – FABRIC, BLACK
- › WINDSHIELD – FLIP-UP
- › BRUSH GUARD – BLACK WRINKLE
- › REAR BUMPER – BLACK WRINKLE

## **MULE 4010 4X4 SE**

- › HEADLIGHT GUARDS, BLACK
- › TAILLIGHT GUARDS
- › BRUSH GUARD – BLACK WRINKLE
- › REAR BUMPER – BLACK WRINKLE

## **MULE 4010 TRANS4X4/ 4010 TRANS4X4 SE**

- › CAB ENCLOSURE – FRONT, BLACK, BLACK ROOF
- › CAB ENCLOSURE – REAR, BLACK, BLACK ROOF
- › DOORS – FRONT, STEEL, SUPER BLACK
- › DOORS – REAR, STEEL, SUPER BLACK

2

3

4

# MULE SX™ & MULE SX 4x4 XC SPECS

## MULE SX™ 4x4 XC SE

## MULE SX™ 4x4 XC

ENGINE	4-stroke, 1-cylinder, OHV, Air-cooled	4-stroke, 1-cylinder, OHV, Air-cooled
DISPLACEMENT	401cc	401cc
BORE X STROKE	82.0 x 76.0mm	82.0 x 76.0mm
COMPRESSION RATIO	8.6:1	8.6:1
MAXIMUM TORQUE	21.7 lb-ft @ 2400 rpm	21.7 lb-ft @ 2400 rpm
FUEL SYSTEM	Nikki 6C1026	Nikki 6C1026
IGNITION	Magneto and transistor	Magneto and transistor
TRANSMISSION	2-speed, automatic, reverse	2-speed, automatic, reverse
FINAL DRIVE	Shaft-driven selectable 4-wheel drive, dual-mode rear differential	Shaft-driven selectable 4-wheel drive, dual-mode rear differential
ALTERNATOR OUTPUT (MAX)	17 amp	17 amp
FRONT SUSPENSION / WHEEL TRAVEL	MacPherson strut/3.1 in	MacPherson strut/3.1 in
REAR SUSPENSION / WHEEL TRAVEL	Unit swing axle/3.1 in	Unit swing axle/3.1 in
FRONT TIRES	26x9-12 Duro bias, alloy wheels	26x9-12 Duro bias
REAR TIRES	26x9-12 Duro bias, alloy wheels	26x9-12 Duro bias
STEERING	Rack-and-pinion	Rack-and-pinion
FRONT BRAKES	Hydraulic drum L&R	Hydraulic drum L&R
REAR BRAKES	Hydraulic drum L&R	Hydraulic drum L&R
GROUND CLEARANCE	8.1 in	8.1 in
FUEL CAPACITY	4.2 gal	4.2 gal
TURNING RADIUS	11.8 ft (differential unlocked)	11.8 ft (differential unlocked)
CARGO BED DIMENSIONS (LXWXH)	35.6 x 40.9 x 9.6 in	35.6 x 40.9 x 9.6 in
CARGO BED CAPACITY	400 lb	400 lb
LOAD CAPACITY	884 lb	926 lb
SEATING CAPACITY	2	2
TOWING CAPACITY	1100 lb	1100 lb
LIGHTING	(2) 20.4 W LED headlights, (2) 10.2 W LED headlights low beam, 5.0/21 W tail/brake lights	(2) 35 W halogen headlights, (2) LED (optional), 5.0/21 W tail/brake lights
FRAME TYPE	Steel tube ladder type	Steel tube ladder type
OVERALL LENGTH	106.7 in	106.7 in
OVERALL WIDTH	52.6 in	52.6 in
OVERALL HEIGHT	75.0 in	73.4 in
CURB WEIGHT	1098.1**	1082.7**
WHEELBASE	70.1 in	70.1 in
INSTRUMENTS	Fuel gauge, hour meter, oil temp light, parking brake light	Fuel gauge, hour meter, oil temp light, parking brake light
COLOR CHOICES	Super Black	Vibrant Blue
WARRANTY	Kawasaki Strong 3-Year Limited Warranty	Kawasaki Strong 3-Year Limited Warranty
KAWASAKI PROTECTION PLUS™ (OPTIONAL)	12, 24 or 36 months	12, 24 or 36 months

\*\*Curb weight includes all necessary materials and fluids to operate correctly, full tank of fuel (more than 90 percent capacity) and tool kit (if supplied).

Specifications subject to change.



# MULE SX™ & MULE SX 4X4 XC SPECS

## MULE SX™ 4x4 XC CAMO

## MULE SX™ 4x4 SE

ENGINE	4-stroke, 1-cylinder, OHV, Air-cooled	4-stroke, 1-cylinder, OHV, Air-cooled
DISPLACEMENT	401cc	401cc
BORE X STROKE	82.0 x 76.0mm	82.0 x 76.0mm
COMPRESSION RATIO	8.6:1	8.6:1
MAXIMUM TORQUE	21.7 lb-ft @ 2400 rpm	21.7 lb-ft @ 2400 rpm
FUEL SYSTEM	Nikki 6C1026	Nikki 6C1026
IGNITION	Magneto and transistor	Magneto and transistor
TRANSMISSION	2-speed, automatic, reverse	2-speed, automatic, reverse
FINAL DRIVE	Shaft-driven selectable 4-wheel drive, dual-mode rear differential	Shaft-driven selectable 4-wheel drive, dual-mode rear differential
ALTERNATOR OUTPUT (MAX)	17 amp	17 amp
FRONT SUSPENSION / WHEEL TRAVEL	MacPherson strut/3.1 in	MacPherson strut/3.1 in
REAR SUSPENSION / WHEEL TRAVEL	Unit swing axle/3.1 in	Unit swing axle/3.1 in
FRONT TIRES	26x9-12 Duro bias	24x9-10 Duro bias
REAR TIRES	26x9-12 Duro bias	24x11-10 Duro bias
STEERING	Rack-and-pinion	Rack-and-pinion
FRONT BRAKES	Hydraulic drum L&R	Hydraulic drum L&R
REAR BRAKES	Hydraulic drum L&R	Hydraulic drum L&R
GROUND CLEARANCE	8.1 in	6.7 in
FUEL CAPACITY	4.2 gal	4.2 gal
TURNING RADIUS	11.8 ft (differential unlocked)	10.8 ft
CARGO BED DIMENSIONS (LXWXH)	35.6 x 40.9 x 9.6 in	35.6 x 40.9 x 9.6 in
CARGO BED CAPACITY	400 lb	400 lb
LOAD CAPACITY	926 lb	906 lb
SEATING CAPACITY	2	2
TOWING CAPACITY	1100 lb	1100 lb
LIGHTING	(2) 20.4 W LED headlights, (2) 10.2 W LED headlights low beam (optional), 5.0/21 W tail/brake lights	(2) 35 W halogen headlights, (2) LED (optional), 5.0/21 W tail/brake lights
FRAME TYPE	Steel tube ladder type	Steel tube ladder type
OVERALL LENGTH	106.7 in	106.7 in
OVERALL WIDTH	52.6 in	52.6 in
OVERALL HEIGHT	73.4 in	70.9 in
CURB WEIGHT	1098.1**	1040.8**
WHEELBASE	70.1 in	70.1 in
INSTRUMENTS	Fuel gauge, hour meter oil temp light, parking brake light	Fuel gauge, hour meter, oil temp light, parking brake light, horn
COLOR CHOICES	Realtree Xtra® Green Camo	Sunbeam Red
WARRANTY	Kawasaki Strong 3-Year Limited Warranty	Kawasaki Strong 3-Year Limited Warranty
KAWASAKI PROTECTION PLUS™ (OPTIONAL)	12, 24 or 36 months	12, 24 or 36 months

\*\*Curb weight includes all necessary materials and fluids to operate correctly, full tank of fuel (more than 90 percent capacity) and tool kit (if supplied).

Specifications subject to change.

Realtree APG-XTRA Camouflage Design © 2012 of Jordan Outdoor Enterprises, Ltd., all rights reserved.

# MULE SX™ & MULE SX 4X4 XC SPECS

## MULE SX™ 4x4

## MULE SX™

ENGINE	4-stroke, 1-cylinder, OHV, Air-cooled	4-stroke, 1-cylinder, OHV, Air-cooled
DISPLACEMENT	401cc	401cc
BORE X STROKE	82.0 x 76.0mm	82.0 x 76.0mm
COMPRESSION RATIO	8.6:1	8.6:1
MAXIMUM TORQUE	21.7 lb-ft @ 2400 rpm	21.7 lb-ft @ 2400 rpm
FUEL SYSTEM	Nikki 6C1026	Nikki 6C1026
IGNITION	Magneto and transistor	Magneto and transistor
TRANSMISSION	2-speed, automatic, reverse	Single-speed, automatic, reverse
FINAL DRIVE	Shaft-driven selectable 4-wheel drive, dual-mode rear differential	Shaft-driven selectable 2-wheel drive, dual-mode rear differential
ALTERNATOR OUTPUT (MAX)	17 amp	17 amp
FRONT SUSPENSION / WHEEL TRAVEL	MacPherson strut/3.1 in	MacPherson strut/3.1 in
REAR SUSPENSION / WHEEL TRAVEL	Unit swing axle/3.1 in	Unit swing axle/3.1 in
FRONT TIRES	24x9-10 Duro bias	22x9-10 Duro
REAR TIRES	24x11-10 Duro bias	22x11-10 Duro
STEERING	Rack-and-pinion	Rack-and-pinion
FRONT BRAKES	Hydraulic drum L&R	Hydraulic drum L&R
REAR BRAKES	Hydraulic drum L&R	Hydraulic drum L&R
GROUND CLEARANCE	6.7 in	6.1 in
FUEL CAPACITY	4.2 gal	4.2 gal
TURNING RADIUS	10.8 ft	10.8 ft
CARGO BED DIMENSIONS (LXWXH)	35.6 x 40.9 x 9.6 in	35.6 x 40.9 x 9.6 in
CARGO BED CAPACITY	400 lb	400 lb
LOAD CAPACITY	915 lb	926 lb
SEATING CAPACITY	2	2
TOWING CAPACITY	1100 lb	1100 lb
LIGHTING	(2) 35 W halogen headlights, (2) LED (optional), 5.0/21 W tail/brake lights	(2) 35 W halogen headlights, (2) LED (optional), 5.0/21 W tail/brake lights
FRAME TYPE	Steel tube ladder type	Steel tube ladder type
OVERALL LENGTH	106.7 in	106.7 in
OVERALL WIDTH	52.6 in	52.6 in
OVERALL HEIGHT	70.9 in	70.1 in
CURB WEIGHT	1020.9 lb**	967.6 lb**
WHEELBASE	70.1 in	70.1 in
INSTRUMENTS	Fuel gauge, hour meter, oil temp light, parking brake light	Fuel gauge, hour meter, oil temp light, parking brake light
COLOR CHOICES	Timberline Green, Dark Royal Red	Timberline Green, Dark Royal Red
WARRANTY	Kawasaki Strong 3-Year Limited Warranty	Kawasaki Strong 3-Year Limited Warranty
KAWASAKI PROTECTION PLUS™ (OPTIONAL)	12, 24 or 36 months	12, 24 or 36 months

\*\*Curb weight includes all necessary materials and fluids to operate correctly, full tank of fuel (more than 90 percent capacity) and tool kit (if supplied).

Specifications subject to change.



# MULE™ 4000 & MULE 4010 4X4 SPECS

## MULE™ 4010 TRANS4x4®

## MULE™ 4010 TRANS4x4® SE

ENGINE	4-stroke, 2-cylinder, OHV, 90° V Liquid-cooled	4-stroke, 2-cylinder, OHV, 90° V Liquid-cooled
DISPLACEMENT	617cc	617cc
BORE X STROKE	76.0 x 68.0mm	76.0 x 68.0mm
COMPRESSION RATIO	10.3:1	10.3:1
MAXIMUM TORQUE	34.7 lb-ft @ 2500 rpm	34.7 lb-ft @ 2500 rpm
FUEL SYSTEM	DFI® w/ 34mm Mikuni throttle body	DFI® w/ 34mm Mikuni throttle body
IGNITION	Digital electronic	Digital electronic
TRANSMISSION	Continuously Variable Transmission (CVT) with high and low range, forward, neutral and reverse, 2WD/4WD	Continuously Variable Transmission (CVT) with high and low range, forward, and reverse, 2WD/4WD
FINAL DRIVE	Shaft, selectable 4-wheel drive with dual-mode rear differential	Shaft, selectable 4-wheel drive with dual-model differential
ALTERNATOR OUTPUT (MAX)	23 amp	23 amp
FRONT SUSPENSION / WHEEL TRAVEL	Independent, MacPherson strut/3.9 in	Independent, MacPherson strut/3.9 in
REAR SUSPENSION / WHEEL TRAVEL	Semi-independent, De Dion axle with leaf springs and shocks/2.8 in	Semi-independent, De Dion axle with leaf springs and shocks/2.8 in
FRONT TIRES	23x11-10 tubeless	23x11-10 tubeless
REAR TIRES	23x11-10 tubeless	23x11-10 tubeless
STEERING	Electric power assisted rack-and-pinion	Electric power assisted rack-and-pinion
FRONT BRAKES	4-wheel hydraulic drums, sealed	4-wheel hydraulic drums, sealed
REAR BRAKES	4-wheel hydraulic drums, sealed	4-wheel hydraulic drums, sealed
GROUND CLEARANCE	7.1 in	7.1 in
FUEL CAPACITY	6.3 gal	6.3 gal
TURNING RADIUS	12.8 ft	12.8 ft
CARGO BED DIMENSIONS (LXWXH)	50.4/30.3 x 47.6 x 11.2 in	50.4/30.3 x 47.6 x 11.2 in
CARGO BED CAPACITY	400 lb/800 lb (4/2-pass mode)	400 lb/800 lb (4/2-pass mode)
LOAD CAPACITY	1330 lb	1330 lb
SEATING CAPACITY	4 (2 front/2 rear)	4 (2 front/2 rear)
TOWING CAPACITY	1200 lb	1200 lb
LIGHTING	(2) 35 W sealed-beam headlights, (2) 5/21 W tail/brake lights	(2) 35 W sealed-beam headlights, (2) LED auxiliary lights, (2) 5/21 W tail/brake lights
FRAME TYPE	Steel tube ladder type	Steel tube ladder type
OVERALL LENGTH	128.5 in	128.5 in
OVERALL WIDTH	58.5 in	58.5 in
OVERALL HEIGHT	75.8 in	78.1 in
CURB WEIGHT	1586.9 lb**	1619.9 lb**
WHEELBASE	85.2 in	85.2 in
INSTRUMENTS	Parking brake warning light, coolant temperature warning light, horn, 12V DC outlet	Parking brake warning light, coolant temperature warning light, horn, 12V DC outlet
COLOR CHOICES	Timberline Green, Dark Royal Red	Super Black
WARRANTY	Kawasaki Strong 3-Year Limited Warranty	Kawasaki Strong 3-Year Limited Warranty
KAWASAKI PROTECTION PLUS™ (OPTIONAL)	12, 24 or 36 months	12, 24 or 36 months

\*\*Curb weight includes all necessary materials and fluids to operate correctly, full tank of fuel (more than 90 percent capacity) and tool kit (if supplied).

Specifications subject to change.

# MULE™ 4000 & MULE 4010 4X4 SPECS

## MULE™ 4010 TRANS4x4® CAMO

## MULE™ 4010 4x4

ENGINE	4-stroke, 2-cylinder, OHV, 90° V Liquid-cooled	4-stroke, 2-cylinder, OHV, 90° V Liquid-cooled
DISPLACEMENT	617cc	617cc
BORE X STROKE	76.0 x 68.0mm	76.0 x 68.0mm
COMPRESSION RATIO	10.3:1	10.3:1
MAXIMUM TORQUE	34.7 lb-ft @ 2500 rpm	34.7 lb-ft @ 2500 rpm
FUEL SYSTEM	DFI® w/ 34mm Mikuni throttle body	DFI® w/ 34mm Mikuni throttle body
IGNITION	Digital electronic	Digital electronic
TRANSMISSION	Continuously Variable Transmission (CVT) with high and low range, forward, and reverse, 2WD/4WD	Continuously Variable Transmission (CVT) with high and low range, forward, and reverse, 2WD/4WD
FINAL DRIVE	Shaft, selectable 4-wheel drive with dual-model differential	Shaft, selectable 4-wheel drive with dual-model differential
ALTERNATOR OUTPUT (MAX)	23 amp	23 amp
FRONT SUSPENSION / WHEEL TRAVEL	Independent, MacPherson strut/3.9 in	Independent, MacPherson strut/3.9 in
REAR SUSPENSION / WHEEL TRAVEL	Semi-independent, De Dion axle with leaf springs and shocks/2.8 in	Semi-independent, De Dion axle with leaf springs and shocks/2.8 in
FRONT TIRES	23x11-10 tubeless	23x11-10 tubeless
REAR TIRES	23x11-10 tubeless	23x11-10 tubeless
STEERING	Electric power assisted rack-and-pinion	Electric power assisted rack-and-pinion
FRONT BRAKES	4-wheel hydraulic drums, sealed	4-wheel hydraulic drums, sealed
REAR BRAKES	4-wheel hydraulic drums, sealed	4-wheel hydraulic drums, sealed
GROUND CLEARANCE	7.1 in	6.9 in
FUEL CAPACITY	6.3 gal	6.3 gal
TURNING RADIUS	12.8 ft	11.2 ft
CARGO BED DIMENSIONS (LXWXH)	50.4/30.3 x 47.6 x 11.2 in	46.3 x 51.6 x 11.4 in
CARGO BED CAPACITY	400 lb/800 lb (4/2-pass mode)	800 lb
LOAD CAPACITY	1330 lb	1330 lb
SEATING CAPACITY	4 (2 front/2 rear)	2
TOWING CAPACITY	1200 lb	1200 lb
LIGHTING	(2) 35 W sealed-beam headlights, (2) 5/21 W tail/brake lights	(2) 35 W sealed-beam headlights, (2) 5/21 W tail/brake lights
FRAME TYPE	Steel tube ladder type	Steel tube ladder type
OVERALL LENGTH	128.5 in	116.7 in
OVERALL WIDTH	58.5 in	62.0 in
OVERALL HEIGHT	75.8 in	75.8 in
CURB WEIGHT	1586.9 lb**	1432.6 lb**
WHEELBASE	85.2 in	73.6 in
INSTRUMENTS	Parking brake warning light, coolant temperature warning light, horn, 12V DC outlet	Parking brake warning light, coolant temperature warning light, horn, 12V DC outlet
COLOR CHOICES	Realtree Xtra® Green Camo	Timberline Green, Dark Royal Red
WARRANTY	Kawasaki Strong 3-Year Limited Warranty	Kawasaki Strong 3-Year Limited Warranty
KAWASAKI PROTECTION PLUS™ (OPTIONAL)	12, 24 or 36 months	12, 24 or 36 months

\*\*Curb weight includes all necessary materials and fluids to operate correctly, full tank of fuel (more than 90 percent capacity) and tool kit (if supplied).

Specifications subject to change.

Realtree APG-XTRA Camouflage Design © 2012 of Jordan Outdoor Enterprises, Ltd., all rights reserved.



# MULE™ 4000 & MULE 4010 4X4 SPECS

## MULE™ 4010 4x4 SE

## MULE™ 4000

ENGINE	4-stroke, 2-cylinder, OHV, 90° V Liquid-cooled	4-stroke, 2-cylinder, OHV Valve 90° V Liquid-cooled
DISPLACEMENT	617cc	617cc
BORE X STROKE	76.0 x 68.0mm	76.0 x 68.0mm
COMPRESSION RATIO	10.3:1	10.3:1
MAXIMUM TORQUE	34.7 lb-ft @ 2500 rpm	34.7 lb-ft @ 2500 rpm
FUEL SYSTEM	DFI® w/ 34mm Mikuni throttle body	DFI® w/ 34mm Mikuni throttle body
IGNITION	Digital electronic	Digital electronic
TRANSMISSION	Continuously Variable Transmission (CVT) with high and low range, forward, and reverse, 2WD/4WD	Continuously Variable Transmission (CVT) with forward and reverse
FINAL DRIVE	Shaft, selectable 4-wheel drive with dual-model differential	Shaft, dual-mode rear differential dual-model differential
ALTERNATOR OUTPUT (MAX)	23 amp	23 amp
FRONT SUSPENSION / WHEEL TRAVEL	Independent, MacPherson strut/3.9 in	Independent, MacPherson strut/3.9 in
REAR SUSPENSION / WHEEL TRAVEL	Semi-independent, De Dion axle with leaf springs and shocks/2.8 in	Semi-independent, De Dion axle with leaf springs and shocks/2.8 in
FRONT TIRES	23x11-10 tubeless	23x11-10 tubeless
REAR TIRES	23x11-10 tubeless	23x11-10 tubeless
STEERING	Electric power assisted rack-and-pinion	Rack-and-pinion
FRONT BRAKES	4-wheel hydraulic drums, sealed	4-wheel hydraulic drums, sealed
REAR BRAKES	4-wheel hydraulic drums, sealed	4-wheel hydraulic drums, sealed
GROUND CLEARANCE	6.9 in	7.5 in
FUEL CAPACITY	6.3 gal	6.3 gal
TURNING RADIUS	11.2 ft	11.0 ft
CARGO BED DIMENSIONS (LXWXH)	46.3 x 51.6 x 11.4 in	46.3 x 51.6 x 11.4 in
CARGO BED CAPACITY	800 lb	800 lb
LOAD CAPACITY	1330 lb	1330 lb
SEATING CAPACITY	2	2
TOWING CAPACITY	1200 lb	1200 lb
LIGHTING	(2) 35 W sealed-beam headlights, (2) LED auxiliary lights, (2) 5/21 W tail/brake lights	(2) 35 W sealed-beam headlights, (2) 5/21 W tail/brake lights
FRAME TYPE	Steel tube ladder type	Steel tube ladder type
OVERALL LENGTH	116.7 in	116.7 in
OVERALL WIDTH	62.0 in	62.0 in
OVERALL HEIGHT	78.1 in	75.8 in
CURB WEIGHT	1445.8 lb**	1338.4 lb**
WHEELBASE	73.6 in	73.6 in
INSTRUMENTS	Parking brake warning light, coolant temperature warning light, horn, 12V DC outlet	Parking brake and coolant temp warning lights, horn, 12V DC outlet
COLOR CHOICES	Super Black	Timberline Green, Dark Royal Red
WARRANTY	Kawasaki Strong 3-Year Limited Warranty	Kawasaki Strong 3-Year Limited Warranty
KAWASAKI PROTECTION PLUS™ (OPTIONAL)	12, 24 or 36 months	12, 24 or 36 months

\*\*Curb weight includes all necessary materials and fluids to operate correctly, full tank of fuel (more than 90 percent capacity) and tool kit (if supplied).

Specifications subject to change.

# KAWASAKI STRONG

## MUCH MORE THAN MOTORCYCLES



### BULLET TRAINS

You already know KHI builds machines that move people. But, did you know it also builds machines that move thousands of people—all at once? We're talking trains here. From New York City subway cars to Japan's hyper-speed bullet trains, Kawasaki has been in the business since 1906. Whether a 186-mph bullet train or a 1,441cc Ninja® ZX™-14R motorcycle, KHI likes to believe that the technology that goes into moving thousands of people has a positive effect on how it goes about moving just one.

### MOTORCYCLES

Since KHI built its first motorcycle engine in 1953, it has never stopped pushing technology to arm riders with what they need to dominate the streets. Advanced engineering, exhaustive testing and tireless passion go into every motorcycle every time rubber hits the road. From industry-first features to the features that have evolved over a long history, KHI's innovations will never stop feeding the insatiable appetites of riders around the world.

### ROBOTICS

If robots are the future, then KHI has been shaping it since 1969 when the company built its first industrial robot. KHI continues to be a leader in the development of robots for a diverse number of processes including: assembly, handling, welding, painting and sealing. Kawasaki robot technology is being used every day to manufacture motorcycles and other products.





## KAWASAKI HEAVY INDUSTRIES, LTD. (KHI)

With 130 years of Kawasaki Heavy Industries, Ltd. (KHI) engineering building the heaviest, most durable and complex machines on the planet, Kawasaki STRONG is a name we can claim. KHI builds tunnel-boring machines that connect continents and trains that carry millions of New Yorkers in and out of the city 24 hours a day, seven days a week. From these engineering monsters to the last bolt on the MULE SX™ side x side, KHI engineering says, over and over: Use me. Rely on me. I'm built to work.

### KAWASAKI STRONG 3-YEAR LIMITED WARRANTY COMPARISON

# KAWASAKI • 36 MONTHS

HONDA • 12 MONTHS

JOHN DEERE • 12 MONTHS

POLARIS • 6 MONTHS

YAMAHA • 6 MONTHS

ARCTIC CAT • 6 MONTHS

CAN-AM • 6 MONTHS



Competitive warranty information obtained from manufacturers' websites as of April 2016.

## WARRANTY

Every Kawasaki MULE™ side x side is backed with the Kawasaki STRONG 3-Year Limited Warranty. Ask your dealer for details about the factory warranty and available extended coverage.

## UP TO THREE YEARS ADDITIONAL COVERAGE

Let Kawasaki protect your new vehicle for years to come with Kawasaki Protection Plus™. This plan repairs or replaces most components free of charge if found defective in material or workmanship. Everything about the plan is easy: There's no deductible. It's honored at every authorized Kawasaki dealer nationwide. It's transferable to another owner with no fee. Just ask your dealer how you can buy additional coverage of 12, 24, or 36 months (depending on the model and plan purchased). FL Lic #65500, Kawasaki Motors Corp., U.S.A., PO Box 25252, Santa Ana, CA 92799, (949) 770-0400.

## KAWASAKI CARES:

Always wear protective gear appropriate for the use of this vehicle. Never operate under the influence of drugs or alcohol. Protect the environment. The Kawasaki MULE side x side is an off-highway vehicle only, and is not designed, equipped, or manufactured for use on public streets, roads or highways. Obey the laws and regulations that control the use of your vehicle. Read Owner's Manual and all on-product warnings.



tread lightly!®

OFFICIAL PARTNER



Kawasaki subscribes to the guidelines of Tread Lightly!® a program dedicated to protecting the great outdoors through education and fostering responsible enjoyment of public lands.



All trademarks, registered trademarks, logos, and copyrights are the property of their respective owners.

©2016 Kawasaki Motors Corp., U.S.A. Printed in U.S.A.

# Kawasaki