

# 2018 MULET SERIES KANASAK STRONG

The hard working Kawasaki MULE™ Series offers a full range of dependable compact and mid-size utility side x side vehicles. Whether you need to maneuver in tight spaces, transport a heavy payload and a crew, or simply enjoy light recreational driving, there's a Kawasaki MULE to suit your needs. Choose your ideal workhorse from the wide range of Kawasaki MULE side x sides, all built strong to work hard and play hard.

#### MULE™ HISTORY

With a lineage that dates back to the 1800s, Kawasaki Heavy Industries, Ltd. (KHI) is the rigid backbone of the Kawasaki four-wheel brand. It's this heavy industries' heritage of innovation that lends itself to our powerful, long-lasting vehicles that will let you take on tough challenges and conquer them with ease. Strength is in our DNA. And that is the foundation of MULE™ utility vehicles.

#### ASSEMBLED IN THE U.S.A. (WITH FOREIGN AND DOMESTIC PARTS)

Back in 1987, Kawasaki Motors
Manufacturing Corp., U.S.A. rolled out
the first-of-its-kind Kawasaki MULE™
side x side in the light utility vehicle
category. With a pick-up-truck design,
the MULE hit the market and proved
so amazingly versatile that the MULE
utility vehicle is now a staple at farms,
sports facilities and anywhere else
that sturdy utility vehicles are needed.

#### KAWASAKI STRONG 3-YEAR LIMITED WARRANTY

The Kawasaki STRONG 3-Year Limited Warranty is standard with every 2018 MULE™ side x side. Every machine we sell is backed by the unrivaled engineering knowledge of Kawasaki Heavy Industries, Ltd. So when we say that our products are the strongest, we back it up with extreme confidence.



#### 2018 MULE™4000 & MULE 4010 SERIES

## WORKDAY CHIEF

The hard-working Kawasaki MULE™ 4000 and MULE 4010 side x sides are built to take on your toughest jobs. With a rugged chassis, stout towing capacity and all-day comfort, these mid-size MULE vehicles are designed to get you through your workday efficiently. From the people moving MULE 4010 Trans4x4® to the tough working, cargo hauling MULE 4010 4x4 and the affordable 2WD MULE 4000, there's a MULE side x side for every task, even if the task calls for some fun every now and then.

MULE 4000 in Dark Royal Red





MULE SX 4x4 in Timberline Green
Accessorized unit shown

**2018 MULE SX™ SERIES** 

## MIGHTY MULTITASKER

Forged in the image of its full-size MULE™ PRO siblings, the MULE SX™ side x sides pack plenty of stout muscle into a compact and agile machine. Handle a wide variety of tasks with the ability to tread lightly and maneuver in tight areas, or take a new path with the MULE SX 4x4—a willing companion on the jobsite and on the weekends. Built rugged with off-road capability and reliable efficiency, MULE SX vehicles are ready for whatever your day has in store, whether it's work or fun.

2018 MULE™ 4010 TRANS4x4® & MULE 4000 TRANS™ SIDE X SIDES

## BRED TO ADAPT



The powerful mid-size 2018 MULE™ 4010 Trans4x4® and MULE 4000 Trans™ side x sides are built to offer an unstoppable work ethic, industrial-grade design and a powerful V-twin engine. Their convertible design makes it easy to transform seating and cargo areas based on the needs of the job and the engine has the tenacity to withstand being run hard from sun up to sun down, day after day.











1. Versatile 2- to 4-passenger Trans Cab™ System 2. 2-inch Receiver Hitch 3. Generous 15.8-gallon Storage Space

#### 2-TO 4-PASSENGER TRANS CAB™ SYSTEM

As you take on a job, the demands of the day are bound to change. Sometimes you need more hands. Sometimes you need more cargo space. With the versatility of the two- to four-passenger seating system, the MULE™ 4010 Trans4x4® and MULE 4000 Trans™ side x sides can quickly be converted from two-passenger vehicles to four-passenger vehicles—with no tools needed.

#### **HAULING AND TOWING**

These mid-size MULE™ side x sides pack major pulling power, giving you 1,200 pounds (400 pounds in one-row configuration) of towing capacity, making it easy to move extra equipment, supplies, tools or even toys. While you're at it, haul up to 800 pounds in the durable steel cargo bed designed to handle your toughest loads with ease. The cargo bed also tilts for easy access to the engine compartment.

#### **COMFORT & CONVENIENCE**

Tilting plush steering wheel, padded bench seats and passenger grab bars help make the ride comfortable. The dashboard houses two glove boxes, a 12V DC outlet and cup holders for added convenience, along with a digital fuel gauge and hour meter. A generous 15.8-gallon storage space is located under the hood, making it easy to stow additional belongings.

#### **2018 MULE™ 4010 TRANS4x4® & MULE 4000 TRANS™ SIDE X SIDES**



- MULE™ 4010 TRANS4x4® SE
- Convert from Single-row to Double-row Seating
- Electric Power Steering (EPS)
- Selectable 2WD/4WD and Dual-mode Differential
- High-intensity LED Headlights
- Sun Top & Special Graphics
- Super Black





Realtree Xtra® Green Camo Realtree APG-XTRA Camouflage Design © 2012 of Jordan Outdoor Enterprises, Ltd. All rights reserved.

#### MULE™ 4010 TRANS4x4® CAMO

- Convert from Single-row to Double-row Seating
- Selectable 2WD/4WD and Dual-mode Differential
- Realtree Xtra® Green Camo with Scratch-resistant Surface
- EPS
- Realtree Xtra Green Camo



#### MULE™ 4010 TRANS4x4®

- Convert from Single-row to Double-row Seating
- Selectable 2WD/4WD and Dual-mode Differential
- EPS
- Dark Royal Red
- Timberline Green



#### NEW MULE 4000 TRANS™


- Convert from Single-row to Double-row Seating
- 2WD with Dual-mode Rear Differential
- EPS
- Dark Royal Red















1. Fuel-injected V-twin Engine 2. 2WD/4WD and Dual-mode Rear Differential 3. MacPherson Strut-Type Front Suspension

The Kawasaki MULE™ 4010 and MULE 4000 side x sides deliver muscle with a dependable, fuel-injected 617cc V-twin engine. The smooth running liquid-cooled four-stroke starts easily whether it's hot or cold, providing steady torque for smooth, responsive power when you need it.

#### **CAPABLE DRIVETRAIN**

A responsive automatic Continuously Variable Transmission (CVT) puts the power to the ground with high- and low-range forward gearing as well as neutral and reverse. The MULE™ 4010 side x sides allow you to switch between 2WD and 4WD\* and feature a dual-mode rear differential for added traction when needed.

\*MULE 4000 is equipped with 2WD, high range and dual-mode rear differential.

#### STURDY CHASSIS

The steel tube ladder-type frame is the sturdy foundation of Kawasaki MULE™ side x sides. Optimized rigidity provides a comfortable ride while the Roll Over Protective Structure (ROPS) and steel front bumper provide a rugged external structure. The independent MacPherson strut-type front suspension and DeDion rear suspension soak up the bumps for a comfortable ride.

#### **2018 MULE™ 4010 & MULE 4000 FEATURES**



- Electric Power Steering (EPS)
- Selectable 2WD/4WD and Dual-mode Rear Differential
- 2-inch Hitch Receiver with 1,200-lb. Towing Capacity
- Steel Cargo Bed with 800-lb. Capacity
- High-intensity LED Headlights
- Sun Top
- Special Graphics
- Super Black



#### MULE™ 4010 4x4

- EPS
- Selectable 2WD/4WD and Dual-mode Rear Differential
- 2-inch Hitch Receiver with 1,200-lb. Towing Capacity
- Steel Cargo Bed with 800-lb. Capacity
- Dark Royal Red Timberline Green



#### **MULE™ 4000**

- 2WD with Dual-mode Rear Differential
- 2-inch Hitch Receiver with 1,200-lb Towing Capacity
- Steel Cargo Bed with 800-lb. Capacity
- Dark Royal RedTimberline Green










The 2018 Kawasaki MULE SX™ 4x4 XC side x sides brings the tough and rugged appearance of the MULE™ PRO line to a compact size. With the muscle DNA of the full-size MULE PRO Series, the MULE SX 4x4 XC side x side's condensed size brings excellent agility and maneuverability that can handle a variety of jobs. Tackle diverse conditions or simply increase the off-road fun factor with the MULE SX 4x4 XC advantage.







1. 2WD & 4WD Drive Modes 2. 12-inch Wheels and 26-inch Duro Tires 3. Ladder-type Steel Tube Frame

#### **DRIVETRAIN**

The MULE SX™ 4x4 XC models offer the driver the ability to switch between 2WD and 4WD modes. They also feature a dual-mode rear differential that further contributes to its capable versatility. Locked mode acts as a solid axle, ideal for maximum traction over rougher terrain or for towing. Unlock the differential for tighter turning or to help minimize ground disturbance.

#### **OFF-ROAD CAPABILITY**

For enhanced off-road capability, the MULE SX™ 4x4 XC side x sides are the ideal choice. 12-inch wheels and beefy 26-inch Duro bias tires give the XC models greater ground clearance and a rugged grip on the terrain.

#### STURDY CHASSIS & SUSPENSION

MULE SX™ 4x4 XC side x sides are constructed for long-lasting durability and performance, starting with the ladder-type steel tube frame. Tuned for optimum rigidity, the frame provides a comfortable and planted ride, along with independent MacPherson strut-type front suspension and swing axle rear suspension to help smooth out rough terrain.

#### **2018 MULE SX™ 4x4 XC FEATURES**



#### MULE SX™ 4x4 XC SE

- Stylish 12-inch Cast Aluminum Wheels
- Aggressive 26-inch Duro Tires
- Selectable 2WD/4WD and Dual-mode Rear Differential
- Special Graphics
- 4 High-intensity LED Headlights
- Sun Top
- Super Black





Realtree Xtra® Green Camo Realtree APG-XTRA Camouflage Design © 2012 of Jordan Outdoor Enterprises, Ltd. All rights reserved.

#### MULE SX™ 4x4 XC CAMO

- Realtree Xtra® Green Camo Bodywork
- 2 High-intensity LED Headlights
- 12-inch Wheels and 26-inch Duro Tires
- Selectable 2WD/4WD and Dual-mode Differential
- Realtree Xtra Green Camo



#### MULE SX™ 4x4 XC

- 12-inch Wheels and 26-inch Duro Tires
- Selectable 2WD/4WD and Dual-mode Differential
- 2 Halogen Headlights
- Vibrant Blue







**2018 MULE SX™ 4x4** 

## VERSATILE COMPANION



equipment or driving to your next chore, the MULE SX 4x4 side x sides have got you covered.







1. 401cc 4-stroke Engine 2. Tilting Cargo Bed 3. Compact Size

#### **ENGINE/CVT/DRIVE**

The MULE SX™ 4x4 side x sides are powered by a strong, dependable 401cc fan-cooled single-cylinder four-stroke engine. A fully automatic Continuously Variable Transmission (CVT) has high and low forward ranges, providing simple operation and efficient engine range for any speed, load or terrain.

#### **CARGO & TOWING**

The small size of the MULE SX™ 4x4 models pack a lot of muscle, with a 400-pound cargo bed capacity and the ability to tow up to 1,100 pounds. The tilting steel-based cargo bed with latching tailgate features a textured floor, while prominent side rails help to secure cargo and allow for easy installation of KQR™ mounts and Kawasaki Genuine Accessories.

#### **COMPACT**

The maneuverability of the MULE SX™ 4x4 side x sides are beyond compare. The compact size and tight turning radius allow the MULE SX 4x4 vehicles to venture into tight areas with ease, making them remarkably versatile tools. With their lightweight and small stature, they can even fit into the bed of a full-size pickup truck for easy transport.

#### **2018 MULE SX™ 4x4 FEATURES**



#### MULE SX™ 4x4 SE

- Selectable 2WD/4WD and Dual-mode Rear Differential
- 24-inch Duro Tires
- 2 Halogen Headlights
- Towing Hitch Drawbar
- High Visibility Sunbeam Red
- Steering Wheel-mounted Horn
- Sunbeam Red



#### MULE SX™ 4x4

- Selectable 2WD/4WD and Dual-mode Rear Differential
- 24-inch Duro Tires
- 2 Halogen Headlights
- Dark Royal Red Timberline Green



#### MULE SX<sup>TM</sup>

- 2WD with Dual-mode Rear Differential
- 22-inch Duro Tires
- 2 Halogen Headlights
- Dark Royal RedTimberline Green























2018 MULE™ ACCESSORIES

### MAKE IT YOURS



Kawasaki Genuine Accessories provide an integrated fit, an easy, seamless installation and long-lasting durability. They meet the same stringent quality standards as every Kawasaki MULE™ side x side and never compromise your vehicle's Kawasaki STRONG 3-Year Limited Warranty like some third-party parts.









FIXED WINDSHIELD, PLASTIC







CHECK OUT KAWASAKI.COM OR VISIT YOUR LOCAL DEALER TO VIEW ALL ACCESSORIES

#### 2018 MULE™ 4000 & MULE 4010 4x4 SPECS

	MULE™ 4010 TRANS4x4® / CAMO / SE	MULE™ 4010 4x4 / SE
ENGINE	4-stroke, 2-cylinder, OHV, 90° V Liquid-cooled	4-stroke, 2-cylinder, OHV, 90° V Liquid-cooled
DISPLACEMENT	617cc	617cc
BORE X STROKE	2.99x2.68 in	2.99x2.68 in
COMPRESSION RATIO	10:3:1	10:3:1
MAXIMUM TORQUE	34.7 lb-ft @ 2500 rpm	34.7 lb-ft @ 2500 rpm
FUEL SYSTEM	DFI® with 34mm Mikuni throttle body	DFI® with 34mm Mikuni throttle body
TRANSMISSION	Continuously Variable Transmission (CVT) with (H,L,N,R)	Continuously Variable Transmission (CVT) with (H,L,N,R)
FINAL DRIVE	Selectable 2WD/4WD, shaft. Dual mode rear differential with differential lock	Selectable 2WD/4WD, shaft. Dual mode rear differential with differential lock
ENGINE BRAKING	No	No
ALTERNATOR OUTPUT (MAX)	23 amp	23 amp
FRONT SUSPENSION / WHEEL TRAVEL	MacPherson Strut/3.9 in	MacPherson Strut/3.9 in
REAR SUSPENSION / WHEEL TRAVEL	DeDion Axle/2.8 in	DeDion Axle/2.8 in
FRONT TIRES	23x11.00-10	23x11.00-10
REAR TIRES	23x11.00-10	23x11.00-10
PARK BRAKE TYPE	Independent, Mechanical Drum	Independent, Mechanical Drum
STEERING	Electric Power Steering (EPS)	Electric Power Steering (EPS)
FRONT BRAKES	Drum	Drum
REAR BRAKES	Drum	Drum
GROUND CLEARANCE	7.1 in	6.9 in
FUEL CAPACITY	6.3 gal	6.3 gal
TURNING RADIUS	12.8 ft	11.2 ft
CARGO BED DIMENSIONS (LXWXH)	50.4 x 47.6 x 11.2 in (2-person) 30.3 x 47.6 x 11.2 in (4-person)	46.3 x 51.6 x 11.4 in
CARGO BED CAPACITY	800 lb (2-person) 400 lb (4-person)	800 lb
LOAD CAPACITY	1330 lb	1330 lb
SEATING CAPACITY	2-4	2
TOWING CAPACITY	1200 lb	1200 lb
LIGHTING	(2) Halogen headlights (2) Tail/brake lights (2) LED headlights	(2) Halogen headlights (2) Tail/brake lights (2) LED headlights
OVERALL LENGTH	128.5 in	116.7 in
OVERALL WIDTH	58.5 in	62.0 in
OVERALL HEIGHT	78.1 in	78.1 in
CURB WEIGHT	1619.9 lb**	1445.8 lb**
WHEELBASE	85.2 in	73.6 in
INSTRUMENTS	Parking brake warning light, coolant temperature warning light, horn, 12V DC outlet, fuel gauge, hour meter	Parking brake warning light, coolant temperature warning light, horn, 12V DC outlet, fuel gauge, hour meter
WHEEL TYPE	Steel	Steel
COLOR CHOICES	Super Black	Super Black
WARRANTY	Kawasaki Strong 3-Year Limited Warranty	Kawasaki Strong 3-Year Limited Warranty
KAWASAKI PROTECTION PLUS™ (OPTIONAL)	12, 24 or 36 months	12, 24 or 36 months

\*Specific weight in higher all pagages ary materials and fluids to operate correctly, full tank of fuel (more than 90 percent capacity) and tool kit (if supplied).

Realtree APG-XTRA Camouflage Design © 2012 of Jordan Outdoor Enterprises, Ltd., all rights reserved.

	MULE™ 4000	MULE 4000 TRANS™
ENGINE	4-stroke, 2-cylinder, OHV 90° V Liquid-cooled	4-stroke, 2-cylinder, OHV, 90° V, liquid-cooled
DISPLACEMENT	617cc	617cc
BORE X STROKE	76.0 x 68.0mm	76.0 x 68.0mm
COMPRESSION RATIO	10.3:1	10.3:1
MAXIMUM TORQUE	34.7 lb-ft @ 2500 rpm	34.7 lb-ft @ 2500 rpm
FUEL SYSTEM	DFI® w/ 34mm Mikuni throttle body	DFI® w/ 34mm Mikuni throttle body
TRANSMISSION	Continuously Variable Transmission (CVT) with forward and reverse	1-speed, automatic reverse
FINAL DRIVE	Shaft, dual-mode rear differential dual-model differential	Shaft, dual-mode rear differential dual-model differential 2WD only
ALTERNATOR OUTPUT (MAX)	23 amp	23 amp
FRONT SUSPENSION / WHEEL TRAVEL	Independent, MacPherson strut/3.9 in	MacPherson strut/3.9 in
REAR SUSPENSION / WHEEL TRAVEL	Semi-independent, De Dion axle with leaf springs and shocks/2.8 in	De Dion axle/2.8 in
FRONT TIRES	23x11-10 tubeless	23x11-10 Duro tubeless
REAR TIRES	23x11-10 tubeless	23x11-10 Duro tubeless
STEERING	Rack-and-pinion	Electric power assisted rack-and-pinion
FRONT BRAKES	4-wheel hydraulic drums, sealed	Hydraulic drum
REAR BRAKES	4-wheel hydraulic drums, sealed	Hydraulic drum
GROUND CLEARANCE	7.5 in	7.7 in
FUEL CAPACITY	6.3 gal	6.3 gal
TURNING RADIUS	11.0 ft	12.8 ft
CARGO BED DIMENSIONS (LXWXH)	46.3 x 51.6 x 11.4 in	50.4/30.3 x 47.6 x 11.2 in
CARGO BED CAPACITY	800 lb	800 lb (1 row configuration) 400 lb (2 row configuration)
LOAD CAPACITY	1330 lb	1330 lb
SEATING CAPACITY	2	4
TOWING CAPACITY	1200 lb	1200 lb
LIGHTING	(2) Halogen headlights (2) Tail/brake lights	(2) Halogen headlights (2) Tail/brake lights
OVERALL LENGTH	116.7 in	128.5 in
OVERALL WIDTH	62.0 in	58.5 in
OVERALL HEIGHT	75.8 in	78.1 in
CURB WEIGHT	1338.4 lb**	1514.1 lb**
WHEELBASE	73.6 in	85.2 in
INSTRUMENTS	Parking brake and coolant temp warning lights, horn, 12V DC outlet	Parking brake and coolant temp warning lights, horn, 12V DC outlet
WARRANTY	Kawasaki Strong 3-Year Limited Warranty	Kawasaki Strong 3-Year Limited Warranty
KAWASAKI PROTECTION PLUS™ (OPTIONAL)	12, 24 or 36 months	12, 24 or 36 months

<sup>\*\*</sup>Curb weight includes all necessary materials and fluids to operate correctly, full tank of fuel (more than 90 percent capacity) and tool kit (if supplied). Specifications subject to change.

#### 2018 MULE SX™ & MULE SX 4x4 XC SPECS

#### MULE SXTM 4x4 XC / CAMO / SE

#### MULE SX™ 4x4 / SE

ENGINE	4-stroke, 1-cylinder, OHV, air-cooled	4-stroke, 1-cylinder, OHV, air-cooled
DISPLACEMENT	401cc	401cc
BORE X STROKE	82.0 x 76.0mm	82.0 x 76.0mm
COMPRESSION RATIO	8.6:1	8.6:1
MAXIMUM TORQUE	21.7 lb-ft @ 2400 rpm	21.7 lb-ft @ 2400 rpm
TRANSMISSION	2-speed, automatic, reverse, High, Low, Neutral, Reverse	2-speed, automatic, reverse
FINAL DRIVE	Shaft-driven selectable 4-wheel drive, dual-mode rear differential, 2WD/4WD/rear differential lock	Shaft-driven selectable 4-wheel drive, dual-mode rear differential
ALTERNATOR OUTPUT (MAX)	17 amp	17 amp
FRONT SUSPENSION / WHEEL TRAVEL	MacPherson strut/3.1 in	MacPherson strut/3.1 in
REAR SUSPENSION / WHEEL TRAVEL	Unit swing axle/3.1 in	Unit swing axle/3.1 in
FRONT TIRES	26x9-12 Duro Bias, alloy wheels	24x9-10 Duro Bias
REAR TIRES	26x9-12 Duro Bias, alloy wheels	24x11-10 Duro Bias
STEERING	Rack-and-pinion	Rack-and-pinion
FRONT BRAKES	Hydraulic drum	Hydraulic drum
REAR BRAKES	Hydraulic drum	Hydraulic drum
GROUND CLEARANCE	8.1 in	6.7 in
FUEL CAPACITY	4.2 gal	4.2 gal
TURNING RADIUS	11.8 ft (differential unlocked)	10.8 ft
CARGO BED DIMENSIONS (LXWXH)	35.6 x 40.9 x 9.6 in	35.6 x 40.9 x 9.6 in
CARGO BED CAPACITY	400 lb	400 lb
LOAD CAPACITY	884 lb	906 lb
SEATING CAPACITY	2	2
TOWING CAPACITY	1100 lb	1100 lb
LIGHTING	(4) LED headlights (2) Halogen headlights Tail/brake lights	(2) Halogen headlights, (2) LED (optional) headlights Tail/brake lights
OVERALL LENGTH	106.7 in	106.7 in
OVERALL WIDTH	52.6 in	52.6 in
OVERALL HEIGHT	75.0 in	70.9 in
CURB WEIGHT	1098.1 lb**	1040.8 lb**
WHEELBASE	70.1 in	70.1 in
INSTRUMENTS	Fuel gauge, hour meter, oil temp light, parking brake light	Fuel gauge, hour meter, oil temp light, parking brake light, horn
WARRANTY	Kawasaki Strong 3-Year Limited Warranty	Kawasaki Strong 3-Year Limited Warranty
KAWASAKI PROTECTION PLUS™ (OPTIONAL)	12, 24 or 36 months	12, 24 or 36 months

<sup>\*\*</sup>Curb weight includes all necessary materials and fluids to operate correctly, full tank of fuel (more than 90 percent capacity) and tool kit (if supplied). Specifications subject to change.

Realtree APG-XTRA Camouflage Design © 2012 of Jordan Outdoor Enterprises, Ltd., all rights reserved.

	MULE SX <sup>TM</sup>
ENGINE	4-stroke, 1-cylinder, OHV, Air-cooled
DISPLACEMENT	401cc
BORE X STROKE	82.0 x 76.0mm
COMPRESSION RATIO	8.6:1
MAXIMUM TORQUE	21.7 lb-ft @ 2400 rpm
TRANSMISSION	Single-speed, automatic, reverse
FINAL DRIVE	Shaft-driven selectable 2-wheel drive, dual-mode rear differential
ALTERNATOR OUTPUT (MAX)	17 amp
FRONT SUSPENSION / WHEEL TRAVEL	MacPherson strut/3.1 in
REAR SUSPENSION / WHEEL TRAVEL	Unit swing axle/3.1 in
FRONT TIRES	22x9-10 Duro
REAR TIRES	22x11-10 Duro
STEERING	Rack-and-pinion
FRONT BRAKES	Hydraulic drum
REAR BRAKES	Hydraulic drum
GROUND CLEARANCE	6.1 in
FUEL CAPACITY	4.2 gal
TURNING RADIUS	10.8 ft
CARGO BED DIMENSIONS (LXWXH)	35.6 x 40.9 x 9.6 in
CARGO BED CAPACITY	400 lb
LOAD CAPACITY	926 lb
SEATING CAPACITY	2
TOWING CAPACITY	1100 lb
LIGHTING	(2) Halogen headlights, (2) LED (optional) headlights Tail/brake lights
OVERALL LENGTH	106.7 in
OVERALL WIDTH	52.6 in
OVERALL HEIGHT	70.1 in
CURB WEIGHT	967.6 lb**
WHEELBASE	70.1 in
INSTRUMENTS	Fuel gauge, hour meter, oil temp light, parking brake light
WARRANTY	Kawasaki Strong 3-Year Limited Warranty
KAWASAKI PROTECTION PLUS™ (OPTIONAL)	12, 24 or 36 months

<sup>\*\*</sup>Curb weight includes all necessary materials and fluids to operate correctly, full tank of fuel (more than 90 percent capacity) and tool kit (if supplied). Specifications subject to change.



Accessorized unit shown







#### WARRANTY

Every Kawasaki MULE™ side x side is backed with a Kawasaki STRONG 3-Year Limited Warranty. Ask your dealer for details about the factory warranty and available extended coverage.

#### **UP TO THREE YEARS ADDITIONAL COVERAGE**

Let Kawasaki protect your new vehicle for years to come with Kawasaki Protection Plus™. This plan repairs or replaces most components free of charge if found defective in material or workmanship. Everything about the plan is easy: There's no deductible. It's honored at every authorized Kawasaki dealer nationwide. It's transferable to another owner with no fee. Just ask your dealer how you can buy additional coverage of 12, 24, or 36 months (depending on the model and plan purchased). FL Lic #65500, Kawasaki Motors Corp., U.S.A., PO Box 25252, Santa Ana, CA 92799, (949) 770-0400.

#### KAWASAKI CARES:

Always wear protective gear appropriate for the use of this vehicle. Never operate under the influence of drugs or alcohol. Protect the environment. The Kawasaki MULE™ side x side is an off-highway vehicle only, and is not designed, equipped, or manufactured for use on public streets; roads or highways. Obey the laws and regulations that control the use of your vehicle. Read Owner's Manual and all on product warnings.





Kawasaki subscribes to the guidelines of Tread Lightly!\* a program dedicated to protecting the great outdoors through education and fostering responsible











All trademarks, registered trademarks, logos, and copyrights are the property of their respective owners. ©2017 Kawasaki Motors Corp., U.S.A. Printed in U.S.A. 99969-3628

Kawasaki

