

**Kawasaki**  
Let the good times roll®

2020

# TERYX® & TERYX4™



**SIDE X SIDES**



# TERYX® & TERYX4™

## TAKE YOUR ADVENTURE FARTHER

Conquer the outdoors. Traverse the world's toughest terrain with machines that are built to last. When wild adventure calls, answer with a Teryx® side x side.

### CONTENTS

Overview	02 - 03
Teryx® & Teryx4™ Features	04 - 09
Teryx4™	10 - 11
Teryx®	12 - 13
Specs	14 - 15



The Kawasaki STRONG 3-Year Limited Warranty is standard with every Teryx® and Teryx4™ side x side. When we say that our products are the strongest, we back it up with extreme confidence.



Kawasaki side x sides, ATVs and Jet Ski® watercraft are assembled by Kawasaki Motors Manufacturing Corp., U.S.A. from foreign and domestic parts in Lincoln, NE.







Teryx® Camo in Realtree Xtra® Green Camo

Realtree Xtra® Green Camo—Realtree APG-XTRA Camouflage Design © 2012 of Jordan Outdoor Enterprises, Ltd. All rights reserved.



# TERYX<sup>®</sup> & TERYX4<sup>™</sup>

## TOUGH TRAILS DEMAND BIG POWER

### STRONG POWER

A V-twin fuel-injected 783cc engine is packed with strong low- and mid-range torque to muscle through challenging trails.

Teryx<sup>®</sup> LE in Candy Lime Green







Teryx4™ in Super Black

## CONTINUOUSLY VARIABLE TRANSMISSION (CVT)

An automatic CVT and centrifugal clutch deliver instant power, while precise throttle response and automatic engine braking provide confidence across elevation changes.



Teryx® Camo in Realtree Xtra® Green Camo

*Realtree Xtra® Green Camo—Realtree APG-XTRA Camouflage Design © 2012 of Jordan Outdoor Enterprises, Ltd. All rights reserved.*

## RUGGED CHASSIS

Durability starts with a lightweight and tough Double-X welded main frame.





Teryx® LE in Candy Lime Green

# TERYX® & TERYX4™

## ROUGH CONDITIONS WELCOMED

### HIGH-PERFORMANCE SUSPENSION

Tame rugged terrain with independent A-arms and FOX Podium coil-over shocks with piggyback reservoir and adjustable preload and compression damping.





Teryx4™ Camo and Teryx® Camo in Realtree Xtra® Green Camo

Realtree Xtra® Green Camo—Realtree APG-XTRA Camouflage Design © 2012 of Jordan Outdoor Enterprises, Ltd. All rights reserved.

## VARIABLE DRIVE MODES

Experience ground-gripping traction with the flip of a switch. Optimal traction for various terrain is at your fingertips. Select from 2WD, fully engaged 4WD or 4WD with front differential lock.



Teryx® LE in Candy Lime Green

## ELECTRIC POWER STEERING (EPS)

Speed-sensitive EPS offers maximum assistance at lower speeds for reduced effort and enhanced ride comfort at higher speeds. Precise steering, smooth feel and predictable operation means you go where you want, when you want.





Teryx® LE in Candy Lime Green

## MULTIFUNCTION DIGITAL DISPLAY

Innovation and technology collide. Must-know vehicle information is at your disposal via the dash-mounted multifunction digital display.



Teryx® in Super Black

## STRONG BRAKING

Front dual disc brakes utilize twin-piston calipers operated by steel braided lines while a sealed, oil-bathed multi-disc rear brake provides confident stopping power.





Teryx® LE in Candy Lime Green

# TERYX® & TERYX4™

## INNOVATION TAKES THE OUTDOORS

### HAULING & TOWING

The ultimate off-road adventure partner is built with ample cargo capacity and can tow up to 1,300 pounds.





Scan with your camera to view Teryx4™ photos, key features and more.



Teryx4™ LE in Atomic Silver

# TERYX4™

## EXPLORE THE OUTDOORS WITH UP TO FOUR

Discover more with the ultimate trail machine that seats four. Kawasaki Teryx4™ side x sides let you brave the wilderness with fellow adventure seekers.






Teryx4™ in Super Black

### SEATING & CARGO

Take group exploration to the extreme with four-person stadium-style seating and comfortable bucket seats. Invite family and friends to experience the thrills, and pack what you need to make it a daytrip thanks to 249 pounds of rear cargo capacity.





-  Fragment Camo Gray (Immersion Graphics)
-  Candy Lime Green (Premium Paint Finish)
-  Atomic Silver (Premium Paint Finish)

## TERYX4™ LE


### TRIM FEATURES

- 4 LED Headlights
- Sun Top
- Premium Paint or Immersion Graphics Bodywork
- 14-inch Aluminum Wheels

### STANDARD FEATURES

- Selectable 2WD/4WD with Locking Front Differential Drive Modes
- Speed-sensitive Electric Power Steering (EPS)
- 4-person Stadium-style Seating
- Additional DC Outlet in Rear
- Maxxis® Bighorn Tires
- FOX Podium 2.0 Piggyback Shocks



-  Realtree Xtra® Green Camo

## TERYX4™ CAMO

### TRIM FEATURES

- 4 LED Headlights
- Sun Top
- Realtree Xtra® Green Camo Bodywork

### STANDARD FEATURES

- Selectable 2WD/4WD with Locking Front Differential Drive Modes
- Speed-sensitive Electric Power Steering (EPS)
- 4-person Stadium-style Seating
- Additional DC Outlet in Rear
- Maxxis® Bighorn Tires
- FOX Podium 2.0 Piggyback Shocks



Realtree Xtra® Green Camo—Realtree APG-XTRA Camouflage Design © 2012 of Jordan Outdoor Enterprises, Ltd. All rights reserved.



-  Super Black

## TERYX4™

### STANDARD FEATURES

- Selectable 2WD/4WD with Locking Front Differential Drive Modes
- Speed-sensitive Electric Power Steering (EPS)
- 4-person Stadium-style Seating
- Additional DC Outlet in Rear
- Maxxis® Bighorn Tires
- FOX Podium 2.0 Piggyback Shocks





Scan with your camera to view Teryx® photos, key features and more.

Teryx® LE in Candy Lime Green

# TERYX®

## THE ULTIMATE OFF-ROAD ADVENTURE PARTNER

Equipped with loads of storage space, Teryx® side x sides are built to blaze trails for days. Teryx vehicles pack enough punch to navigate terrain with up to 600 pounds of gear safe in the back.



Teryx® in Super Black

### STORAGE & CARGO BED

Take everything you need with you for daytrips, camping adventures or extended explorations. With 49 gallons of sealed storage behind the seats and a high-capacity tilting cargo bed, how far you choose to go is completely up to you.





Candy Lime Green (Premium Paint Finish)

## TERYX® LE

### TRIM FEATURES

- 4 LED Headlights
- Sun Top
- Premium Paint
- 14-inch Aluminum Wheels

### STANDARD FEATURES

- Selectable 2WD/4WD with Locking Front Differential Drive Modes
- Speed-sensitive Electric Power Steering (EPS)
- 2 High-back Bucket Seats
- Maxxis® Bighorn Tires
- FOX Podium 2.0 Piggyback Shocks
- 49-gallon Sealed Storage Space
- Tilting Cargo Bed



Realtree Xtra® Green Camo

## TERYX® CAMO

### TRIM FEATURES

- 4 LED Headlights
- Sun Top
- Realtree Xtra® Green Camo Bodywork

### STANDARD FEATURES

- Selectable 2WD/4WD with Locking Front Differential Drive Modes
- Speed-sensitive Electric Power Steering (EPS)
- 2 High-back Bucket Seats
- Maxxis® Bighorn Tires
- FOX Podium 2.0 Piggyback Shocks
- 49-gallon Sealed Storage Space
- Tilting Cargo Bed



Realtree Xtra® Green Camo—Realtree APG-XTRA Camouflage Design © 2012 of Jordan Outdoor Enterprises, Ltd. All rights reserved.



Super Black

## TERYX®

### STANDARD FEATURES

- Selectable 2WD/4WD with Locking Front Differential Drive Modes
- Speed-sensitive Electric Power Steering (EPS)
- 2 High-back Bucket Seats
- Maxxis® Bighorn Tires
- FOX Podium 2.0 Piggyback Shocks
- 49-gallon Sealed Storage Space
- Tilting Cargo Bed



2020

**TERYX<sup>®</sup> & TERYX4<sup>™</sup> SPECS**



**TERYX4<sup>™</sup> LE**

**TERYX4<sup>™</sup> CAMO**

**TERYX4<sup>™</sup>**

**ENGINE AND DRIVETRAIN**

ENGINE	4-stroke, SOHC, 4-valve V-twin, liquid-cooled	4-stroke, SOHC, 4-valve V-twin, liquid-cooled	4-stroke, SOHC, 4-valve V-twin, liquid-cooled
DISPLACEMENT	783cc	783cc	783cc
MAXIMUM TORQUE	47.0 lb-ft@ 5500 rpm	47.0 lb-ft@ 5500 rpm	47.0 lb-ft@ 5500 rpm
FUEL SYSTEM	DFI <sup>®</sup> with two 36mm Mikuni throttle bodies	DFI <sup>®</sup> with two 36mm Mikuni throttle bodies	DFI <sup>®</sup> with two 36mm Mikuni throttle bodies
TRANSMISSION	Automatic CVT with centrifugal clutch (H,L,N,R)	Automatic CVT with centrifugal clutch (H,L,N,R)	Automatic CVT with centrifugal clutch (H,L,N,R)
FINAL DRIVE	Selectable 2WD/4WD with locking front differential, shaft	Selectable 2WD/4WD with locking front differential, shaft	Selectable 2WD/4WD with locking front differential, shaft
ENGINE BRAKING	Yes	Yes	Yes

**CHASSIS**

FRONT SUSPENSION / WHEEL TRAVEL	Double Wishbone; Fox Podium coil-over shocks with piggyback reservoir, adjustable preload and 24-way compression damping/8.0 in.	Double Wishbone; Fox Podium coil-over shocks with piggyback reservoir, adjustable preload and 24-way compression damping/8.0 in.	Double Wishbone; Fox Podium coil-over shocks with piggyback reservoir, adjustable preload and 24-way compression damping/8.0 in.
REAR SUSPENSION / WHEEL TRAVEL	Double Wishbone; Fox Podium coil-over shocks with piggyback reservoir, adjustable preload and 24-way compression damping/8.3 in.	Double Wishbone; Fox Podium coil-over shocks with piggyback reservoir, adjustable preload and 24-way compression damping/8.3 in.	Double Wishbone; Fox Podium coil-over shocks with piggyback reservoir, adjustable preload and 24-way compression damping/8.3 in.
FRONT TIRES	Maxxis 27 x 9-14	Maxxis 26 x 9-12	Maxxis 26 x 9-12
REAR TIRES	Maxxis 27 x 11-14	Maxxis 26 x 11-12	Maxxis 26 x 11-12
WHEEL TYPE	Alloy	Steel	Steel
FRONT BRAKES	Dual hydraulic discs with two-piston calipers	Dual hydraulic discs with two-piston calipers	Dual hydraulic discs with two-piston calipers
REAR BRAKES	Sealed, oil-bathed, multi-disc	Sealed, oil-bathed, multi-disc	Sealed, oil-bathed, multi-disc
TURNING RADIUS	16.7 ft	16.7 ft	16.7 ft
LIGHTING	(4) LED headlights, (2) LED taillights, LED stoplight	(4) LED headlights, (2) LED taillights, LED stoplight	(2) headlights, (2) taillights, LED stoplight
STEERING	Electric Power Steering (EPS) / rack-and-pinion	Electric Power Steering (EPS) / rack-and-pinion	Electric Power Steering (EPS) / rack-and-pinion

**DIMENSIONS AND CAPABILITIES**

GROUND CLEARANCE	11.2 in	11.2 in	11.2 in
FUEL CAPACITY	7.9 gal	7.9 gal	7.9 gal
CARGO BED DIMENSIONS (LxWxH)	17.9 x 47.6 x 8.7 in	17.9 x 47.6 x 8.7 in	17.9 x 47.6 x 8.7 in
CARGO BED LOAD CAPACITY	249 lb	249 lb	249 lb
LOAD CAPACITY	1109 lb	1109 lb	1109 lb
SEATING CAPACITY	4	4	4
TOWING CAPACITY	1300 lb	1300 lb	1300 lb
OVERALL LENGTH	125.4 in	125.4 in	125.4 in
OVERALL WIDTH	60.0 in	60.0 in	60.0 in
OVERALL HEIGHT	79.7 in	79.7 in	77.8 in
CURB WEIGHT	1628.8 lb**	1622.1 lb**	1604.5 lb**
WHEELBASE	85.6 in	85.6 in	85.6 in
WARRANTY	Kawasaki Strong 3-Year Limited Warranty	Kawasaki Strong 3-Year Limited Warranty	Kawasaki Strong 3-Year Limited Warranty
KAWASAKI PROTECTION PLUS <sup>™</sup> (OPTIONAL)	12, 24, or 36 months	12, 24, or 36 months	12, 24, or 36 months

\*\*Curb weight includes all necessary materials and fluids to operate correctly, full tank of fuel (more than 90 percent capacity) and tool kit (if supplied). Realtree Xtra<sup>®</sup> Green Camo — Realtree APG-XTRA Camouflage Design © 2012 of Jordan Outdoor Enterprises, Ltd., all rights reserved. Specifications subject to change; full specifications available on Kawasaki.com.





TERYX® LE



TERYX® CAMO



TERYX®

ENGINE AND DRIVE TRAIN	ENGINE	4-stroke, SOHC, 4-valve V-twin, liquid-cooled	4-stroke, SOHC, 4-valve V-twin, liquid-cooled	4-stroke, SOHC, 4-valve V-twin, liquid-cooled
	DISPLACEMENT	783cc	783cc	783cc
	MAXIMUM TORQUE	47.0 lb-ft@ 5500 rpm	47.0 lb-ft@ 5500 rpm	47.0 lb-ft@ 5500 rpm
	FUEL SYSTEM	DFI® with two 36mm Mikuni throttle bodies	DFI® with two 36mm Mikuni throttle bodies	DFI® with two 36mm Mikuni throttle bodies
	TRANSMISSION	Automatic CVT with centrifugal clutch (H,L,N,R)	Automatic CVT with centrifugal clutch (H,L,N,R)	Automatic CVT with centrifugal clutch (H,L,N,R)
	FINAL DRIVE	Selectable 2WD/4WD with locking front differential, shaft	Selectable 2WD/4WD with locking front differential, shaft	Selectable 2WD/4WD with locking front differential, shaft
	ENGINE BRAKING	Yes	Yes	Yes

CHASSIS	FRONT SUSPENSION / WHEEL TRAVEL	Double Wishbone; Fox Podium coil-over shocks with piggyback reservoir, adjustable preload and 24-way compression damping/8.0 in.	Double Wishbone; Fox Podium coil-over shocks with piggyback reservoir, adjustable preload and 24-way compression damping/8.0 in.	Double Wishbone; Fox Podium coil-over shocks with piggyback reservoir, adjustable preload and 24-way compression damping/8.0 in.
	REAR SUSPENSION / WHEEL TRAVEL	Double Wishbone; Fox Podium coil-over shocks with piggyback reservoir, adjustable preload and 24-way compression damping/8.3 in.	Double Wishbone; Fox Podium coil-over shocks with piggyback reservoir, adjustable preload and 24-way compression damping/8.3 in.	Double Wishbone; Fox Podium coil-over shocks with piggyback reservoir, adjustable preload and 24-way compression damping/8.3 in.
	FRONT TIRES	Maxxis 27 x 9-14	Maxxis 26 x 9-12	Maxxis 26 x 9-12
	REAR TIRES	Maxxis 27 x 11-14	Maxxis 26 x 11-12	Maxxis 26 x 11-12
	WHEEL TYPE	Alloy	Steel	Steel
	FRONT BRAKES	Dual hydraulic discs with two-piston calipers	Dual hydraulic discs with two-piston calipers	Dual hydraulic discs with two-piston calipers
	REAR BRAKES	Sealed, oil-bathed, multi-disc	Sealed, oil-bathed, multi-disc	Sealed, oil-bathed, multi-disc
	TURNING RADIUS	16.7 ft	16.7 ft	16.7 ft
	LIGHTING	(4) LED headlights, (2) taillights, stoplight	(4) LED headlights, (2) taillights, stoplight	(2) headlights, (2) taillights, stoplight
	STEERING	Electric Power Steering (EPS) / rack-and-pinion	Electric Power Steering (EPS) / rack-and-pinion	Electric Power Steering (EPS) / rack-and-pinion

DIMENSIONS AND CAPABILITIES	GROUND CLEARANCE	11.2 in	11.2 in	11.2 in
	FUEL CAPACITY	7.9 gal	7.9 gal	7.9 gal
	CARGO BED DIMENSIONS (LxWxH)	27.6 x 43.3 x 10.4 in	27.6 x 43.3 x 10.4 in	27.6 x 43.3 x 10.4 in
	CARGO BED LOAD CAPACITY	600 lb	600 lb	600 lb
	LOAD CAPACITY	1109 lb	1109 lb	1109 lb
	SEATING CAPACITY	2	2	2
	TOWING CAPACITY	1300 lb	1300 lb	1300 lb
	OVERALL LENGTH	118.1 in	118.1 in	118.1 in
	OVERALL WIDTH	60.0 in	60.0 in	60.0 in
	OVERALL HEIGHT	77.8 in	77.8 in	75.8 in
	CURB WEIGHT	1586.9 lb**	1582.5 lb**	1569.2 lb**
	WHEELBASE	85.8 in	85.8 in	85.8 in
	WARRANTY	Kawasaki Strong 3-Year Limited Warranty	Kawasaki Strong 3-Year Limited Warranty	Kawasaki Strong 3-Year Limited Warranty
	KAWASAKI PROTECTION PLUS™ (OPTIONAL)	12, 24, or 36 months	12, 24, or 36 months	12, 24, or 36 months

\*\*Curb weight includes all necessary materials and fluids to operate correctly, full tank of fuel (more than 90 percent capacity) and tool kit (if supplied).

Realtree Xtra® Green Camo — Realtree APG-XTRA Camouflage Design © 2012 of Jordan Outdoor Enterprises, Ltd., all rights reserved. Specifications subject to change; full specifications available on Kawasaki.com.



**Kawasaki**  
Let the good times roll®

2020

TERYX® & TERYX4™

### **KAWASAKI STRONG 3-YEAR LIMITED WARRANTY**

Kawasaki Teryx® and Teryx4™ side x sides are backed with the industry-leading Kawasaki STRONG 3-Year Limited Warranty.

### **UP TO THREE YEARS ADDITIONAL COVERAGE**

Let Kawasaki protect your new vehicle for years to come with Kawasaki Protection Plus™. This plan repairs or replaces covered components free of charge if found defective in material or workmanship. Everything about the plan is easy: There's no deductible. It's honored at every authorized Kawasaki dealer nationwide. It's transferable to another owner with no fee. Just ask your dealer how you can buy additional coverage of 12, 24 or 36 months, depending on the model and plan purchased. FL Lic #65500, Kawasaki Motors Corp., U.S.A., PO Box 25252, Santa Ana, CA 92799, (949) 770-0400.

### **KAWASAKI CARES**

Read Owner's Manual and all on-product warnings. Warning: The Teryx® side x side can be hazardous to operate. For your safety: Always wear a helmet, eye protection and protective clothing. Never operate under the influence of drugs or alcohol. Avoid excessive speeds and stunt driving. Be extra careful on difficult terrain. Protect the environment. The Kawasaki Teryx side x side is an off-highway vehicle only, and is not designed, equipped or manufactured for use on public streets, roads or highways.

©2019 Kawasaki Motors Corp., U.S.A.



Kawasaki subscribes to the guidelines of Tread Lightly!® a program dedicated to protecting the great outdoors through education and fostering responsible enjoyment of public lands.



All trademarks, registered trademarks, logos, and copyrights are the property of their respective owners.  
Printed in the U.S.A.  
99969-3786