





## Ninja ZX-10RR

#### KAWASAKI LEGENDARY HIGH PERFORMANCE Ninja ENGINE WITH A RACE READY CHASSIS

This is one serious competitor. The Ninja ZX-10RR is equipped with Marchesini wheels plus Brembo M50 front calipers & 330 mm discs. Get closer and you will find a finger-follower valve actuation cylinder head, hidden red accent cylinder head cover, titanium conrods and a model specific high rpm ECU. Plus a quick-shift up & down standard. The 2019 Ninja ZX-10RR production run is limited to 500 units world wide and fitted with numbered serial number 000 to 500. The 2019 Ninja ZX-10RR is the tool of choice for the Kawasaki Racing Team in the World Superbike Championship.



| ENGINE TYPE  | 4-stroke, in-line 4 cylinder | LXWXH         | 2090 x 740 x 1145 mm     |
|--------------|------------------------------|---------------|--------------------------|
| DISPLACEMENT | 998 cm³                      | FUEL CAP. (L) | 17                       |
| POW. / TORQ. | 150 kW / 115.7 Nm            | BRAKES (F)    | Dual 330 mm Brembo discs |
| TRANSMISSION | 6-speed                      | BRAKES (R)    | Single 220 mm disc       |
| CURB MASS    | 206 kg*                      | TYRE (F)      | 120/70 ZR17M/C (58W)     |
| SEAT HEIGHT  | 835 mm                       | TYRE (R)      | 190/50 ZR17M/C (73W)     |

<sup>\*</sup>Includes full tank of fuel and fluids at optimum levels

TITANIUM CON RODS



## Ninja ZX-10R KRT EDITION

#### KAWASAKI LEGENDARY HIGH PERFORMANCE Ninja ENGINE WITH A RACE READY CHASSIS

The Kawasaki Racing Team and Kawasaki factory in Japan forged a performance partnership to develop the Ninja ZX-10R. Tested, refined and approved by 3 times World Champion's Jonathan Rea, this is as close as it gets to being a part of the Kawasaki World Superbike team. Finger follower valve actuation cylinder head design with a hidden accent red cylinder head cover to highlight the new engine design and the increased engine performance.



Lime Green with Ebony and Metallic Graphite Grey

| ENGINE TYPE  | 4-stroke, in-line 4 cylinder | LXWXH         | 2090 x 740 x 1145 mm     |
|--------------|------------------------------|---------------|--------------------------|
| DISPLACEMENT | 998 cm³                      | FUEL CAP. (L) | 17                       |
| POW. / TORQ. | 149.3 kW / 114.9 Nm          | BRAKES (F)    | Dual Brembo 330 mm discs |
| TRANSMISSION | 6-speed                      | BRAKES (R)    | Single 220 mm disc       |
| CURB MASS    | 206 kg*                      | TYRE (F)      | 120/70 ZR17M/C (58W)     |
| SEAT HEIGHT  | 835 mm                       | TYRE (R)      | 190/55 ZR17M/C (73W)     |

<sup>\*</sup>Includes full tank of fuel and fluids at optimum levels

**ELECTRONIC SUSPENSION** TAKE IT FROM THE ROAD TO THE TRACK




CATEGORY: SUPERSPORT

ENGINE: 998 cm<sup>3</sup> 4 CYLINDER

**FUEL CAPACITY: 17 LITRES** 

- **EVERDAY USE ON STREET & TRACK**
- KAWASAKI ELECTRONIC CONTROL SUSPENSION
- QUICK SHIFT UP & DOWN
- S-KTRC (Sport-Kawasaki TRaction Control)
- **MARCHESINI FORGED WHEELS**
- HIGHLY DURABLE PAINT



**HIGHLY DURABLE PAINT** 



(KECS) KAWASAKI ELECTRONIC **CONTROL SUSPENSION** 

## Ninja ZX-10R SE

#### TRACK-READY HIGH-QUALITY ELECTRONIC SUSPENSION & KAWASAKI LEGENDARY HIGH PERFORMANCE ENGINE

Ninja ZX-10R SE is capable of riding directly from public roads to the circuit and vice-versa, without mechanical (manual) suspension setting changes. The Marchesini forged wheels, the quick shifter with up-and-down shift function, Bosch IMU, a pillion seat and Kawasaki high-performance engine and electronic rider aids round-out the Ninja ZX-10R SE. Finger follower valve actuation cylinder head design with a hidden accent red cylinder head cover to highlight the new engine design and the increased engine performance.



Metallic Carbon Grey with Metallic Flat Platinum Grey and Lime Green

| ENGINE TYPE  | 4-stroke, in-line 4 cylinder | LXWXH         | 2090 x 740 x 1145 mm     |
|--------------|------------------------------|---------------|--------------------------|
| DISPLACEMENT | 998 cm³                      | FUEL CAP. (L) | 17                       |
| POW. / TORQ. | 149.3 kW / 114.9 Nm          | BRAKES (F)    | Dual 330 mm Brembo discs |
| TRANSMISSION | 6-speed                      | BRAKES (R)    | Single 220 mm disc       |
| CURB MASS    | 208 kg*                      | TYRE (F)      | 120/70 ZR17M/C (58W)     |
| SEAT HEIGHT  | 835 mm                       | TYRE (R)      | 190/55 ZR17M/C (73W)     |

<sup>\*</sup>Includes full tank of fuel and fluids at optimum levels



## Ninja H2 SX SE+

## SUPERCHARGE YOUR JOURNEY: KAWASAKI'S NEXT EVOLUTION OF THE H2 IS THE ULTIMATE TOURER

The 2019 Ninja H2 SX SE+ is now updated with the Kawasaki Electronic Control Suspension, Smartphone Connectivity, Highly Durable Paint and Brembo Stylema front calipers, to now be the ulimate tourer. Enjoy the unique sensory experience of a supercharged engine in the sport tourer category with the new Ninja H2 SX SE+. Fitted with all the equipment needed, including panniers as standard, to enjoy 2-up touring and responsive sports riding. The ultimate Sports Tourer motorcycle.



| ENGINE TYPE  | 4-stroke, in-line 4 cylinder    | LXWXH         | 2,135 x 775 x 1,260 mm |
|--------------|---------------------------------|---------------|------------------------|
| DISPLACEMENT | 998 cm³                         | FUEL CAP. (L) | 19                     |
| POW. / TORQ. | 147.1 kW / 137.3 Nm             | BRAKES (F)    | Dual 320 mm discs      |
| TRANSMISSION | 6-speed (quick shift both ways) | BRAKES (R)    | Single 250 mm disc     |
| CURB MASS    | 262 kg*                         | TYRE (F)      | 120/70 ZR17M/C (58W)   |
| SEAT HEIGHT  | 835 mm                          | TYRE (R)      | 190/55 ZR17M/C (75W)   |

<sup>\*</sup>Includes full tank of fuel and fluids at optimum levels



## Ninja H2 CARBON

# THE Ninja H2 CARBON IS A RARE BEAST FEATURING A CARBON FIBRE UPPER COWL

The exhilarating supercharged power of the Ninja H2 has increased for 2019. Maximum output is now 170.0 kW (231 PS)<sup>†</sup>, making the Ninja H2 the most powerful street model in the Kawasaki line-up, and the most powerful mass production model on the market.<sup>††</sup>



Mirror Coated Matte Spark Black with Candy Flat Blazed Green

| ENGINE TYPE  | 4-stroke, in-line 4 cylinder    | LXWXH         | 2085 x 770 x 1125 mm     |
|--------------|---------------------------------|---------------|--------------------------|
| DISPLACEMENT | 998 cm³                         | FUEL CAP. (L) | 17                       |
| POW. / TORQ. | 170.0 kW / 141.7 Nm             | BRAKES (F)    | Dual 330 mm Brembo discs |
| TRANSMISSION | 6-speed (quick shift both ways) | BRAKES (R)    | Single 250 mm disc       |
| CURB MASS    | 238 kg*                         | TYRE (F)      | 120/70 ZR17M/C (58W)     |
| SEAT HEIGHT  | 825 mm                          | TYRE (R)      | 190/55 ZR17M/C (78W)     |

<sup>\*</sup>Includes full tank of fuel and fluids at optimum levels

#### HIGHLY DURABLE PAINT

• BREMBO STYLEMA FRONT CALIPERS

 HIGH-CLASS INSTRUMENTATION: BLUETOOTH, MULTI-FUNCTION TFT COLOUR METER

• NEW BS RS11 TYRES



## Ninja ZX-14R

#### SATISFY THE THRILL SEEKER WITHIN YOU WITH **DOMINATING ACCELERATION**

The Kawasaki powerhouse 1441 cm³ inline four-cylinder engine puts this motorcycle at the top of the class. Technology combine with comfort to carve the twisites, smooth out the highway or excite the commute. Advanced electronics, innovative frame and stunning bodywork make the Ninja ZX-14R a sensation you need to ride to believe.



| ENGINE TYPE  | 4-stroke, in-line 4 cylinder | LXWXH         | 2170 x 720 x 1230 mm |
|--------------|------------------------------|---------------|----------------------|
| DISPLACEMENT | 1441 cm³                     | FUEL CAP. (L) | 22                   |
| POW. / TORQ. | 147.2 kW / 158.2 Nm          | BRAKES (F)    | Dual 310 mm discs    |
| TRANSMISSION | 6-speed                      | BRAKES (R)    | Single 250 mm disc   |
| CURB MASS    | 269 kg*                      | TYRE (F)      | 120/70 ZR17M/C (58W) |
| SEAT HEIGHT  | 800 mm                       | TYRE (R)      | 190/50 ZR17M/C (73W) |

\*Includes full tank of fuel and fluids at optimum levels



REMOTE PRE-LOAD ON REAR SUSPENSION

Kawasaki

KAWASAKI QUICK RELEASE PANNIER SYSTEM (ACCESSORY)

#### **Ninja 1000**

# REFINED SPORT TOURER WITH ADVANCED ELECTRONICS OFFERS A DREAM COMBINATION: Ninja + TOURING

With the Power to Move you, the Ninja 1000 is firmly established as the definitive litre class sport tourer. With Ninja influenced styling, a wide range of luggage options plus excellent sports touring suspension, the Ninja 1000 owner has a unique choice of either high feedback sports performance or sublime touring ability.



| ENGINE TYPE  | 4-stroke, in-line 4 cylinder | LXWXH         | 2105 x 790 x 1230 mm    |
|--------------|------------------------------|---------------|-------------------------|
| DISPLACEMENT | 1043 cm <sup>3</sup>         | FUEL CAP. (L) | 19                      |
| POW. / TORQ. | 104.5 kW / 111 Nm            | BRAKES (F)    | Dual 300 mm petal discs |
| TRANSMISSION | 6-speed                      | BRAKES (R)    | Single 250 mm disc      |
| CURB MASS    | 231 kg*                      | TYRE (F)      | 120/70 ZR17M/C (58W)    |
| SEAT HEIGHT  | 820 mm                       | TYRE (R)      | 190/50 ZR17M/C (73W)    |

<sup>\*</sup>Includes full tank of fuel and fluids at optimum levels



Kawasaki

## Ninja ZX-6R

## WORLD SUPERSPORT CHAMPIONSHIP TECHNOLOGY COMES TO THE MIDDLEWEIGHT CLASS

The perfect supersport motorcycle for everyday riding. Refining the strengths of the Kawasaki Supersport Championship winning Ninja ZX-6R (599) into the Ninja ZX-6R (636) package makes riding a pure joy. Smooth power delivery with performance at all rpm combines to deliver the most rideable supersport motorcycle on the streets. Increased engine capacity from the track based supersport Ninja ZX-6R provides an improved level of rider exhilaration on the road.



| ENGINE TYPE  | 4-stroke, in-line 4 cylinder | LXWXH         | 2025 x 710 x 1100 mm            |
|--------------|------------------------------|---------------|---------------------------------|
| DISPLACEMENT | 636 cm³                      | FUEL CAP. (L) | 17                              |
| POW. / TORQ. | 95.4 kW / 70.8 Nm            | BRAKES (F)    | Dual semi-floating 310 mm discs |
| TRANSMISSION | 6-speed cassette             | BRAKES (R)    | Single 220 mm petal disc        |
| CURB MASS    | 196 kg*                      | TYRE (F)      | 120/70 ZR17M/C (58W)            |
| SEAT HEIGHT  | 830 mm                       | TYRE (R)      | 180/55 ZR17M/C (73W)            |

<sup>\*</sup>Includes full tank of fuel and fluids at optimum levels



## Ninja 650 / Ninja 650L

## LIGHT, NIMBLE MIDDLEWEIGHT Ninja DELIVERS DAILY DOSE OF RIDING EXCITEMENT

Superbly balanced and extremely exciting, the Ninja 650 features a 650cc Parallel Twin engine with strong low-mid range focus and a remarkably lightweight chassis in a slim, middleweight package. Supersport-like nimble handling, direct feel and strong acceleration complement the easy-to-manage power delivery and rider-friendly manoeuvrability, offering an ideal blend of sporty performance, everyday versatility sure to satisfy everyone from new to more experienced riders. Learner-approved LAMS (Ninja 650L) and full-powered (Ninja 650) models available.



| ENGINE TYPE  | 4-stroke Parallel Twin       | SEAT HEIGHT | 790 mm                   |
|--------------|------------------------------|-------------|--------------------------|
| DISPLACEMENT | 649 cm³                      | LXWXH       | 2055 x 755 x 1085 mm     |
| POW. / TORQ. | 50.0 kW / 66 Nm (Full Power) | BRAKES (F)  | Dual 300 mm petal discs  |
| POW. / TORQ. | 37.8 kW / 59 Nm (LAMS Power) | BRAKES (R)  | Single 220 mm petal disc |
| TRANSMISSION | 6-speed                      | TYRE (F)    | 120/70 ZR17 (58W)        |
| CURB MASS    | 186 kg*                      | TYRE (R)    | 160/60 ZR17M/C (69W)     |

<sup>\*</sup>Includes full tank of fuel and fluids at optimum levels



## Ninja 400

## LIGHTWEIGHT, SHARP-LOOKING, PERFORMANCE SPORT MODEL OFFERS EXCITEMENT WITH EASE OF RIDING

The Ninja 400 is built from the ground up to be the best motorcycle in the class. The 399 cm³ engine delivers a supreme balance of performance and control at all speeds along with smooth, predictable throttle response. LAMS approved, the Ninja 400 leads the way in all-round performance, ease of control and styling. The Ninja 400 is slim, light and easy to master, enabling you to build your skills quickly and enjoy the ride.



| ENGINE TYPE  | 4-stroke Parallel Twin | LXWXH         | 1990 x 710 x 1120 mm     |
|--------------|------------------------|---------------|--------------------------|
| DISPLACEMENT | 399 cm <sup>3</sup>    | FUEL CAP. (L) | 14                       |
| POW. / TORQ. | 33.4 kW / 38 Nm        | BRAKES (F)    | Single 310 mm petal disc |
| TRANSMISSION | 6-speed                | BRAKES (R)    | Single 220 mm petal disc |
| CURB MASS    | 168 kg*                | TYRE (F)      | 110/70R17 M/C 54H        |
| SEAT HEIGHT  | 785 mm                 | TYRE (R)      | 150/60R17 M/C 66H        |

<sup>\*</sup>Includes full tank of fuel and fluids at optimum levels



Kawasaki

is imposing in stature or ability, and commands respect."

#### **Z1000**

## SUGOMI INSPIRED Z DESIGN TAKES YOU TO THE NEXT LEVEL

Sculpted bodywork brings the aggressive and unique Sugomi inspired Z design to the next level, stripping off all unnecessary flourishes to boldly highlight brutal functionality. Enhancing riding impact, the engine and chassis setting deliver a more direct ride, transforming the Z1000 in to the market's most radical Supernaked.



| ENGINE TYPE  | 4-stroke, in-line 4 cylinder | LXWXH         | 2045 x 790 x 1055 mm     |
|--------------|------------------------------|---------------|--------------------------|
| DISPLACEMENT | 1043 cm <sup>3</sup>         | FUEL CAP. (L) | 17                       |
| POW. / TORQ. | 104.5 kW / 111 Nm            | BRAKES (F)    | Dual 300mm petal discs   |
| TRANSMISSION | 6-speed                      | BRAKES (R)    | Single 250 mm petal disc |
| CURB MASS    | 221 kg*                      | TYRE (F)      | 120/70 ZR17M/C (58W)     |
| SEAT HEIGHT  | 815 mm                       | TYRE (R)      | 190/50 ZR17M/C (73W)     |

<sup>\*</sup>Includes full tank of fuel and fluids at optimum levels



"The Japanese word *sugomi* describes the intense aura or energy given off by a person or object of greatness and felt by the viewer. Someone, or something, possessing *sugomi* inspires awe, leaves an indelible impression, is imposing in stature or ability, and commands respect."

#### **Z900**

# EVERY TWIST OF THE WRIST IS REWARDED WITH CRISP, EXHILARATING ACCELERATION.

Kawasaki has long believed that Supernaked models should be more than supersport machines stripped of the full-fairing bodywork. Designed with Sugomi performance for maximum riding pleasure, the Z900 mounts a 948 cm<sup>3</sup> In-line Four engine in an all new ultra lightweight frame.



| ENGINE TYPE  | 4-stroke, in-line 4 cylinder | LXWXH         | 2065 x 825 x 1065 mm     |
|--------------|------------------------------|---------------|--------------------------|
| DISPLACEMENT | 948 cm³                      | FUEL CAP. (L) | 17                       |
| POW. / TORQ. | 92.0 kW / 98.6 Nm            | BRAKES (F)    | Dual 300 mm petal discs  |
| TRANSMISSION | 6-speed                      | BRAKES (R)    | Single 250 mm petal disc |
| CURB MASS    | 210 kg*                      | TYRE (F)      | 120/70 ZR17M/C (58W)     |
| SEAT HEIGHT  | 795 mm                       | TYRE (R)      | 180/55 ZR17M/C (73W)     |

<sup>\*</sup>Includes full tank of fuel and fluids at optimum levels

#### Kawasaki

ABS BRAKING

• HORIZONTAL BACKLINK REAR SUSPENSION



#### **Z900RS**

#### KAWASAKI'S Z900RS MODELS: A RETRO RANGE IN HOMAGE TO THE LEGENDARY Z1

Conceived as an homage to the legendary Z1, the Z900RS is a union of the traditional and the modern. With a traditional liquid-cooled 900cc-class In-Line Four it is backed by Kawasaki's latest rider support technology and carefully crafted styling elements that are complemented by high tech features such as LED lighting and digital instrumentation.



| ENGINE TYPE  | 4-stroke, in-line 4 cylinder | LXWXH         | 2100 x 865 x 1150 mm    |
|--------------|------------------------------|---------------|-------------------------|
| DISPLACEMENT | 948 cm³                      | FUEL CAP. (L) | 17                      |
| POW. / TORQ. | 82.0 kW / 98.5 Nm            | BRAKES (F)    | Dual 300 mm petal discs |
| TRANSMISSION | 6-speed                      | BRAKES (R)    | Single 250 mm disc      |
| CURB MASS    | 214 kg*                      | TYRE (F)      | 120/70 ZR17M/C (58W)    |
| SEAT HEIGHT  | 835 mm                       | TYRE (R)      | 180/55 ZR17 M/C (73W)   |

<sup>\*</sup>Includes full tank of fuel and fluids at optimum levels



MODERN

Kawasaki

## **Z900RS CAFÉ EDITION**

#### KAWASAKI'S Z900RS CAFÉ: A RETRO RANGE IN HOMAGE TO THE LEGENDARY Z1

In addition to the Z900RS, the Z900RS CAFE, a model fitted with a number of unique features, offering riders a second way to enjoy the rich vintage bike life offered by a retro model. The Z900RS Cafe is fitted with a caféracer-style front cowling with black drop-style handlebars, café-racer-style seat, brushed aluminium finish on the muffler and original styled colour and graphics.



| ENGINE TYPE  | 4-stroke, in-line 4 cylinder | LXWXH         | 2100 x 845 x 1190 mm  |
|--------------|------------------------------|---------------|-----------------------|
| DISPLACEMENT | 948 cm³                      | FUEL CAP. (L) | 17                    |
| POW. / TORQ. | 82.0 kW / 98.5 Nm            | BRAKES (F)    | Dual 300 mm discs     |
| TRANSMISSION | 6-speed                      | BRAKES (R)    | Single 250 mm disc    |
| CURB MASS    | 215 kg*                      | TYRE (F)      | 120/70 ZR17M/C (58W)  |
| SEAT HEIGHT  | 820 mm                       | TYRE (R)      | 180/55 ZR17 M/C (73W) |

\*Includes full tank of fuel and fluids at optimum levels \*\*(MY18)



Kawasaki

is imposing in stature or ability, and commands respect."

#### **Z650L**

## LIGHT, NIMBLE MIDDLEWEIGHT Z650L DELIVERS A DAILY DOSE OF RIDING EXCITEMENT

Z650L returns to set mid-weight naked class alight. Light, nimble and eyecatching, the Z650L enjoys stunning looks thanks to its unique Kawasaki Sugomi design influences while lusty performance and impressive torque is willingly delivered by the compact 650cc parallel twin, water-cooled engine. Kawasaki Z650L, Refined Raw. LAMS Approved, and easy to ride the Z650L is streets ahead.



| ENGINE TYPE  | 4-stroke Parallel Twin | LXWXH         | 2055 x 775 x 1085 mm     |
|--------------|------------------------|---------------|--------------------------|
| DISPLACEMENT | 649 cm³                | FUEL CAP. (L) | 15                       |
| POW. / TORQ. | 37.8 kW / 59.0 Nm      | BRAKES (F)    | Dual 300 mm petal disc   |
| TRANSMISSION | 6-speed                | BRAKES (R)    | Single 250 mm petal disc |
| CURB MASS    | 186 kg*                | TYRE (F)      | 120/70 ZR17 (58W)        |
| SEAT HEIGHT  | 790 mm                 | TYRE (R)      | 160/60 ZR17 (69W)        |

<sup>\*</sup>Includes full tank of fuel and fluids at optimum levels



SHARP NEW Z FAMILY STYLING: HIGH CLASS & FUTURISTIC

Kawasaki

#### **Z400**

## LIGHTWEIGHT, SHARP-LOOKING, HIGH-PERFORMANCE SPORT MODEL OFFERS EXCITEMENT & EASE OF RIDING

The Z400's 399 cm³ engine delivers a balance of performance and controllability. The engine has strong performance for take off to cruising speeds. The smooth power delivery is predictable in response, adding to the easy-to-control character of the new Z400. Smooth, predictable response contributes to an easy-to-control engine character. Efficient design, slim seating position and a light, well-balanced engine make the Z400 fun and easy to ride.



| ENGINE TYPE  | 4-stroke, Parallel Twin | LXWXH         | 1990 x 800 x 1055 mm     |
|--------------|-------------------------|---------------|--------------------------|
| DISPLACEMENT | 399 cm³                 | FUEL CAP. (L) | 14                       |
| POW. / TORQ. | 33.4 kW / 38 Nm         | BRAKES (F)    | Single 310 mm petal disc |
| TRANSMISSION | 6-speed                 | BRAKES (R)    | Single 220 mm petal disc |
| CURB MASS    | 167 kg*                 | TYRE (F)      | 110/70 R17 M/C 54H       |
| SEAT HEIGHT  | 785 mm                  | TYRE (R)      | 150/60 R17 M/C 66H       |

<sup>\*</sup>Includes full tank of fuel and fluids at optimum levels.



#### **Z125 PRO**

## **Z125 PRO IS IDEAL FOR NAVIGATING THE URBAN JUNGLE**

The Z125 PRO is Kawasaki's nimblest Supernaked model to date. Ideal for navigating the urban jungle, it comes equipped with features like an inverted front fork, offset laydown rear suspension, and front and rear petal disc brakes — a clear indication of the high level of riding performance intended for these models. Aggressive styling worthy of the "Z" name, reflecting their sharp, sporty performance. The Z125 PRO offers an exciting taste of the Z world.



| ENGINE TYPE  | 4-stroke Single Cylinder | LXWXH         | 1700 x 750 x 1005 mm     |
|--------------|--------------------------|---------------|--------------------------|
| DISPLACEMENT | 125 cm <sup>3</sup>      | FUEL CAP. (L) | 7.4                      |
| POW. / TORQ. | 7.1 kW / 9.6 Nm          | BRAKES (F)    | Single 200 mm petal disc |
| TRANSMISSION | 4-speed                  | BRAKES (R)    | Single 184 mm petal disc |
| CURB MASS    | 102 kg*                  | TYRE (F)      | 100/90-12 M/C 48J        |
| SEAT HEIGHT  | 805 mm                   | TYRE (R)      | 120/90-12 M/C 51L        |

<sup>\*</sup>Includes full tank of fuel and fluids at optimum levels





#### CUPB MAS

## Kawasaki

ASSIST AND SLIPPER CLUTCH

"RIDEOLOGY THE APP" SMARTPHONE CONNECTIVITY

#### **VERSYS 1000 SE**

## MOST VERSATILE ADVENTURE-STYLE MODEL FOR FUN SPORT RIDING AND TOURING

The new Versys 1000 SE offers flowing styling and new equipment including cruise control, supersport-level brakes, Kawasaki Electronic Suspension Control and TFT instrumentation with smartphone connectivity, riding modes, dual direction quick-shifter, hand-guards, DC outlet, Centre Stand and all-LED lighting featuring LED cornering lights. The Versys 1000 SE lives up to the origins of the Versys name - Versatile System.



| ENGINE TYPE  | 4-stroke, in-line 4 cylinder | LXWXH         | 2270 x 950 x 1490-1530 mm |
|--------------|------------------------------|---------------|---------------------------|
| DISPLACEMENT | 1043 cm³                     | FUEL CAP. (L) | 21                        |
| POW. / TORQ. | 88.2 kW / 102.0 Nm           | BRAKES (F)    | Dual 310 mm Petal discs   |
| TRANSMISSION | 6-speed, A&S Clutch          | BRAKES (R)    | Single 250 mm Petal disc  |
| CURB MASS    | 257 kg*                      | TYRE (F)      | 120/70 ZR17M/C (58W)      |
| SEAT HEIGHT  | 840 mm                       | TYRE (R)      | 180/55 ZR17M/C (73W)      |

<sup>\*</sup>Includes full tank of fuel and fluids at optimum levels



## VERSYS 650L / VERSYS 650

# FUN PACKAGE ON WINDING ROADS SO YOU CAN RIDE LONGER AND FURTHER

A combination of long-travel suspension & sporty 17" wheels, a slim, upright riding position and a low-mid range focused Parallel-Twin engine results in a highly versatile package able to offer riders maximum riding excitement in a wide variety of street-riding situations, especially on twisty mountain roads.



| ENGINE TYPE  | 4-stroke Parallel Twin | LXWXH         | 2055 x 755 x 1085 mm     |
|--------------|------------------------|---------------|--------------------------|
| DISPLACEMENT | 649 cm³                | FUEL CAP. (L) | 21                       |
| POW. / TORQ. | 39.0 kW / 57.0 Nm      | BRAKES (F)    | Dual 300 mm petal discs  |
| TRANSMISSION | 6-speed                | BRAKES (R)    | Single 250 mm petal disc |
| CURB MASS    | 186 kg*                | TYRE (F)      | 120/70 ZR17 (58W)        |
| SEAT HEIGHT  | 790 mm                 | TYRE (R)      | 160/60 ZR17M/C (69W)     |

<sup>\*</sup>Includes full tank of fuel and fluids at optimum levels



#### VERSYS-X 300

#### **UNSURPASSED COMFORT AND CONVENIENCE IN A SMALL CAPACITY BIKE**

The baby of the Versys family, the Versys-X 300 has adventure bike styling in a light weight package. Long travel suspension, wide handlebars and a low seat make the Versys-X 300 easy and fun to ride. Any road any time, the Versys-X 300 is the perfect fit. A great range of genuine accessories complete the picture for daily commuting, weekend touring or long adventures.



Metallic Moondust Grey with Metallic Flat Spark Black

| ENGINE TYPE  | 4-stroke Parallel Twin | LXWXH         | 2170 x 860 x 1450 mm     |
|--------------|------------------------|---------------|--------------------------|
| DISPLACEMENT | 299 cm³                | FUEL CAP. (L) | 17                       |
| POW. / TORQ. | 29.3 kW / 26 Nm        | BRAKES (F)    | Single 290 mm petal disc |
| TRANSMISSION | 6-speed                | BRAKES (R)    | Single 220 mm petal disc |
| CURB MASS    | 175 kg*                | TYRE (F)      | 100/90-19M/C 57S         |
| SEAT HEIGHT  | 815 mm                 | TYRE (R)      | 130/80-17M/C 65S         |

<sup>\*</sup>Includes full tank of fuel and fluids at optimum levels



## **VULCAN 900 CLASSIC / CUSTOM**

# THE VULCAN 900 MODELS ARE THE PERFECT MACHINES TO DISCOVER THE JOYS OF CRUISING

Feet forward, wind on your chest, the feeling of riding the powerful Vulcan 900 cruiser range. Choose from the Classic - footboards, heel-toe shift, white wall tyres - or the Custom - sleek front end, custom look, black engine and exhaust.



| ENGINE TYPE  | Liquid-cooled, 4-stroke V Twin | LXWXH      | 2465 x 1005 x 1065 mm**                    |
|--------------|--------------------------------|------------|--|
| DISPLACEMENT | 903 cm <sup>3</sup>            | LXWXH      | 2465 x 895 x 1120 mm***                    |
| POW. / TORQ. | 37 kW / 78 Nm                  | BRAKES (F) | Single 300 mm front disc                   |
| TRANSMISSION | 5-speed with belt final drive  | BRAKES (R) | Single 270 mm rear disc                    |
| CURB MASS*   | 282 kg**/ 278 kg***            | TYRE (F)   | 130/90-16 M/C 67H**<br>80/90-21 M/C 48H*** |
| SEAT HEIGHT  | 680 mm** / 685 mm***           | TYRE (R)   | 180/70-15 M/C 76H                          |

<sup>\*</sup>Includes full tank of fuel and fluids at optimum levels

<sup>\*\*</sup>Vulcan 900 Classic \*\*\*Vulcan 900 Custom



#### **VULCAN S**

## STYLISH, URBAN LAMS APPROVED MOTORCYCLE IDEAL FOR NEW RIDERS OR EXPERIENCED RIDERS

The Vulcan S is not your average cruiser. It stands apart, with its Parallel Twin engine, unique frame and suspension layout, and its very nontraditional looks. Designed for independent-minded riders, it does not require the rider to conform to any herd mentality fashion or lifestyle. Vulcan S is LAMS approved and learner ready, are you?



| ENGINE TYPE  | Liquid-cooled, 4-stroke Parallel Twin | LXWXH         | 2310 x 880 x 1100 mm |
|--------------|---------------------------------------|---------------|----------------------|
| DISPLACEMENT | 649 cm³                               | FUEL CAP. (L) | 14                   |
| POW. / TORQ. | 35 kW / 53 Nm                         | BRAKES (F)    | Single 300 mm disc   |
| TRANSMISSION | 6-speed, A&S Clutch                   | BRAKES (R)    | Single 250 mm disc   |
| CURB MASS    | 226 kg*                               | TYRE (F)      | 120/70-18M/C (59H)   |
| SEAT HEIGHT  | 705 mm                                | TYRE (R)      | 160/70-17M/C (69H)   |

<sup>\*</sup>Includes full tank of fuel and fluids at optimum levels



- STANDARD WITH WIND-BREAK METER COVER
- NEW COLOUR AND BOLD GRAPHICS
- WHEEL TRIM TO ADD TO THE STYLE
- ABS STANDARD ON ALL VULCAN S MODELS
- VULCAN S ERGO-FIT ADJUST TO SUIT YOUR BODY (OPTIONAL ACCESSORIES REQUIRED)

#### Kawasaki

## **VULCAN S CAFÉ**


## ALL OF THE STYLE OF THE VULCAN S WITH ADDED FEATURES TO STAND OUT IN THE CROWD

With its distinctive colour and graphic treatment combined with café styling the Vulcan S CAFE has instant appeal and will attract a wide range of riders looking for stand out looks and an easy to ride, fun package. The parallel twin engine, unique frame and suspension layout are focused on enjoying the ride while making a stand-out style statement. Easy to operate and LAMS approved.



| ENGINE TYPE  | Liquid-cooled, 4-stroke Parallel Twin | LXWXH         | 2310 x 880 x 1100 mm |
|--------------|---------------------------------------|---------------|----------------------|
| DISPLACEMENT | 649 cm³                               | FUEL CAP. (L) | 14                   |
| POW. / TORQ. | 35 kW / 53 Nm                         | BRAKES (F)    | Single 300 mm disc   |
| TRANSMISSION | 6-speed, A&S Clutch                   | BRAKES (R)    | Single 250 mm disc   |
| CURB MASS    | 226 kg*                               | TYRE (F)      | 120/70-18M/C (59H)   |
| SEAT HEIGHT  | 705 mm                                | TYRE (R)      | 160/70-17M/C (69H)   |

<sup>\*</sup>Includes full tank of fuel and fluids at optimum levels



## W800 CAFÉ

## CLASSIC STYLE WITH MODERN TECHNOLOGY AND MODERN DRIVABILITY

With retro café styling, power for all roads, and modern performance capabilities, the W800 Café is for an experienced rider seeking image and authenticity. And with a lineage that dates back to the original W1, it is the ideal platform to represent true Japanese style and innovation in the modern classic category.



Metallic Magnesium Grey with Galaxy Silver

| ENGINE TYPE  | 4-stroke Vertical Twin, Air Cooled | LXWXH         | 2190 x 790 x 1075 mm TBC |
|--------------|------------------------------------|---------------|--------------------------|
| DISPLACEMENT | 773 cm³                            | FUEL CAP. (L) | 15                       |
| POW. / TORQ. | 35 kW / 60 Nm TBC                  | BRAKES (F)    | Single 320 mm disc       |
| TRANSMISSION | 5-speed, A&S Clutch                | BRAKES (R)    | Single 270 mm disc       |
| CURB MASS    | 220 kg* TBC                        | TYRE (F)      | 100/90-18 M/C            |
| SEAT HEIGHT  | 790 mm TBC                         | TYRE (R)      | 130/80-18 M/C            |

<sup>\*</sup>Includes full tank of fuel and fluids at optimum levels. Specifications subject to change. Please check www.kawasaki.com.au for more details.

# W800

CATEGORY: RETRO STANDARD

**ENGINE: 773 cm³ VERTICAL TWIN** 

**FUEL CAPACITY: 14 LITRES** 

- CLASSIC VERTICAL TWIN
- 50+ YEARS HERITAGE
- CLASSIC EFI TUNING
- RIBBED SEAT WITH PIPING
- WIDE USE OF CHROME
- LARGE CLASSIC WHEELS

#### W800

## AUTHENTIC CLASSIC APPEAL: CLASSIC BEAUTY + VINTAGE RIDE FEEL + HISTORIC ROOTS

The W800 is the result of a thorough pursuit of the beauty and feel of vintage motorcycles, care of components meticulousy crafted down to the smallest detail as well as a feeling of authentic quality that comes from using metal parts.

| ENGINE TYPE   | 4-stroke Vertical Twin, Air Cooled |  |  |
|---|------------------------------------|--|--|
| DISPLACEMENT  | 773 cm <sup>3</sup>                |  |  |
| TRANSMISSION  | 5-speed                            |  |  |
| CURB MASS   | 217 kg*                            |  |  |
| SEAT HEIGHT   | 790 mm                             |  |  |
| LXWXH   | <b>N X H</b> 2190 x 790 x 1,075 mm |  |  |
| BRAKES (F)  | Single 300 mm disc                 |  |  |
| BRAKES (R)  | 160 mm drum                        |  |  |
| (MY18) *Includes full tank of fuel and fluids at optimum levels |                                    |  |  |

AUTHENTIC CLASSIC STYLING

# KLIRISS

**CATEGORY: OFF ROAD TOURING** 

**ENGINE: 651 cm³ SINGLE CYLINDER** 

**FUEL CAPACITY: 22 LITRES** 

- SMOOTH, TORQUEY SINGLE
- RANGE OF ACCESSORIES
- CAPABLE SUSPENSION
- LARGE REAR RACK
- COMFORTABLE SEAT
- LARGE 22 LITRE FUEL CAPACITY

Metallic Spark Black with Metallic Matte Carbon Grey

#### **KLR650**

## RUGGED, RELIABLE AND COMFORTABLE, THE KLR650 OFFERS ALL ROUND FUN

The KLR650 makes short work of rugged forest trails, wide open deserts and inner city traffic alike with its large powerful engine, long travel suspension and massive fuel carrying capacity combined with rock-solid reliability and bullet-proof toughness.

| ENGINE TYPE  | 4-stroke Single Cylinder |  |  |
|--------------|--------------------------|--|--|
| DISPLACEMENT | 651 cm <sup>3</sup>      |  |  |
| TRANSMISSION | 5-speed                  |  |  |
| CURB MASS    | 194 kg*                  |  |  |
| SEAT HEIGHT  | 890 mm                   |  |  |
| LXWXH        | 2295 x 960 x 1350 mm     |  |  |
| BRAKES (F)   | Single 290 mm petal disc |  |  |
| BRAKES (R)   | Single 240 mm petal disc |  |  |

(MY18) \*Includes full tank of fuel and fluids at optimum levels

FULL
RANGE OF
GENUINE
LUGGAGE
AVAILABLE

# CATEGORY: OFF ROAD ENGINE: 249 cm³ SINGLE CYLINDER CEUEL CAPACITY: 7.7 LITRES POWERFUL DOHC ENGINE EXCELLENT SUSPENSION LIGHTWEIGHT CHASSIS HALOGEN HEADLIGHT EASY ELECTRIC START Kawasaki Lightweight Chassis Lightweight Chassis

#### **KLX250S**

## ON OR OFF-ROAD THE KLX250S IS A STEP AHEAD OF THE COMPETITION

The Kawasaki KLX250S features unbelievable off road performance and real KLX competition heritage, making it an awesome on or off road machine so that you can enjoy the best of both worlds.

| ENGINE TYPE  | 4-stroke, single cylinder |  |  |
|--------------|---------------------------|--|--|
| DISPLACEMENT | 249 cm³                   |  |  |
| TRANSMISSION | 6-speed                   |  |  |
| CURB MASS    | 134 kg*                   |  |  |
| SEAT HEIGHT  | 890 mm                    |  |  |
| LXWXH        | 2200 x 820 x 1205 mm      |  |  |
| BRAKES (F)   | Single 250 mm petal disc  |  |  |
| BRAKES (R)   | Single 240 mm petal disc  |  |  |

LEARNER FRIENDLY DUAL PURPOSE

\*Includes full tank of fuel and fluids at optimum levels

# 1742X450R

**CATEGORY: OFF ROAD** 

**ENGINE:** 449 cm<sup>3</sup> SINGLE CYLINDER

**FUEL CAPACITY: 8 LITRES** 

- KX-DERIVED ENGINE
- WIDE RATIO TRANSMISSION
- KX-INSPIRED CHASSIS
- RACE QUALITY FORKS
- RACE-READY REAR SHOCK
- ROAD REGISTERABLE

Kawasaki

ER Lime Green
Overseas model shown

#### KLX450R

## BEST MX450 4-STROKE BIKE TRANSFORMED INTO THE ULTIMATE OFF-ROAD TOOL FOR RACING

The KLX450R is Kawasaki's lightest and most capable big-bore 4-stroke off-road Enduro model. With its race heritage sourced directly from our long line of KX450F motocrossers, it has been finely tuned and adapted for off-road racing.

| ENGINE TYPE  | 4-stroke Single Cylinder |  |  |
|--------------|--------------------------|--|--|
| DISPLACEMENT | 449 cm³                  |  |  |
| TRANSMISSION | 5-speed                  |  |  |
| CURB MASS    | 126 kg*                  |  |  |
| SEAT HEIGHT  | 935 mm                   |  |  |
| LXWXH        | 2175 x 820 x 1250 mm     |  |  |
| BRAKES (F)   | Single 250 mm petal disc |  |  |
| BRAKES (R)   | Single 240 mm petal disc |  |  |

POWERFUL & LIGHTWEIGHT OFF-ROAD RACER

<sup>\*</sup>Includes full tank of fuel and fluids at optimum levels



#### KLX150BF

## THE KLX150BF SE OFFERS RIDERS SERIOUS OFF-ROAD PERFORMANCE ON OFF-ROAD TRAILS

A simple, reliable air-cooled engine and highly rigid box section perimeter frame are complemented by full size large-diameter wheels 21" front and 18" rear and inverted front fork to offer an even higher level of offroad performance.

| ENGINE TYPE  | Air-Cooled, Single Cylinder |
|--------------|-----------------------------|
| DISPLACEMENT | 144 cm³                     |
| TRANSMISSION | 5-speed                     |
| CURB MASS    | 118 kg*                     |
| SEAT HEIGHT  | 870 mm                      |
| LXWXH        | 2070 x 825 x 1155 mm        |
| BRAKES (F)   | Single 240 mm petal disc    |
| BRAKES (R)   | Single 190 mm petal disc    |

ECONOMICAL FUN!

\*Includes full tank of fuel and fluids at optimum levels

#### **STOCKMAN 250**

## DESIGNED IN AUSTRALIA FOR AUSTRALIAN CONDITIONS. THE ONLY 250 cm<sup>3</sup> ENGINE AG MODEL IN ITS CLASS

The Stockman 250 is a real world performer which was born and bred for Australia's uniquely harsh conditions on the land. Farm friendly features include dual side stands, handy clutch-lever-lockout for quick dismounts when opening & closing gates and robust UNI-TRAK suspension.

| ENGINE TYPE  | 4-stroke Single Cylinder |  |  |
|--------------|--------------------------|--|--|
| DISPLACEMENT | 249 cm³                  |  |  |
| TRANSMISSION | 6-speed                  |  |  |
| CURB MASS    | 133 kg*                  |  |  |
| SEAT HEIGHT  | 830 mm                   |  |  |
| LXWXH        | 2140 x 900 x 1130 mm     |  |  |
| BRAKES (F)   | Single 240 mm disc       |  |  |
| BRAKES (R)   | Single 210 mm disc       |  |  |

BULLETPROOF BEST-IN-CLASS ENGINE

#### \*Includes full tank of fuel and fluids at optimum levels. Stockman 250 is not road registerable

**ENGINE: 249 cm³ SINGLE CYLINDER** 

**FUEL CAPACITY: 9 LITRES** 

- ELECTRIC STARTING
- ENGINE GUARDS
- DUAL SIDE STANDS
- FRONT RACK WITH CLIP
- ALUMINIUM HAND GUARDS
- STAINLESS STEEL EXHAUST
- POWERFUL HEADLIGHT



## KLX140 / KLX140L

# SPECIFICALLY DESIGNED FOR YOUTHS, OFFERING EASY-ACCESS FUN AND OPTIMUM OFF-ROAD PERFORMANCE

The small-wheel KLX140 and large-wheel KLX140L are the ideal size for growing youths and the perfect transition for riders moving up from the KLX110. And with two versions to choose from, young riders will be able to find a play bike that fits just right in terms of size and weight. A simple yet reliable air-cooled single-cylinder engine with electric starter nestled in a sturdy, high-tensile steel perimeter frame offers easy-access, hasslefree fun.

| ENGINE TYPE  | 4-stroke, single cylinder | LENGTH        | 1,820 mm** / 1,895 mm***   |
|--------------|---------------------------|---------------|----------------------------|
| DISPLACEMENT | 144 cm³                   | FUEL CAP. (L) | 5.8                        |
| STARTING     | Electric                  | BRAKES (F)    | Single 220 mm petal disc   |
| TRANSMISSION | 5-speed                   | BRAKES (R)    | Single 186 mm petal disc   |
| CURB MASS    | 93 kg** / 95 kg***        | TYRE (F)      | 70/100-17** / 70/100-19*** |
| SEAT HEIGHT  | 780 mm** / 800 mm***      | TYRE (R)      | 90/100-14** / 90/100-16*** |

Includes full tank of fuel and fluids at optimum levels \*\*KLX140 \*\*\*KLX140L

Fun packed entry level ATVs that are just perfect for kids who are getting started. Designed with little bodies in mind, the KFX50 & KFX90 boast a range of user-friendly features such as a built-in throttle limiter, automatic transmission and low seat height. For extra parental control, the KFX50 is fitted with a second rearmounted, lanyard-style engine stop switch enabling the parent to follow behind and shut the engine down in an instant.



|--|

| ENGINE TYPE  | 4-stroke single cylinder | LXWXH         | 1425 x 905 x 925mm |
|--------------|--------------------------|---------------|--------------------|
| DISPLACEMENT | 90 cm <sup>3</sup>       | FUEL CAP. (L) | 5.5                |
| WHEEL TRAVEL | 71mm (F) / 74mm (R)      | BRAKES (F)    | Drums              |
| TRANSMISSION | Auto clutch, chain drive | BRAKES (R)    | Single disc        |
| CURB MASS    | 121 kg*                  | TYRE (F)      | AT 18x7-8 Tubeless |
| SEAT HEIGHT  | 650 mm                   | TYRE (R)      | AT 18x7-8 Tubeless |

<sup>\*</sup>Includes full tank of fuel and fluids at optimum levels



## KLX110 / KLX110L

# TWO FUN OFF-ROAD PLAYBIKES FOR YOUNGSTERS AND MINI-MOTO ENTHUSIASTS

Designed specifically for mini-moto enthusiasts, the 2018 KLX110 is packed full of kid friendly features, such as an adjustable throttle limiter, neutral only starting, 4-speed transmission with automatic clutch, electric start, multiple heat shields for extra safety. And for taller junior riders or those wishing to take the step up, the KLX110L boasts all of the fantastic features of the KLX110 with the added advantage of a manual clutch, beefier suspension and taller ride height.



| ENGINE TYPE  | 4-stroke, single cylinder                | LxWxH         | 1560 x 650 x 955** / 990 mm*** |
|--------------|--|---------------|--------------------------------|
| DISPLACEMENT | 112 cm³                                  | FUEL CAP. (L) | 3.8                            |
| STARTING     | Electric                                 | BRAKES (F)    | Drum 90 mm                     |
| TRANSMISSION | 4 Speed Auto Clutch** / Manual Clutch*** | BRAKES (R)    | Drum 110 mm                    |
| CURB MASS    | 76 kg                                    | TYRE (F)      | 2.50-14 4PR                    |
| SEAT HEIGHT  | 680 mm** / 730 mm***                     | TYRE (R)      | 3.00-12 4PR                    |

Includes full tank of fuel and fluids at optimum levels \*\*KLX110 \*\*\*KLX110L

## KIFIK 50

| ENGINE TYPE  | 4-stroke single cylinder | LXWXH         | 1400 x 880 x 910mm |
|--------------|--------------------------|---------------|--------------------|
| DISPLACEMENT | 49.5 cm <sup>3</sup>     | FUEL CAP. (L) | 5.5                |
| WHEEL TRAVEL | 71mm (F) / 74mm (R)      | BRAKES (F)    | Drums              |
| TRANSMISSION | Auto clutch, chain drive | BRAKES (R)    | Single disc        |
| CURB MASS    | 111 kg*                  | TYRE (F)      | AT 16x8-7 Tubeless |
| SEAT HEIGHT  | 635 mm                   | TYRE (R)      | AT 16x8-7 Tubeless |



LOW SEAT HEIGHT
REMOVABLE IGNITION KEY
BUILT-IN THROTTLE LIMITER

PROTECTIVE FLOORBOARDS

- HANDLEBAR MOUNTED BRAKE LEVERS
- ELECTRIC STARTER (KICK BACKUP)
- AUTOMATIC CVT TRANSMISSION
- LOW MAINTENANCE DISC BRAKE

